CORE_ORGANIZATIONADDRESS

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
INVALID	NUMBER(1)			not null
ORGANIZATION_ID	NUMBER	<fk2>	<i1>	not null
ADDROBJECT_ID	NUMBER	<fk1>	<i2>	not null
HOUSING_ID	NUMBER	<fk6>	<i3>	null
ADDRESS_TYPE_ID	NUMBER	<fk3>		null
DISTRICT_ID	NUMBER	<fk7>	<i3>	null
USER_INVALID_ID	NUMBER	<fk4>		null
NEW_ADDRESS_ID	NUMBER	<fk5>		null
DATE_FROM	DATE			null
DATE_TO	DATE			null
INVALID_DATE	DATE			null
POSTAL_INDEX	VARCHAR2(6)			null
UNSTRUCTURED	VARCHAR2(250)			null

PK_COREORGADDRESS <pk>

IDX_COREORGADDRESS_ORGID <i1>
IDX_COREORGADDRESS_ADDROBJECT <i2>
IDX_COREORGADDRESS_HOUSEDISTR <i3>

CORE_ORG_CASE

ID	NUMBER	<pk,fk1>		not null
ORGANIZATION_STATE_ID	NUMBER	<fk2>	<i>	not null

PK_COREORGCASE <pk>

IDX_COREORGCASE_ORGSTATEID <i>

CORE_PERSON_CASE

ID	NUMBER	<pk,fk2>		not null
PERSON_STATE_ID	NUMBER	<fk1>	<i>	not null

PK_COREPERSCASE <pk>

IDX_COREPERSCASE_PERSSTATEID <i>

ID = ID

ARF_IND_CASE

ID	NUMBER	<pk,fk1>		not null
INQ_INITIATOR_CONCERN	NUMBER(1)			not null
APP_REG_DATE	DATE			not null
DECISION_ID	NUMBER	<fk2>	<i1>	null
SEARCH_RESULT_ID	NUMBER	<fk3>	<i2>	null
GROUP_CASE_NUMBER	VARCHAR2(50)			null
REMARK	VARCHAR2(1000)			null
SEARCH_REMARK	VARCHAR2(250)			null

PK_ARFINDCASE <pk>

IDX_ARFINDCASE_DECISIONID <i1>
IDX_ARFINDCASE_SEARCHRESULTID <i2>

ID = DECISION_ID

ARF_DECISION

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
DECISION_TYPE_ID	NUMBER	<fk>	<i>	not null
DATE_FROM	DATE			not null
OUT_NUMBER	VARCHAR2(50)			null
REMARK	VARCHAR2(200)			null

PK_ARFDECISION <pk>

IDX_ARFDECISION_DECISIONTYPEID <i>

ID = DECISION_TYPE_ID

DICT_ARF

ID	NUMBER	<pk>	not null
VERSION	NUMBER		not null
ACTUALITYSTATUS	VARCHAR2(50)		not null
CLASS_NAME	VARCHAR2(250)		not null
NAME	VARCHAR2(1000)		not null
RESPONSIBLE_ID	NUMBER	<fk>	null
START_DATE	DATE		null
END_DATE	DATE		null
CODE	VARCHAR2(20)		null
APPROVALSTATUS	VARCHAR2(50)		null

PK_DICTARF <pk>

CORE_PERSONDATA

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
PERSON_ID	NUMBER	<fk1>	<i1>	not null
BIRTH_DATE_COMPLETE	NUMBER(1)			not null
INVALID	NUMBER(1)			not null
USER_ID	NUMBER	<fk3>	<i4>	not null
GENDER	CHAR(1)			null
GENOTYPE	VARCHAR2(14)		<i3>	not null
FIRST_NAME	VARCHAR2(100)			not null
LAST_NAME_OSK	VARCHAR2(100)		<i3>	not null
LAST_NAME	VARCHAR2(200)			not null
CHANGE_DATE	DATE			not null
BIRTH_DATE	DATE		<i6>	null
DATE_FROM	DATE			null
DATE_TO	DATE			null
INVALID_DATE	DATE			null
USER_INVALID_ID	NUMBER	<fk4>	<i4>	null
BIRTH_ADDROBJ_ID	NUMBER	<fk2>	<i2>	null
IDN_REASON_INVALID_ID	NUMBER			null
NEW_PERSONDATA_ID	NUMBER	<fk5>		null
MIDDLE_NAME	VARCHAR2(100)			null
FIRST_NAME_LAT	VARCHAR2(100)			null
MIDDLE_NAME_LAT	VARCHAR2(100)			null
LAST_NAME_LAT	VARCHAR2(200)			null
FULL_OSK	VARCHAR2(200)		<i5>	null
BIRTH_PLACE_1	VARCHAR2(200)			null
BIRTH_PLACE_2	VARCHAR2(200)			null
BIRTH_PLACE_3	VARCHAR2(200)			null
BIRTH_PLACE_4	VARCHAR2(200)			null
FIO_RUS	VARCHAR2(400)		<i7>	null
FIO_LAT	VARCHAR2(400)		<i8>	null

PK_COREPERSONDATA <pk>

IDX_COREPERSONDATA_PERSON <i1>
IDX_COREPERSONDATA_BIRTHADR <i2>
IDX_COREPERSONDATA_OSKGENOTYPE <i3>
IDX_COREPERSONDATA_USERS <i4>
IDX_COREPERSONDATA_FULLOSK <i5>
IDX_COREPERSONDATA_SUBSTRFIO <i6>
CAT_COREPERSONDATA_FIORUS <i7>
CAT_COREPERSONDATA_FIOLAT <i8>

TRG_COREPERSONDATA_BINSUPD
TRG_COREPERSONDATA_AINS

ID = ID

ARF_JUR_CASE

ID	NUMBER	<pk,fk1>		not null
APP_REG_DATE	DATE			not null
DECISION_ID	NUMBER	<fk2>	<i1>	null
SEARCH_RESULT_ID	NUMBER	<fk3>	<i2>	null
GROUP_CASE_NUMBER	VARCHAR2(50)			null
REMARK	VARCHAR2(1000)			null
SEARCH_REMARK	VARCHAR2(250)			null

PK_ARFJURCASE <pk>

IDX_ARFJURCASE_DECISIONID <i1>
IDX_ARFJURCASE_SEARCHRESULTID <i2>

ID = SEARCH_RESULT_ID

ARF_SEARCH_RESULT

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
RESULT_TYPE_ID	NUMBER	<fk1>	<i4>	not null
CREATION_DATE	DATE			not null
STAYING_PLACE_PS_ID	NUMBER	<fk3>	<i1>	null
LIVING_PLACE_PS_ID	NUMBER	<fk4>	<i1>	null
STAYING_PLACE_ADDR_ID	NUMBER	<fk5>	<i2>	null
LIVING_PLACE_ADDR_ID	NUMBER	<fk6>	<i2>	null
PERSON_DATA_ID	NUMBER	<fk7>	<i5>	null
DOCUMENT_ID	NUMBER	<fk2>	<i3>	null
STAYING_PLACE_REMARK	VARCHAR2(200)			null
LIVING_PLACE_REMARK	VARCHAR2(200)			null
REMARK	VARCHAR2(200)			null

PK_ARFSEARCHRES <pk>

IDX_ARFSEARCHRES_PSTATES <i1>
IDX_ARFSEARCHRES_ADDRESSES <i2>
IDX_ARFSEARCHRES_DOCUMENTID <i3>
IDX_ARFSEARCHRES_RESULTTYPEID <i4>
IDX_ARFSEARCHRES_PERSONDATAID <i5>

ID = RESULT_TYPE_ID

ARF_CASE_VIEW

CASE_ID	v1.case_id |v2.case_id
APP_TYPE	v1.app_type |v2.app_type
CASE_NUM	v1.case_num |v2.case_num
CASE_NUM_PFMS	v1.case_num_pfms |v2.case_nu
DEPARTMENT_ID	v1.department_id |v2.departmen
EMPLOYEE_ID	v1.employee_id |v2.employee_ic
CREATE_DATE	v1.create_date |v2.create_date
APP_REG_DATE	v1.app_reg_date |v2.app_reg_d
GROUP_CASE_NUMBER	v1.group_case_number |v2.grou
INITIATOR_ID	v1.initiator_id |v2.initiator_id
INITIATOR_DATA	v1.initiator_data |v2.initiator_data
INITIATOR_ADDRESS_ID	v1.initiator_address_id |v2.initiato
INITIATOR_ADDRESS	v1.initiator_address |v2.initiator_
SUBJECT_ID	v1.subject_id |v2.subject_id
SUBJECT_DATA	v1.subject_data |v2.subject_data
STATUS_ID	v1.status_id |v2.status_id
STATUS_NAME	(SELECT dp.name FROM dict_pe

(SELECT cc.id case_id, 'IND' app_type, cc.case_number
(SELECT cc.id case_id, 'J UR' app_type, cc.case_number

ID = POST_ADDRESS_ID

ID = LEGAL_ADDRESS_ID

ID = REPR_PERSON_DATA_ID

ID = PERSON_DATA_ID

ID = ARF_INDCASE_ID

ID = ARF_JURCASE_ID

ID = INITIATOR_PD_ID

ID = LIVING_PLACE_PS_ID

ID = STAYING_PLACE_PS_ID

ID = DOCUMENT_ID

ID = LIVING_PLACE_ADDR_ID

ID = INITIATOR_DOC_ID

ID = STAYING_PLACE_ADDR_ID

ARF_IND_APPLICATION

ARF_INDCASE_ID	NUMBER	<pk,fk1>		not null
VERSION	NUMBER			not null
LIVINGPLACE_DATA	NUMBER(1)			not null
STAYINGPLACE_DATA	NUMBER(1)			not null
DOCUMENTINFO_DATA	NUMBER(1)			not null
CORRECT_DATA	NUMBER(1)			not null
INITIATOR_POSTADDR_ID	NUMBER	<fk3>	<i2>	not null
INITIATOR_PD_ID	NUMBER	<fk5>	<i3>	not null
INITIATOR_DOC_ID	NUMBER	<fk4>	<i3>	not null
SUBJECT_ID	NUMBER	<fk2>	<i1>	not null
APP_FILLING_DATE	DATE			not null
REASON	VARCHAR2(200)			not null

PK_ARFINDAPP <pk>

IDX_ARFINDAPP_SUBJECTID <i1>
IDX_ARFINDAPP_INITPOSTADDRID <i2>
IDX_ARFINDAPP_INITPDDOCID <i3>

CORE_PERSONSTATE

ID	NUMBER	<pk>		not null
PERSON_ID	NUMBER	<fk2>	<i1>	not null
STATE_ID	NUMBER	<fk1>	<i2>	not null
CANCELLED	NUMBER(1)			not null

PK_COREPERSSTATE <pk>

IDX_COREPERSSTATE_PERSONID <i1>
IDX_COREPERSSTATE_STATEID <i2>

CORE_DOCUMENT

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
INVALID	NUMBER(1)			not null
USER_ID	NUMBER	<fk3>	<i3>	not null
TYPE_ID	NUMBER	<fk6>	<i4,i7>	not null
CHANGE_DATE	DATE			not null
DOCNO	VARCHAR2(50)		<i5>	not null
DOCNO_HASH	VARCHAR2(50)		<i4>	not null
SERIES	VARCHAR2(30)		<i5>	null
SERIES_HASH	VARCHAR2(30)		<i4>	null
DATE_ISSUED	DATE			null
EXTEND_TO	DATE			null
VALID_FROM	DATE			null
VALID_TO	DATE			null
INVALID_DATE	DATE			null
USER_INVALID_ID	NUMBER	<fk4>	<i3>	null
COUNTRY_ID	NUMBER	<fk1>	<i1>	null
STATUS_ID	NUMBER	<fk2>	<i2>	not null
AUTHORITY_ORGAN_ID	NUMBER	<fk7>	<i6>	null
NEW_DOCUMENT_ID	NUMBER	<fk5>		null
IDN_REASON_INVALID_ID	NUMBER			null
AUTHORITY_CODE	VARCHAR2(50)			null
SERIES_DOCNO_CONCAT	VARCHAR2(100)		<i7>	null
AUTHORITY	VARCHAR2(500)			null

PK_COREDOCUMENT <pk>

IDX_COREDOCUMENT_COUNTRY <i1>
IDX_COREDOCUMENT_STATUS <i2>
IDX_COREDOCUMENT_USERS <i3>
IDX_COREDOCUMENT_NOHSTYPESERHS <i4>
IDX_COREDOCUMENT_DOCNOSER <i5>
IDX_COREDOCUMENT_AUTHORGAN <i6>
IDX_COREDOCUMENT_TYPESERNOM <i7>

TRG_COREDOCUMENT_BINSUPD
TRG_COREDOCUMENT_AINS

DICT_ADDRESS_OBJECT

AOB_ID	NUMBER	<pk>	<i5>	not null
VERSION	NUMBER			not null
AOB_TYPE_ID	NUMBER	<fk4>	<i1>	not null
AOB_HIERARCHY_LEVEL	NUMBER		<i2>	not null
AOB_CREATE_DATE	DATE			not null
ACTUALITYSTATUS	VARCHAR2(50)			not null
AOB_NAME	VARCHAR2(200)		<i7>	not null
AOB_CENTER_TYPE	NUMBER(1)			null
AOB_PARENT_ID	NUMBER	<fk1>	<i3>	null
AOB_NEW_OBJECT_ID	NUMBER	<fk2>	<i4>	null
AOB_USER_ID	NUMBER	<fk3>	<i6>	null
AOB_END_DATE	DATE			null
AOB_KLADR_CODE	VARCHAR2(15)		<i5>	null
AOB_PARENT_KLADR_CODE	VARCHAR2(15)			null
AOB_ACTUALITY_KLADR_CODE	VARCHAR2(2)			null
AOB_OKATO_CODE	VARCHAR2(11)			null
AOB_POST_INDEX	VARCHAR2(6)			null
AOB_CODE	VARCHAR2(30)			null
APPROVALSTATUS	VARCHAR2(50)			null
AOB_FULL_PATH	VARCHAR2(4000)		<i8>	null

PK_DICTADDROBJ <pk>

IDX_DICTADDRESSOBJECT_TYPNAME <i1>
IDX_DICTADDRESSOBJECT_LVLNAME <i2>
IDX_DICTADDRESSOBJECT_PARENT <i3>
IDX_DICTADDRESSOBJECT_NEW <i4>
IDX_DICTADDRESSOBJECT_KLADR <i5>
IDX_DICTADDRESSOBJECT_USER <i6>
CTX_DICTADDRESSOBJECT_NM <i7>
CTX_DICTADDRESSOBJECT_FP <i8>

ARF_JUR_APPLICATION

ARF_JURCASE_ID	NUMBER	<pk,fk2>		not null
VERSION	NUMBER			not null
LIVINGPLACE_DATA	NUMBER(1)			not null
STAYINGPLACE_DATA	NUMBER(1)			not null
DOCUMENTINFO_DATA	NUMBER(1)			not null
CORRECT_DATA	NUMBER(1)			not null
APP_FILLING_DATE	DATE			not null
SUBJECT_ID	NUMBER	<fk1>	<i1>	not null
ORGANIZATION_DATA_ID	NUMBER	<fk3>	<i3>	not null
POST_ADDRESS_ID	NUMBER	<fk4>	<i2>	not null
LEGAL_ADDRESS_ID	NUMBER	<fk5>	<i2>	not null
REASON	VARCHAR2(200)			not null
REPR_PERSON_DATA_ID	NUMBER	<fk6>	<i4>	null
REPR_DOCUMENT_ID	NUMBER	<fk7>	<i5>	null
PHONE_NUMBER	VARCHAR2(20)			null
REPRESENTATIVE_POSITION	VARCHAR2(50)			null
INITIATOR_NAME	VARCHAR2(200)			null

PK_ARFJURAPP <pk>

IDX_ARFJURAPP_SUBJECTID <i1>
IDX_ARFJURAPP_POSTLEGALADDR <i2>
IDX_ARFJURAPP_ORGDATAID <i3>
IDX_ARFJURAPP_REPRPERSONDATAID <i4>
IDX_ARFJURAPP_REPRDOCUMENTID <i5>

ID = SUBJECT_ID

ARF_SUBJECT

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
BIRTH_ADDROBJ_ID	NUMBER	<fk>	<i>	null
BIRTH_DATE	DATE			null
FIRST_NAME	VARCHAR2(100)			null
MIDDLE_NAME	VARCHAR2(100)			null
LAST_NAME	VARCHAR2(200)			null
BIRTH_PLACE	VARCHAR2(200)			null

PK_ARFSUBJECT <pk>

IDX_ARFSUBJECT_BIRTHADDROBJID <i>

ID = BIRTH_ADDROBJ

ID = SUBJECT_ID

ID = REPR_DOCUMENT_ID

ID = INITIATOR_POSTADDR_ID

ORGANIZATIONDATA

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
ORGANIZATION_ID	NUMBER	<fk5>	<i>	not null
PBOUL	NUMBER(1)			not null
INVALID	NUMBER(1)			not null
ACTIVITYKIND_ID	NUMBER	<fk3>		null
CAPITALKIND_ID	NUMBER	<fk4>		null
OWNERSHIP_ID	NUMBER	<fk2>		null
OPF_ID	NUMBER	<fk1>		null
OPF2T_ID	NUMBER	<fk8>		null
USER_INVALID_ID	NUMBER	<fk6>		null
NEW_ORGDATA_ID	NUMBER	<fk7>		null
REGISTERDATE	DATE			null
DATE_FROM	DATE			null
DATE_TO	DATE			null
INVALID_DATE	DATE			null
INN	VARCHAR2(15)			null
OGRN	VARCHAR2(15)			null
OKPO	VARCHAR2(15)			null
KPP	VARCHAR2(30)			null
OKONH	VARCHAR2(30)			null
GOVREGAUTH	VARCHAR2(200)			null
ORGANIZATIONTYPE	VARCHAR2(200)			null
REGEVIDENCENUMBER	VARCHAR2(200)			null
SHORT_NAME	VARCHAR2(200)			null
FULL_NAME	VARCHAR2(500)			null

PK_ORGANIZATIONDATA <pk>

IDX_ORGANIZATIONDATA_ORGID <i>

TRG_ORGANIZATIONDATA_AINS

CORE_PERSONADDRESS

ID	NUMBER	<pk>		not null
VERSION	NUMBER			not null
INVALID	NUMBER(1)			not null
PERSON_ID	NUMBER	<fk6>	<i1>	not null
PERSON_STATE_ID	NUMBER	<fk7>	<i1>	not null
ADDROBJECT_ID	NUMBER	<fk1>	<i2>	not null
HOUSING_ID	NUMBER	<fk5>	<i3>	null
ADDRESS_TYPE_ID	NUMBER	<fk2>		null
DISTRICT_ID	NUMBER	<fk8>	<i3>	null
USER_INVALID_ID	NUMBER	<fk3>		null
NEW_ADDRESS_ID	NUMBER	<fk4>		null
DATE_FROM	DATE			null
DATE_TO	DATE			null
INVALID_DATE	DATE			null
POSTAL_INDEX	VARCHAR2(6)			null
UNSTRUCTURED	VARCHAR2(250)			null

PK_COREPERSADDRESS <pk>

IDX_COREPERSADDRESS_PERSSTAT <i1>
IDX_COREPERSADDRESS_ADDROBJECT <i2>
IDX_COREPERSADDRESS_HOUSEDISTR <i3>