

End Use Verification - Malaria

[Ghana]

EUV Period

April 2024



Country Overview and Sample Details


1. Overview	
a. Peak malaria season	March - November
b. Data Collection Start Date	4/8/2024
c. Data Collection End Date	4/12/2024
2. Service delivery points	
a. Total number of service delivery points visited	72
b. Total number of service delivery points in sampling frame	7137
c. Total number of service delivery points in country	10380
4. Provincial warehouses	
a. Total number of regional or provincial warehouses visited	11
b. Total number of regional or provincial warehouses in sampling frame	11
c. Total number of regional or provincial warehouses in country	11
5. Central warehouses	
a. Total number of central warehouses visited	0
b. Total number of central warehouse sites in country	2
6. Regions/provinces	
a. Number of regions/provinces visited	14
b. Number of regions/provinces in sampling frame	16
c. Number of regions/provinces in country	16
7. Districts	
a. Number of districts visited	44
b. Number of districts in sampling frame	260
c. Number of districts in country	260

Sampling and Data Confidence Attributes

SDP	To achieve nationally representative results, sites are sampled through a three-stage approach. In Stage 1, the number of districts and facilities per district are determined based on the desired precision level (90% confidence level and 10% margin of error) and the total number of health facilities in the population. In stage 2, districts are selected based on probability proportional to size. Therefore, districts with a higher number of health facilities have a higher chance of being selected. In Stage 3, facilities from within those districts are randomly selected for the survey visit based on the numbers determined in step 1. During calculation of indicator results, facilities within populous districts are weighted more heavily as they represent a larger number of facilities. Expected survey confidence level: >90% Expected survey confidence interval (precision): < +/- 10% These confidence and precision parameters hold for all facility-level indicators where the number of observations (n) is greater than or equal to 68. For indicators with fewer observations such as where the n decreases because facilities do not have updated stock cards, the margin of error will be wider than +/- 10%. Results are weighted to account for the representativeness of assessed facilities.
-----	--

Regional Medical Stores	A census was conducted for the provincial warehouses.
-------------------------	---

Locations of visited facilities



Locations are displayed for all 83 facilities visited.



PMI

U.S. PRESIDENT'S
MALARIA INITIATIVE

LED BY



USAID
FROM THE AMERICAN PEOPLE



- Actions Taken Since the Previous Survey

- 1 GHSC-PSM provided technical support to the Ghana Health Service (GHS) to expedite the distribution of ACTs, artesunate injection and sulphadoxine/pyrimethamine to the regions following port clearance and release of Food and Drugs Authority (FDA) quality testing results.
- 2 FDA quality testing turnaround time for malaria commodities has declined from an average of 2 months to 1 month following sustained advocacy by MOH, GHS and GHSC-PSM.
- 3 The Government of Ghana (GOG) has removed accrued import taxes on donated malaria commodities and other health products to facilitate clearance from the port. However, there is the need for MOH to secure funding to cater for accrued demurrage costs (due to delays in clearing commodities) and increased port handling charges resulting from the current macroeconomic situation (high inflation and currency depreciation).
- 4 The National Malaria Elimination Program (NMEP) with technical support from GHSC-PSM used the ACT tracer list to inform the quantification of malaria commodities for the period 2024 to 2026. The ACT tracer list prioritizes the procurement of artemether/lumefantrine 6X2, artemether/lumefantrine 6X4, artesunate/amodiaquine 25/67.5 mg, artesunate/amodiaquine 50/135 mg and artesunate/amodiaquine 100/270 mg (6 tabs).
- 5 GHSC-PSM provided technical support to the NMEP to conduct monthly stock status monitoring of malaria commodities. Analytic outputs from this exercise were used to inform advocacy for the resolution of malaria supply chain bottlenecks.
- 6 GHSC-PSM provided technical support to the Logistics Management Unit (LMU) of GHS to organize central and regional Supply Chain Technical Working Group (SCTWG) meetings as part of efforts to ensure a coordinated approach for resolving malaria supply chain challenges.

- Key Observations

- 1 Stockout rate for artemether/lumefantrine 6X4 in service delivery points (SDPs) declined from 35% in September 2023 to 20% in April 2024 following the release of FDA quality testing results for Government of Ghana (GOG) consignment and subsequent distribution. This situation is expected to further improve in the coming months with the continuous distribution of malaria and other health commodities from regional warehouses to SDPs through the last-mile distribution program. Facility-level stockout rates for the remaining artemisinin-based combination therapies (ACTs) were high and ranged between 41% and 99%. The high stockout rates can mainly be attributed to stockouts at resupply points (69%), product rationing (23%) and delayed delivery by the resupply point (12%). Additionally, preference for artemether/lumefantrine 6X4 (driven by potential economic benefits when facilities cut and dispense adult presentations to pediatric clients) likely contributed to the stocking dynamics of ACTs in SDPs. This is supported by the fact that 64% of SDPs had only one presentation of artemether/lumefantrine available on the day of visit. Since national policies (Standard Treatment Guideline and National Malaria Case Management Guideline) do not encourage dispensing of adult presentations to pediatric clients, SDPs must be sensitized to improve adherence to the policy and help reverse this trend. Furthermore, 12% of SDPs were entirely stocked out of ACTs, hence could not treat malaria. Only 56% of SDPs had a pediatric-specific ACT despite better availability of priority pediatric presentations (artesunate/amodiaquine 25/67.5 mg) in regional warehouses. Notwithstanding the generally high stockout rate for individual ACTs, the percentage of SDPs that had at least one presentation of artemether/lumefantrine available, hence could treat clients of all age bands increased from 75.7% in September 2023 to 84% in April 2024 mainly due to the improved availability of artemether/lumefantrine 6X4.
- 2 At the regional warehouses, there were improvements in stockout rates for most of the priority ACTs (as per the ACT tracer list) following distribution from the central level to regional warehouses in March 2024. Stockout rates for artemether/lumefantrine 6X2 and artemether/lumefantrine 6X4 declined from 80% and 50% in September 2023 to 9% and 0% in April 2024 respectively. Similarly, the stockout rate for artesunate/amodiaquine 25/67.5 mg declined from 60% to 18% while that for artesunate/amodiaquine 100/270 mg declined from 70% to 18%. Occurrence of stockouts at regional warehouses were mainly due to stockouts at resupply points (82%) and product rationing (27%), highlighting the need to improve the supply of malaria commodities to regions through better adherence to supply plan arrangements and timely clearance of commodities from the port. Though the streamlining of ACT procurement resulted in high stockout rates of non-priority ACTs (artemether/lumefantrine 6X1, artemether/lumefantrine 6X3, artesunate/amodiaquine 100/270 mg [3 tabs]) which ranged from 82% to 100% in regional warehouses, this will not impact the capacity of SDPs to manage malaria as they are being phased out in the public health sector.

- **Key Observations**

- 3 Stockout rate for artesunate injection 30 mg increased marginally from 35% in September 2023 to 36% in April 2024 in SDPs. Similarly, stockout rates for both artesunate injection 60 mg and artesunate injection 120 mg increased from 24% to 27%. This was due to an increase in stockout rates at the regional level where values went up from 10% to 27% for artesunate 30 mg injection, 0% to 18% for artesunate 60 mg injection, and 0% to 9% for artesunate injection 120 mg. Reported stockouts at regional warehouses were mainly due to stockouts at the supply point (82%) and product rationing (27%). The stockout rate for malaria RDT in SDPs increased from 10% in September 2023 to 65% in April 2024 due to high stockout rates at the regional level (82%) resulting from prolonged delays in clearing malaria commodities from the port (arrived in June 2023 but was cleared in April 2024). As a result, the proportion of cases that were diagnosed through malaria RDT/microscopy declined from 96.4% in September 2023 to 78.3% in April 2024. Stockout rate for sulphadoxine-pyrimethamine in SDPs declined from 16% in September 2023 to 8% in April 2023 due to improved availability at regional warehouses. This can be attributed to the receipt of 4.5 million doses (between November 2023 and February 2024) and subsequent distribution from the central level to regional warehouses and to SDPs. The stockout rate for LLIN increased from 7% to 24% in SDPs since the last survey. This was due to the prolonged delay (between 7 and 10 months) in clearing Global Fund shipment of LLINs meant for both health facility-based continuous distribution and point mass distribution.
- 4 Stocking according to plan ranged from 14% to 43%, highlighting the need to work towards optimal stocking and effective supply management of malaria commodities at the regional warehouses. Five out of the ten ACTs managed at regional warehouses were either stocked out, understocked or overstocked (not stocked according to plan).
- 5 On average, updating of stock cards declined from 38% to 29% in SDPs while that for regional warehouses declined 70% from 64%. However, data accuracy in SDPs and regional warehouses increased from 71% and 67% in September 2023 to 80% and 74% respectively. For SDPs, the low stock card updating level and data accuracy gaps were likely due to inadequate Standard Operating Procedures for logistics management (71%), too few staff trained in logistics management (59%), too few staff available to manage or complete stock cards (53%), stock/bin cards or tally cards are kept away from the products (41%) and non-availability of stock cards (24%). At regional warehouses, stock card updating levels and data accuracy were impacted by the separation of stock cards from products (64%), too few staff available to manage or complete stock cards (64%) and too few staff trained in stock management (64%). It should be noted that though figure 9a highlights "too few staff trained in stock management" (59%) as a major stock management challenge in SDPs, this does not align with figure 18 which indicates that 91% of facility staff working in the area of stock management have been trained in stock management.
- 6 The percentage of malaria cases in children under 5 years who were treated with an ACT remained at 98% as observed in the last survey. Anecdotal feedback from SDPs indicates that the remaining 2% of clients were already on an ACT medication and, hence were given non-malaria medicines as adjunctive treatment. The proportion of malaria cases with unknown severity declined slightly from 33.4% in September 2023 to 30.6% in April 2024. However, it still remained high likely due to challenges with case management practices or data recording/reporting in some SDPs. Furthermore, the proportion of malaria cases that were diagnosed clinically (by symptoms) has increased from 3.5% to 19.7% since the last survey due to an increase in SDP stockout rates (went up from 10% to 65%) for malaria RDT resulting from port clearance delays which affected in-country stock levels. The proportion of SDPs with malaria case management protocol remained at 74% as observed in the last survey, highlighting the need to distribute the document (both hard and soft copies) to facilities that do not have it. On average, the proportion of staff trained in areas in which they work declined marginally from 98% to 95% likely due to staff attrition.
- 7 The performance of SDPs in six out of fifteen storage indicators monitored ranged between 82% and 96%. Low performance areas were the same as those recorded in the September 2023 survey. They include the availability of shelves and pallets (49%), availability of fire extinguishers (30%), separation of products from walls (24%), availability of storeroom thermometers (5%) and monitoring of storeroom temperature (5%).

- Recommendations



- 1 The NMEP with technical support from GHSC-PSM should continue to advocate with the Ministry of Health (MOH) to resolve issues impacting port clearance of malaria commodities including securing funds for the payment of port handling charges
- 2 GHSC-PSM should provide technical support to the NMEP to develop an advanced distribution plan for LLIN (over 8.5 million pieces) and artesunate injection (over 186,000 vials) consignment at the port to facilitate expedited distribution to various regions once commodities are cleared. Additionally, following the clearance and distribution of 7.6 million RDTs to regions in May 2024, GHSC-PSM should support the GHS to conduct expedited distribution from regional warehouses to SDPs to fill stock gaps.
- 3 This NMEP should disseminate the ACT tracer list and leverage monitoring and supportive supervision visits to monitor compliance in SDPs as part of efforts to improve ordering and availability of priority ACTs (both pediatric and adult formulations) at the last mile.
- 4 The NMEP should use appropriate channels (regional review meetings, Regional Supply Chain Coordination meetings, in-service training as well as monitoring and supervision activities) to sensitize SDPs and promote dispensing of recommended ACT presentations to all clients based on weight/age bands.
- 5 The NMEP should identify and disseminate malaria case management guidelines (both hard and soft copies) to SDPs that do not have the document. Additionally, the NMEP should continue to sensitize SDPs to adhere to malaria case management guidelines including recording the severity of malaria cases to facilitate effective treatment.
- 6 The NMEP with technical support from the GHSC-PSM should identify and target logistics supportive supervision to SDPs with product availability challenges, low stock card updating culture and data accuracy gaps.
- 7 The LMU of GHS with technical support from GHSC-PSM should leverage the Supply Chain M&E Framework indicators to inform Regional Technical Working Group discussions and institutionalize performance benchmarking as part of efforts to drive overall supply chain improvements (e.g. warehouse order processing time, order fill rate, on-time delivery and product availability).
- 8 Regional Health Directorates should continue to advocate with partners to support the provision of critical storage resources (e.g. shelves/pallets, fire extinguishers and storeroom thermometers) for SDPs to help improve overall storage conditions for malaria commodities.

The confidence and precision parameters hold for all service delivery point indicators where the number of observations (n) is greater than or equal to 68. For indicators with fewer observations-- such as where the n decreases because sites do not have updated stock monitoring tools-- the margin of error will be wider than +/- 10%. In this instance, results would become less representative of the population and only representative of the sites visited.

Figure 1a. % service delivery points (SDPs) stocked out on the day of visit and average stockout duration

Category	% of facilities stocked out on the day of visit		# of facilities visited required to manage the product (n)	Average # of days stocked out in the last 3 months
▲				
ACTs				
AL 6x1 (6 disp. tabs)		86%	72	4.2
AL 6x2 (12 disp. tabs)		86%	72	17.1
AL 6x3 (18 tabs)		99%	72	7.5
AL 6x4 (24 tabs)		20%	72	17.0
AL 20/120 mg oral susp. (60ml)		41%	47	16.0
ASAQ 25/67.5 mg (3 tabs)		87%	72	1.6
ASAQ 50/135 mg (3 tabs)		97%	72	0.0
ASAQ 100/270 mg (3 tabs)		94%	72	0.0
ASAQ 100/270 mg (6 tabs)		98%	72	0.0
Severe Malaria Medicines				
Artesunate 30 mg inj. (vial)		36%	14	7.3
Artesunate 60 mg inj. (vial)		27%	15	13.9
Artesunate 120 mg inj. (vial)		27%	15	9.5
Artesunate Rectal 100 mg (supp)		79%	57	7.2
Other Pharma				
Quinine sulfate 300 mg (tab)		100%	5	0.0
Quinine DiHCL 600mg/2ml inj. (amp)		100%	5	0.0
SP 500/25 mg (tab)		8%	63	18.2
Other Non-Pharma				
RDTs (test)		65%	72	21.2
LLINs (piece)		24%	72	10.2

The review period (previous three months) for this report is January 1, 2024 to March 31, 2024.

Number of service delivery points visited, by type

Facility Type	# of facilities visited
Polyclinic	1
Hospital	1
Health Center	10
District Hospital	3
Clinic	1
CHDS	56
Total	72

Notes on service delivery point types and product management

For a standard product under figure 1a, the denominator represents all facilities that are required to manage that particular product. The denominator for a non standard product (e.g., AL 20/120 mg oral suspension) applies to facilities that have decided to manage that product. In figure 3a, the denominator represents facilities that have stocked, issued or ordered a particular product in the past 12 months (from the visit).

The confidence and precision parameters hold for all service delivery point indicators where the number of observations (n) is greater than or equal to 68. For indicators with fewer observations-- such as where the n decreases because sites do not have updated stock monitoring tools-- the margin of error will be wider than +/- 10%. In this instance, results would become less representative of the population and only representative of the sites visited.

Figure 2a. % SDPs with updated stock cards

Category	# of facilities visited required to manage the product (n)	# of facilities with updated stock card (n)	% of facilities with an updated stock card
ACTs			
AL 6x1 (6 disp. tabs)	72	14	18%
AL 6x2 (12 disp. tabs)	72	16	22%
AL 6x3 (18 tabs)	72	7	6%
AL 6x4 (24 tabs)	72	40	57%
AL 20/120 mg oral susp. (60ml)	47	23	46%
ASAQ 25/67.5 mg (3 tabs)	72	15	19%
ASAQ 50/135 mg (3 tabs)	72	13	16%
ASAQ 100/270 mg (3 tabs)	72	8	9%
ASAQ 100/270 mg (6 tabs)	72	9	12%
Severe Malaria Medicines			
Artesunate 30 mg inj. (vial)	14	10	59%
Artesunate 60 mg inj. (vial)	15	8	46%
Artesunate 120 mg inj. (vial)	15	9	45%
Artesunate Rectal 100 mg (supp)	57	9	18%
Other Pharma			
Quinine sulfate 300 mg (tab)	5	1	5%
Quinine DiHCL 600mg/2ml inj. (amp)	5	1	5%
SP 500/25 mg (tab)	63	26	39%
Other Non-Pharma			
RDTs (test)	72	38	54%
LLINs (piece)	72	32	47%

Indicator Definitions

Indicator Code	Indicator Name	Numerator	Denominator	Other Info
Stock Management 2a	Percentage of facilities with an updated stock monitoring tool	Number of facilities visited that are required to manage the standard commodity and have an updated stock monitoring tool for that commodity	Total number of facilities visited that are required to manage the standard commodity	An “updated” stock monitoring tool means the ending balance on the day of visit matches the physical commodity count, and/or data has been entered on the tool within 7 calendar days

Figure 3a. % SDPs with accurate stock monitoring tools			
Category	# of facilities visited actively managing the product (n)	# of facilities with accurate stock card (n)	% of facilities with accurate data on the stock monitoring tool
▲			
ACTs			
AL 6x1 (6 disp. tabs)	37	30	77%
AL 6x2 (12 disp. tabs)	37	31	82%
AL 6x3 (18 tabs)	22	20	85%
AL 6x4 (24 tabs)	71	44	64%
AL 20/120 mg oral susp. (60ml)	47	33	68%
ASAQ 25/67.5 mg (3 tabs)	27	26	91%
ASAQ 50/135 mg (3 tabs)	28	27	96%
ASAQ 100/270 mg (3 tabs)	20	19	96%
ASAQ 100/270 mg (6 tabs)	22	20	93%
Severe Malaria Medicines			
Artesunate 30 mg inj. (vial)	14	11	70%
Artesunate 60 mg inj. (vial)	15	11	77%
Artesunate 120 mg inj. (vial)	15	12	73%
Artesunate Rectal 100 mg (supp)	28	23	78%
Other Pharma			
Quinine sulfate 300 mg (tab)	1	1	100%
Quinine DiHCL 600mg/2ml inj. (amp)	1	1	100%
SP 500/25 mg (tab)	63	31	45%
Other Non-Pharma			
RDTs (test)	71	52	77%
LLINs (piece)	72	41	63%

Indicator Definitions				
Indicator Code	Indicator Name	Numerator	Denominator	Other Info
Stock Management 11	Percentage of facilities that have accurate data on the stock monitoring tool for a specific commodity	Number of facilities where the balance data in the stock monitoring tool matches the physical count for a specific commodity	Total number of facilities visited that are actively managing a specific commodity	The stock monitoring tool is “accurate” when the latest ending balance (as of the day of visit) equals the physical count on the day of visit

Stock Management				April 2024	▼
The confidence and precision parameters vary for warehouses. Please refer to the cover page of this report for more detail.					
Figure 1b. % regional warehouses stocked out on the day of visit and average stockout duration					
Category		% of facilities stocked out on the day of visit	# of facilities visited required to manage the product (n)	Average # of days stocked out in the last 3 months	
▲					
ACTs					
AL 6x1 (6 disp. tabs)		100%	11	15.6	
AL 6x2 (12 disp. tabs)		9%	11	35.5	
AL 6x3 (18 tabs)		100%	11	0.8	
AL 6x4 (24 tabs)		0%	11	0.0	
AL 20/120 mg oral susp. (60ml)		40%	10	20.2	
ASAQ 25/67.5 mg (3 tabs)		18%	11	33.3	
ASAQ 50/135 mg (3 tabs)		18%	11	33.3	
ASAQ 100/270 mg (3 tabs)		82%	11	33.2	
ASAQ 100/270 mg (6 tabs)		91%	11	0.0	
Severe Malaria Medicines					
Artesunate 30 mg inj. (vial)		27%	11	11.5	
Artesunate 60 mg inj. (vial)		18%	11	6.8	
Artesunate 120 mg inj. (vial)		9%	11	0.0	
Artesunate Rectal 100 mg (supp)		36%	11	14.7	
Other Pharma					
Quinine sulfate 300 mg (tab)		100%	11	9.0	
Quinine DiHCL 600mg/2ml inj. (amp)		91%	11	14.0	
SP 500/25 mg (tab)		0%	11	0.0	
Other Non-Pharma					
RDTs (test)		82%	11	23.7	

The review period (previous three months) for this report is January 1, 2024 to March 31, 2024.

Number of warehouses visited, by type

Facility Type	# of facilities visited
▼	
Regional Medical Stores	11
Total	11

Notes on warehouse types and product management

▲
For a standard product under figure 1a, the denominator represents all facilities that are required to manage that particular product. The denominator for a non standard product (e.g., AL 20/120 mg oral suspension) applies to facilities that have decided to manage that product. In figure 3a, the denominator represents facilities that have stocked, issued or ordered a particular product in the past 12 months (from the visit).

The confidence and precision parameters vary for warehouses. Please refer to the cover page of this report for more detail.

Figure 2b. % regional warehouses with updated stock cards

Category	# of facilities visited required to manage the product (n)	# of facilities with updated stock card (n)	% of facilities with an updated stock card
ACTs			
AL 6x1 (6 disp. tabs)	11	9	82%
AL 6x2 (12 disp. tabs)	11	8	73%
AL 6x3 (18 tabs)	11	8	73%
AL 6x4 (24 tabs)	11	6	55%
AL 20/120 mg oral susp. (60ml)	10	6	60%
ASAQ 25/67.5 mg (3 tabs)	11	7	64%
ASAQ 50/135 mg (3 tabs)	11	7	64%
ASAQ 100/270 mg (3 tabs)	11	10	91%
ASAQ 100/270 mg (6 tabs)	11	9	82%
Severe Malaria Medicines			
Artesunate 30 mg inj. (vial)	11	6	55%
Artesunate 60 mg inj. (vial)	11	6	55%
Artesunate 120 mg inj. (vial)	11	8	73%
Artesunate Rectal 100 mg (supp)	11	6	55%
Other Pharma			
Quinine sulfate 300 mg (tab)	11	2	18%
Quinine DiHCL 600mg/2ml inj. (amp)	11	4	36%
SP 500/25 mg (tab)	11	7	64%
Other Non-Pharma			
RDTs (test)	11	10	91%

Indicator Definitions

Indicator Code	Indicator Name	Numerator	Denominator	Other Info
Stock Management 2a	Percentage of facilities with an updated stock monitoring tool	Number of facilities visited that are required to manage the standard commodity and have an updated stock monitoring tool for that commodity	Total number of facilities visited that are required to manage the standard commodity	An “updated” stock monitoring tool means the ending balance on the day of visit matches the physical commodity count, and/or data has been entered on the tool within 7 calendar days

The confidence and precision parameters vary for warehouses. Please refer to the cover page of this report for more detail.


Figure 3b. % regional warehouses with accurate stock monitoring tools

Category	# of facilities visited actively managing the product (n)	# of facilities with accurate stock card (n)	% of facilities with accurate data on the stock monitoring tool
▲			
ACTs			
AL 6x1 (6 disp. tabs)	10	10	100%
AL 6x2 (12 disp. tabs)	11	6	55%
AL 6x3 (18 tabs)	9	9	100%
AL 6x4 (24 tabs)	11	4	36%
AL 20/120 mg oral susp. (60ml)	10	7	70%
ASAQ 25/67.5 mg (3 tabs)	11	7	64%
ASAQ 50/135 mg (3 tabs)	11	7	64%
ASAQ 100/270 mg (3 tabs)	10	10	100%
ASAQ 100/270 mg (6 tabs)	10	10	100%
Severe Malaria Medicines			
Artesunate 30 mg inj. (vial)	11	6	55%
Artesunate 60 mg inj. (vial)	11	6	55%
Artesunate 120 mg inj. (vial)	11	8	73%
Artesunate Rectal 100 mg (supp)	11	6	55%
Other Pharma			
Quinine sulfate 300 mg (tab)	6	6	100%
Quinine DiHCL 600mg/2ml inj. (amp)	6	6	100%
SP 500/25 mg (tab)	11	5	45%
Other Non-Pharma			
RDTs (test)	11	10	91%

Indicator Definitions

Indicator Code	Indicator Name	Numerator	Denominator	Other Info
Stock Management 11	Percentage of facilities that have accurate data on the stock monitoring tool for a specific commodity	Number of facilities where the balance data in the stock monitoring tool matches the physical count for a specific commodity	Total number of facilities visited that are actively managing a specific commodity	The stock monitoring tool is “accurate” when the latest ending balance (as of the day of visit) equals the physical count on the day of visit


Figure 4. Microscopy reagents, equipment, and supplies available



Other microscopy reagents, equipment, and supplies included: Slide rack, staining rack, tally counter and immersion oil.

Stock Management


Figure 5a. Regional warehouse stock levels ("Stocked According to Plan")* on the day of site visit, according to established min/max policies



Facility Type	Commodity	Minimum	Maximum
Regional Medical Stores	All	3	6

*The denominator for “facility stock levels on day of visit, according to established max/min policies” includes those facilities visited who had all of the following: 1) an updated stock card for the specific product (meaning that the stock card was available and the ending balance on the card matched the physical count on the day of visit and/or data was entered on the stock card in the previous seven calendar days), 2) at least 1.5 months of in-stock days of data, and 3) complete data for number of units issued. Malaria seasonality affecting consumption patterns in the previous three months could distort the current stock status of a product. An in-stock product with no consumption (units issued) during the period is considered overstocked.

Figure 6a. AL index of availability (Percentage of facilities by number of AL presentations in stock)




n=72

Note: None of the health facilities monitored had all four presentations of artemether/lumefantrine.


Figure 6b. Percentage of facilities stocked out of all formulations of injectable artesunate on the day of visit

n=15



Definition: Injectable artesunate formulations include artesunate 30 mg injection, artesunate 60 mg injection and artesunate 120 mg injection.

Figure 7. ACT availability by age group



n=72

Definition: ACTs that could be used to treat a child under 5 include AL 6x1, AL 6x2, AL 6x3, AL 6x4, ASAQ 25/67.5 mg (3 tabs) and AL 20/120 oral suspension. Pediatric (under 5) ACT formulations include AL 6x1 or 6x2 or AL 20/120 oral suspension or ASAQ 25/67.5 mg (3 tabs).

Note: Results may differ between Fig 6 and Fig 7 due to calculation rounding and the inclusion of more ACT products in Fig 7.

Figure 8a. Primary reported reasons for stockouts at service delivery points






Figure 8b. Primary reported reasons for stockouts at regional warehouses



A single site may report multiple reasons for stockouts. Only facilities that had at least one product stocked out in the last 3 months are included in this indicator. The review period (previous three months) for this report is January 1, 2024 to March 31, 2024.


Figure 9a. Types of stock management challenges experienced by service delivery points



n=72

Other stock management challenges at SDPs included: Regional warehouse is not able to supply the total quantity of commodities ordered, inadequate shelves and pallets, facility is undergoing renovations which makes it difficult to stock and manage commodities.

Figure 9b. Types of stock management challenges experienced by regional warehouses



n=11

Other stock management challenges at warehouses included: Duplication of entries on different stock cards; heavy workload; inadequate shelves and pallets.

A single site may report multiple stock management challenges.

Malaria Case Management

April 2024




To maintain sampling and data confidence attributes, all case management results are **presented in terms of the average facility**. For instance, Figure 10 shows that **at the average facility**, one can expect that 49 % of patient records examined were malaria cases. The number of observations (n) provided for these figures indicates both the number of facilities whose results are averaged together to produce the figure, as well as the number of case records underlying the facility-level results.

Figure 10. Patient records examined by malaria diagnosis and severity

Malaria Severity

- Uncomplicated malaria
- Severity unknown
- Severe malaria
- No malaria
- Diagnosis unknown




n=71 facilities, comprising 1420 patient records from the previous month

Figure 11. Fever cases by malaria diagnosis

Malaria Diagnosis

- Yes
- No
- Not Specified



n=56 facilities, comprising 226 fever cases

Figure 12. All malaria cases by age group

Patient Age

- 5 years or older
- Under 5 years
- Unknown





Figure 12 and 13 n=69 facilities, comprising 694 malaria cases

Figure 13. All malaria cases by diagnosis method

Diagnosis Method

- Rapid diagnostic test
- Clinically (by symptoms)
- Microscopy
- Not specified
- RDT + Microscopy



12 facilities offer microsocopy services.

Malaria Case Management

April 2024



To maintain sampling and data confidence attributes, all case management results are **presented in terms of the average facility**. For instance, Figure 14 shows that **at the average facility**, 98 % of malaria cases under 5 were treated with an ACT. The number of observations (n) provided for these figures indicates both the number of facilities whose results are averaged together to produce the figure, as well as the number of case records underlying the facility-level results.

Figure 14. Malaria patients under age 5 by treatment




Figure 14 and 15 n=62 facilities, comprising 231 malaria patients under 5

Figure 15. Percentage of malaria patients under 5, by treatment type






Figure 16. Percentage of non-malaria cases in patients under 5 treated with an ACT



n=60 facilities, comprising 256 non-malaria patients under 5

Figure 17. Percentage of SDPs with malaria treatment guideline available




n=72 facilities visited

Figure 18. Percentage of staff trained in the areas in which they work

Work area	% of staff trained in the areas in which they work	Total # of staff responsible	# of facilities reporting training data (n)
Stock management	91%	206	72
Malaria case management	95%	606	72
Rapid diagnostic tests (RDTs)	98%	499	72
Intermittent preventive treatment of malaria in pregnancy (IPTp)	95%	263	69
Microscopy	95%	58	12

Training methods may include on-the-job training (in-service training), workshop or conference (in-service training), workshop or conference (pre-service training), and university/college (pre-service training). Sites with incomplete or unknown training data are excluded from Figure 18.

Figure 19. Percentage of supervisory visits conducted in the previous 6 months, by entity




Storage Conditions

April 2024



Figure 20a. Percentage of service delivery point storerooms that meet best practices



n=71 facilities, comprising of 82 storerooms


Service delivery points may have more than one storeroom. LLINs are considered insecticides.

Storage Conditions

April 2024




Figure 20b. Percentage of regional warehouse storerooms that meet best practices



Warehouses may have more than one storeroom. LLINs are considered insecticides.


Stock Management

Figure 21a. Actions taken in the past 12 months when there is no AL available at an SDP



n=12 These 12 facilities reported a stockout of all 4 presentations of AL at some point in the past 12 months.

Figure 21b. Actions taken in the past 12 months when there is no pediatric ASAQ available at an SDP



n=62 These 62 facilities reported a stockout of ASAQ 25/67.5 mg at some point in the past 12 months.

Family Planning Commodity Availability: End-Use Verification Survey Results


Ghana



Box 1. Methodology and Sampling Description

1 The End Use Verification survey in Ghana was implemented from 8th - 12th April, 2024. Data were collected from 11 regional medical stores and 72 SDPs across 15 regions. The sampling frame for this survey included 7,137 SDPs made up of hospitals, polyclinics, health centres, clinics and Community-Based Health Planning and Services [CHPS]). To achieve nationally representative results, sites were sampled through a three-staged approach. In Stage 1, the number of districts and facilities per district were determined based on the desired precision level (90% confidence level and 10% margin of error) and the total number of SDPs in the population. In stage 2, districts were selected based on probability proportional to size. Therefore, districts with a higher number of SDPs had a higher chance of being selected. In Stage 3, facilities from within those districts were randomly selected for the survey visit based on the numbers determined in step 1. During calculation of indicator results, facilities within populous districts were weighted more heavily as they represent a larger number of facilities.

Exhibit A. GPS locations of visited facilities



Locations are displayed for all 83 facilities visited.

Key Findings, Observations, and Recommended Actions

Progress Since Last Survey

- 1 The Ghana Health Service (GHS) with technical support from GHSC-PSM has finalized the Family Planning Stockout Reduction Strategy (SRS). The next step is to organize a stakeholder meeting to disseminate the document and commence implementation of interventions.
- 2 GHSC-PSM is supporting GHS and partners to develop the Family Planning Costed Implementation Plan (FPCIP). As part of this process, GHSC-PSM provided technical input on the commodity security component which was informed by the Family Planning Stockout Reduction Strategy (FPSRS). The integration of the FPSRS into the FPCIP is expected to provide a coordinated and focused approach for implementing family planning supply chain interventions within the health sector.
- 3 GHSC-PSM provided technical support to the Family Health Division (FHD) of GHS to distribute over 14 million pieces of male condoms from central level to regional level to minimize storage cost at the central warehouse and improve availability at the last mile.
- 4 GHSC-PSM supported the Logistics Management Unit (LMU) in disseminating the updated Logistics Standard Operating Procedure to all regional health directorates and is currently collaborating with them to ensure further dissemination to SDPs.



Key Findings, Observations, and Recommended Actions (cont.)

- Key Observations

- 1 Stockout rate for male condom in SDPs declined from 43% in September 2023 to 28% in April 2024 due expedited distribution from central level to regional level and further down to SDPs following the release of Food and Drugs Authority (FDA) quality testing results in February 2024. Additionally, stockout rate at the regional level remained at 0%.
- 2 Stockout rates for progestin only pill and combined oral pill in SDPs have declined from 40% and 60% to 35% and 50% respectively since the September 2023 survey. This was despite the fact that stockout rates for progestin only pill at regional warehouses increased from 0% to 36% while that for combined oral pill increased from 0% to 9%. Overall, stockout rates for these commodities were high mainly due to suboptimal ordering by SDPs resulting from low/no client demand. The effect of client demand dynamics is corroborated by the fact that 30% and 38% of SDPs were not managing progestin only pill and combined oral pill respectively due to low/no client demand.
- 3 Stockout rate for 1-rod implant decreased from 29% to 23% due to better availability at regional warehouses. On the other hand, stockout rates for 2-rod implant increased from 10% to 16% due to an increase in stockout rate at the regional level where values went up from 0% to 27%.
- 4 Stockout rate for Copper T increased from 34% in September 2023 to 50% in April 2024 likely due to product rationing as 63% of regional warehouses were understocked. Additionally, lack of trained providers (15%) and low/no client demand (15%) were the main reasons for the non-management of Copper T in SDPs.
- 5 Stockout rate for DMPA-IM increased from 8% to 18% due to initial challenges with Government of Ghana consignee arrangements which delayed ordering and shipment of this product.
- 6 Despite an improvement in the stockout rate for cycle bead, it still remained high (30%) mainly due to the fact that 75% of regional warehouses were either stocked out or understocked in the three months prior to the survey.
- 7 The main reported reasons for stockouts included items ordered but stocked out at resupply point (38%), items ordered but delivery delayed from resupply point (28%) and items not ordered given low/no demand at facility (26%). Also, regional warehouses provided feedback on the main contributory factors for stockouts including stockout at resupply point (71%), rationing (29%) and unexpected increase in consumption (29%).
- 8 The proportion of SDPs that had updated stock cards decreased from 37% to 32%, highlighting the need to put in measures to reverse this trend. The generally low stock card updating culture in SDPs can be attributed to the limited availability of Standard Operating Procedures (SOPs) for logistics management (71%), inadequate staff trained in logistics management (59%), too few staff available to manage/complete stock cards (53%), keeping of stock cards away from products (41%) and lack of stock cards in some SDPs (24%).

- Recommended Actions

- 1 GHSC-PSM should provide technical support to the FHD to implement activities in the FPSRS to improve availability of family planning (FP) commodities at all levels of the supply chain.
- 2 The GHS with technical support from the GHSC-PSM should leverage the Regional Supply Chain Technical Working Group meetings to advocate for improved adherence to last mile distribution timelines by regional warehouses and SDPs. This will help ensure timely delivery of family planning commodities to SDPs.
- 3 The GHS with technical support from GHSC-PSM should leverage the National Supply Chain Monitoring and Evaluation Framework to conduct regular monitoring of the family planning supply chain (with a focus on product availability, stocking according to plan, on-time delivery and inventory accuracy) and use results to benchmark regional performance and motivate action for continuous improvement.
- 4 GHS in collaboration with GHSC-PSM should leverage the Interagency Coordinating Committee on Commodity Security (ICC/CS) to advocate for adherence to ordering, procurement and shipment timelines by funding entities as part of efforts to promote consistent supply of family planning commodities from central to regional level and further down to SDPs.
- 5 The Logistics Management Unit in collaboration with FHD and other national health programs should sustain targeted supportive supervision and on-the-job training to SDPs with commodity management gaps to improve adherence to standard inventory management practices (including updating of stock cards) in SDPs.
- 6 GHSC-PSM should provide technical support to the Logistics Working Group of the (ICC/CS) to conduct monthly analysis and review of central and regional level logistics stock status reports and use outputs to inform supply chain decision-making and improve availability at the last mile.
- 7 The GHS with technical support from GHSC-PSM should continue to engage partners to conduct an evaluation of the factors impacting stocking preferences for family planning commodities and use findings to improve availability in SDPs.
- 8 GHS should continue to advocate with partners to support the acquisition of storage resources (shelves, pallets, fire extinguishers, temperature monitoring tools) for SDPs as part of efforts to improve storage conditions for family planning commodities.



Stockout rates on the day of visit

Exhibit B. Percent of facilities stocked out on day of visit

Supply Chain Level	B1. % of facilities stocked out of FP product on day of visit	# of facilities visited that actively manage the FP product	B2. Average # of days stocked out in the last 3 months	# of facilities with an updated FP stock card*	B3. % of facilities with an updated FP stock card
SDP					
Copper T 380 IUD (300 Each)	50%	8	0	2	21%
Combined oral pill (150/30 mcg + Placebo, 28 Tablets/Cycle)	46%	51	8	19	40%
Progestin only pill (30 mcg 35 Tablets/Cycle)	35%	48	9	14	33%
Cycle beads (1 Each)	30%	23	0	3	7%
Male condoms (1 each)	28%	63	14	26	41%
1-rod impant (68 mg/Rod)	23%	63	16	26	46%
DMPA-IM (150 mg/ml (1mL))	18%	70	17	24	36%
2-rod implant (75mg/Rod)	16%	59	7	21	35%
warehouse					
DMPA-IM (150 mg/ml (1mL))	55%	11	8	9	82%
Cycle beads (1 Each)	45%	11	17	8	73%
Progestin only pill (30 mcg 35 Tablets/Cycle)	36%	11	9	7	64%
2-rod implant (75mg/Rod)	27%	11	12	8	73%
Combined oral pill (150/30 mcg + Placebo, 28 Tablets/Cycle)	9%	11	0	7	64%
1-rod impant (68 mg/Rod)	9%	11	2	7	64%
Copper T 380 IUD (300 Each)	0%	11	0	8	73%
Male condoms (1 each)	0%	11	0	7	64%

The denominator (n) for stocked out on the day of visit is the number of facilities visited that actively manage the product. A facility "actively manages" a product when it has been in stock, issued, or ordered in the 12 months prior to the site visit. A facility is considered to have an "updated" stock card for a particular product when the stock card was available and the ending balance on the card matched the physical count on the day of visit and/or data was entered on the stock card in the previous seven calendar days. The percentage of facilities with an updated stock card is measured out of the number of facilities visited that are required to manage the product. The denominator for "percentage of facilities stocked out for three or more consecutive days in the previous three months" is the number of facilities with an updated stock card for the product. The review period (previous three months) for this report is January 1, 2024 to March 31, 2024.

Recall that the confidence and precision parameters hold for all facility-level indicators where the number of observations (n) is greater than 68. For indicators with fewer observations-- such as where the n decreases because facilities do not have updated stock cards-- the margin of error will be wider than +/- 10%. In this instance, results would become less representative of the population and only representative of the sites visited.

- Exhibit B Key Findings

- 1 For SDPs, stockout rate for male condom decreased from 43% in September 2023 to 28% in April 2024 due to expedited downstream distribution of over 14 million pieces of male condom following the release of Food and Drugs Authority (FDA) quality testing results in February 2024. This also helped to reduce central level warehousing cost.
- 2 Stockout rate for DMPA-IM (18%) in SDPs was impacted by shipment delays while those for progestin-only pill (35%) and combined oral pill (46%) were affected by suboptimal ordering in SDPs owing to no/low client demand.
- 3 Stockout rate for Copper T (50%) and cycle bead (30%) were impacted by inadequate stock at the regional level.



Exhibit C. Percent of facilities that do not actively manage a commodity, by reason

Supply Chain Level	Actively managed	Low or no demand for product	No trained provider	Not available from suppliers	Not procured by public system	Other product used	Other reason	# of facilities that do not actively manage a product
▼								
☐ warehouse								
Cycle beads (1 Each)	100%							
1-rod impant (68 mg/Rod)	100%							
2-rod implant (75mg/Rod)	100%							
Male condoms (1 each)	100%							
Copper T 380 IUD (300 Each)	100%							
Progestin only pill (30 mcg 35 Tablets/Cycle)	100%							
Combined oral pill (150/30 mcg + Placebo, 28 Tablets/Cycle)	100%							
DMPA-IM (150 mg/ml (1mL))	100%							
☐ SDP								
Cycle beads (1 Each)	30%	69%					1%	49
1-rod impant (68 mg/Rod)	89%	6%	3%				3%	9
2-rod implant (75mg/Rod)	80%	14%	3%				3%	13
Male condoms (1 each)	90%	7%					3%	9
Copper T 380 IUD (300 Each)	57%	15%	15%				13%	7
Progestin only pill (30 mcg 35 Tablets/Cycle)	67%	30%					3%	24
Combined oral pill (150/30 mcg + Placebo, 28 Tablets/Cycle)	69%	28%					3%	21
DMPA-IM (150 mg/ml (1mL))	97%						3%	2

A facility does not actively manage a product when it has not been in stock, issued, or ordered in the 12 months prior to the site visit.

- Exhibit C Key Findings


1 Between 15% and 69% of SDPs were not managing Copper T, progestin only pill, combined oral pill and cycle bead due to no/low client demand.

2 15% of SDPs were not managing Copper T as a result of a lack of trained provider.



Stocked According to Plan on the Day of Visit

Exhibit D. % of provincial warehouses stocked within the established maximum and minimum levels on the day of visit



Facility Type	Commodity	Max (MOS)	Min (MOS)
Regional Medical Stores	All	6	3

- Exhibit D. Key Findings

1

The proportion of regional warehouses that were adequately stocked for all family planning commodities ranged from 0% to 43%.

2

The proportion of products which were understocked was high and ranged between 40% and 100% except for male condom and progestin only pill which were at 14% and 20% respectively.

*The denominator for “facility stock levels on day of visit, according to established max/min policies” includes those facilities visited who had all of the following: 1) an updated stock card for the specific product (meaning that the stock card was available and the ending balance on the card matched the physical count on the day of visit and/or data was entered on the stock card in the previous seven calendar days), 2) at least 1.5 months of in-stock days of data, and 3) complete data for number of units issued. An in-stock product with no consumption (units issued) during the period is considered overstocked.



Supply Chain Constraints

Exhibit E1. Reasons for stockouts, as reported by SDPs in the previous 3-month period





Exhibit E2. Reasons for stockouts, as reported by provincial warehouses in the previous 3-month period



A single site may report multiple reasons for stockouts. Only facilities that had at least one product stocked out in the last 3 months are included in this indicator. The review period (previous three months) for this report is January 1, 2024 to March 31, 2024.

- Exhibit E. Key Findings
- 1


Both regional warehouses (71%) and service delivery points (38%) cited items ordered but stocked out at resupply points as the main reason for stockouts.
- 2

Other reasons for reported stockouts in SDPs include delivery delays (28%), low or no demand (26%) and product rationing (12%).




Supply Chain Constraints

Exhibit F1. Types of stock management challenges experienced by service delivery points



Other stock management challenges at SDPs included: Regional warehouse is not able to supply the total quantity of commodities ordered, inadequate shelves and pallets, facility is undergoing renovations which makes it difficult to stock and manage commodities.

Exhibit F2. Types of stock management challenges experienced by warehouses



Other stock management challenges at warehouses included: Duplication of entries on different stock cards; heavy workload; inadequate shelves and pallets.

Note: A single site may report multiple stock management challenges.

- Exhibit F. Key Findings

1 SDPs cited inadequate storage space (71%), limited availability of written guidance for stock management (71%), capacity gaps (59%), inadequate staffing (53%) and keeping stock cards away from products (41%) as the top five reasons for stock management challenges.



Storage Conditions

Exhibit G1. Percentage of storerooms that meet storage condition best practices - SDPs





Exhibit G2. Percentage of storerooms that meet storage condition best practices - provincial warehouses



- Exhibit G. Key Findings

- SDPs achieved at least 90% compliance in only two out of the eleven storage indicators assessed. More than half of the indicators recorded over 70%; with low performance areas being availability of shelves and pallets (47%), availability of fire extinguisher (29%), storage of products away from walls (23%), availability of a storeroom thermometer (4%) and daily monitoring of storeroom temperature (4%).
- Regional warehouses achieved at least 90% compliance in 11 out of 15 assessed storage indicators. Three storage indicators recorded 80%, with storage of products away from walls being the only low-performing indicator at 55%.

Maternal, Newborn & Child Health Commodity Availability: End-Use Verification Survey Results


GHANA

Box 1. Methodology and Sampling Description

- 1
- The MNCH End Use Verification survey in Ghana was implemented from April 8 to 12, 2024. Data were collected from 11 regional medical stores and 72 SDPs across 14 regions.
- 2
- To achieve nationally representative results, sites were sampled using a two-stage approach. In Stage 1, districts/woredas were selected based on probability proportional to size. Therefore, districts with a higher number of SDPs had a higher chance of being selected. In Stage 2, facilities from within those districts were randomly selected. During calculation of indicator results, facilities within populous districts were weighted more heavily as they represent a larger number of facilities.

The 90% confidence level and 10% confidence interval hold for all facility-level indicators where the number of observations (n) is greater than 68. For indicators with fewer observations such as where the n decreases because facilities do not have updated stock cards, the margin of error will be wider than +/-10%. Results are weighted to account for the representativeness of assessed facilities.

Exhibit A. GPS locations of visited facilities



Locations are displayed for all 83 facilities visited.

Product List

The maternal, newborn, and child health products assessed in this survey are listed below, along with their available pack sizes. Multiple pack sizes may be present at some facilities.

Category	Available pack sizes
Maternal	
Mag sulfate, 0.5g/mL in 10-mL ampoule	10 ampoule box
Oxytocin, 10 IU in 1-mL inj.	10 ampoule box
Misoprostol, 200 mcg tablet	4 blister pack tablets
Newborn	
Gentamicin, 40 mg/mL in 2-mL inj.	10 ampoule box
Chlorhexidine, 7.1% gel	1 tube
Child	
Amoxicillin, 125 mg/5 mL suspension	50 bottles
Amoxicillin, 250 mg capsule	1 x 10 blister pack capsules
ORS, 20.5 g/1 L sachet	25 sachets
Zinc, 20 mg tablet	1 x 10 blister pack tablets
Zinc, 10 mg tablet	1 x 10 blister pack tablets

Exhibit B. Percent of facilities stocked out on day of visit and percent of facilities stocked out for three or more consecutive days

SDPs

Category	B1. % of facilities stocked out on day of visit	# of facilities visited that are required to manage the product (B1 n)	B2. Average # of days stocked out in the last 3 months	# of facilities with an updated stock card* (B2 n)	B3. % of facilities with an updated stock card*
Maternal					
Mag sulfate, 0.5g/mL in 10-mL ampoule	 48%	15	1	6	 48%
Oxytocin, 10 IU in 1-mL inj.	 21%	54	7	21	 43%
Misoprostol, 200 mcg tablet	 41%	46	1	6	 15%
Newborn					
Gentamicin, 40 mg/mL in 2-mL inj.	 45%	15	3	7	 43%
Chlorhexidine, 7.1% gel	 71%	30	1	9	 30%
Child					
Amoxicillin, 125 mg/5 mL suspension	 31%	72	6	41	 55%
Amoxicillin, 250 mg capsule	 60%	72	14	37	 51%
ORS, 20.5 g/1 L sachet	 40%	72	21	40	 53%
Zinc, 20 mg tablet	 41%	72	11	30	 42%
Zinc, 10 mg tablet	 52%	72	9	26	 36%


Regional Warehouses

Category	B1. % of facilities stocked out on day of visit	# of facilities visited that are required to manage the product (B1 n)	B2. Average # of days stocked out in the last 3 months	# of facilities with an updated stock card* (B2 n)	B3. % of facilities with an updated stock card*
Maternal					
Mag sulfate, 0.5g/mL in 10-mL ampoule	 27%	11	19	8	 73%
Oxytocin, 10 IU in 1-mL inj.	 18%	11	9	10	 91%
Misoprostol, 200 mcg tablet	 18%	11	0	7	 64%
Newborn					
Gentamicin, 40 mg/mL in 2-mL inj.	 18%	11	5	6	 55%
Chlorhexidine, 7.1% gel	 18%	11	8	6	 55%
Child					
Amoxicillin, 125 mg/5 mL suspension	 36%	11	3	8	 73%
Amoxicillin, 250 mg capsule	 73%	11	14	8	 73%
ORS, 20.5 g/1 L sachet	 45%	11	19	8	 73%
Zinc, 20 mg tablet	 36%	11	3	8	 73%
Zinc, 10 mg tablet	 45%	11	8	8	 73%

A facility is considered to have an "updated" stock card for a particular product when the stock card was available and the ending balance on the card matched the physical count on the day of visit and/or data was entered on the stock card in the previous seven calendar days. The review period (previous three months) for this report is January 1, 2024 to March 31, 2024

Recall that the confidence and precision parameters hold for all facility-level indicators where the number of observations (n) is greater than 68. For indicators with fewer observations-- such as where the n decreases because facilities do not have updated stock cards-- the margin of error will be wider than +/- 10%. In this instance, results would become less representative of the population and only representative of the sites visited.


Exhibit C. % of facilities stocked out on day of visit over time (SDPs)



Box 2. Trends over time

- 1 The stockout rate for amoxicillin 125 mg/5ml suspension at the facility level declined from 68% in September 2023 to 31% in April 2024 due to improved stock levels at regional warehouses where stockout rates declined from 60% to 36%. It is likely that sustained advocacy with regions to prioritize funding and procurement of maternal, newborn and child health (MNCH) products contributed to the observed improvement at both regional warehouses and SDPs.
- 2 There was a marginal increase in the stockout rate for ORS from 38% in September 2023 to 40% in April 2024. This can be attributed to an increase in stockout rates at the regional level (went up from 20% in September 2023 to 40% in April 2024) resulting from the reluctance of vendors under the framework contract (FWC) arrangement to supply regional warehouses. This is also driven by the current macroeconomic dynamics (inflation and currency depreciation) which have resulted in higher market prices for most of the FWC commodities compared to agreed contract prices. Without the implementation of a price adjustment formula, vendors will potentially lose revenue if they supply based on the FWC contract prices.
- 3 The stockout rate for magnesium sulfate injection in SDPs increased slightly from 47% in September 2023 to 48% in April 2024 mainly due to an increase in the stockout rate at regional warehouses from 20% to 27% during the same period. The can be attributed to limited/non-stocking in lower-level SDPs due to preference to refer eclampsia cases to higher-level facilities in an effort to avoid expiry and revenue loss from low usage.
- 4 The stockout rate for oxytocin (21%) in SDPs was the same as the September 2023 survey despite a significant reduction at regional warehouses where stockout rates declined from 70% in September 2023 to 18% in April 2024. This was because some SDPs were not aware of improved availability of oxytocin in regional warehouses following a prolonged stockout.

Exhibit D. Regional warehouse stock levels ("Stocked According to Plan") * (on the day of site visit, according to established min/max policies)



Facility Type	Product	Minimum	Maximum
Regional Medical Stores	All	3	6

*The denominator for "facility stock levels on day of visit, according to established max/min policies" includes those facilities visited who had all of the following: 1) an updated stock card for the specific product (meaning that the stock card was available and the ending balance on the card matched the physical count on the day of visit and/or data was entered on the stock card in the previous seven calendar days), 2) at least 1.5 months of in-stock days of data, and 3) complete data for number of units issued. An in-stock product with no consumption (units issued) during the period is considered overstocked.

Exhibit E1. Reasons for stockouts, as reported by SDPs in the previous 3-month period (top 5 reasons)






Exhibit E2. Reasons for stockouts, as reported by regional warehouses in the previous 3-month period (top 5 reasons)




A single site may report multiple reasons for stockouts. Only facilities that had at least one product stocked out in the last 3 months are included in this indicator. The review period (previous three months) for this report is January 1, 2024 to March 31, 2024.

Exhibit F1. Types of stock management challenges experienced by SDPs (top 5 reasons)



Other stock management challenges at SDPs included: Regional warehouse is not able to supply the total quantity of commodities ordered, inadequate shelves and pallets, facility is undergoing renovations which makes it difficult to stock and manage

Exhibit F2. Types of stock management challenges experienced by regional warehouses (top 5 reasons)




Other stock management challenges at warehouses included: Duplication of entries on different stock cards; heavy workload; inadequate shelves and pallets.

Note: A single site may report multiple stock management challenges.

According to international guidelines and best practices, oxytocin should always be stored between 2-8°C. However, in practice appropriate storage may not always occur. Exhibit G illustrates the cold chain equipment available and the extent to which is it used for oxytocin storage.


Only facilities that actively manage oxytocin are included. Facilities may have more than one type of cold storage equipment available. Note that freezers and cold boxes may be available or in use at some facilities, but they are not recommended for oxytocin storage.

Exhibit G1. Availability and use of cold storage equipment at SDPs, by equipment type n=54



On average, about 89% of usable oxytocin is stored in working cold storage (n= 35).


Exhibit G2. Availability and use of cold storage equipment at regional warehouses, by equipment type n=11



On average, about 100% of usable oxytocin is stored in working cold storage (n= 9).

According to international guidelines and best practices, oxytocin should always be stored between 2-8°C. However, in practice appropriate storage and temperature monitoring may not always occur. Exhibit H illustrates the extent to which temperature monitoring best practices are being followed in facilities. Exhibit I illustrates the frequency of different storage requirements on oxytocin labels.


Exhibit H. Percentage of facilities with cold chain equipment that monitor cold chain temperature at least daily



Only facilities that manage oxytocin and have cold chain equipment available are included. Cold chain equipment includes EPI refrigerators, other refrigerators, and cold rooms (for warehouses only). Facilities that only had a cold box or freezer are excluded.

warehouse	On average, the recorded cold temperatures were outside the 2-8°C range 0 times in the last 7 days at facilities that monitor temperatures daily (n = 11).
SDP	On average, the recorded cold temperatures were outside the 2-8°C range 0.8 times in the last 7 days at facilities that monitor temperatures daily (n = 33).

Exhibit I. Percentage of facilities that manage oxytocin with cold storage requirement labels available



Only facilities that actively manage oxytocin are included. A single site may have more than one label type available on the day of visit.

Progress Since Last Survey

- 1 GHSC-PSM in collaboration with MOH and GHS has finalized the FWC and Financial Sustainability Assessment report which is expected to improve FWC implementation and strengthen financial management (including the management of drug revolving fund for essential medicines) within the public health sector. The next step is to validate the report and commence the implementation of recommendations.
- 2 GHSC-PSM provided technical support to GHS to conduct a national quantification exercise for MNCH products with a focus on the list of commodities recommended by the United Nations Commission on Life Saving health commodities. The report will be used to advocate for funding for MNCH commodities.
- 3 GHSC-PSM provided technical assistance to MOH during the evaluation and selection of vendors for the fourth round of the FWC arrangement which highlighted the need to implement a price adjustment formula to cushion vendors against inflation. Additionally, four vendors were selected for each product to improve the consistency of supply to regional warehouses and to SDPs.
- 4 GHSC-PSM supported the Ghana Health Service (GHS) to conduct targeted supportive supervision to 88 SDPs as part of measures to address capacity gaps and improve the management of MNCH commodities.
- 5 GHSC-PSM is providing technical support to the Family Health Division to finalize the MNCH Stockout Reduction Strategy.

Key Observations

- 1 On average, stockout rates for MNCH products in regional warehouses decreased from 40% in September 2023 to 33% in April 2024. Similarly, the average stockout rates in SDPs fell from 50% in September 2023 to 45% in April 2024. Despite these improvements, stockout rates remained high mainly due to delayed claims payment by the NHIA which affected the liquidity position of SDPs resulting in indebtedness and limited supply of MNCH products across the system (both SDPs and regional warehouses). Additionally, the non-implementation of a price adjustment formula for framework contract commodities contributed to limited/non-supply by vendors, resulting in low stock levels/stockouts in regional warehouses and SDPs.
- 2 Stockout rate for misoprostol increased from 36% in September 2023 to 41% in April 2024 in SDPs as a result of an increase in stockout rate at regional warehouses (rose from 10% in September 2023 to 18% in April 2024). Though average stockout rate for newborn products declined from 62% to 58%, it still remained high due to funding challenges as previously mentioned. Similar to the September 2023 survey, stockout rates for amoxicillin 250 mg (60%), zinc 10 mg (52%) and zinc 20 mg (41%) were high and were impacted by funding challenges and rationing/non-supply by vendors.
- 3 The main reported reasons for stockouts in SDPs were stockout at resupply point (68%) and product rationing (25%). Similarly, regional warehouses cited stockout at resupply point (57%) and product rationing (29%) as the main reasons for stockouts.
- 4 On average, the proportion of SDPs that had updated stock cards declined from 51% in September 2023 to 36% in April 2024. This can be attributed to inadequate availability of logistics management SOPs (71%), few staff trained in logistics management (59%), too few staff available to complete stock cards (53%) and keeping of stock cards away from products (41%). Conversely, updating of stock cards in regional warehouses increased marginally from 68% in September 2023 to 70% in April 2024.
- 5 Stocked according to plan ranged from 0% to 50% in regional warehouses, highlighting the need to promote adherence to stocking plans (minimum-maximum levels) while resolving issues (e.g. inadequate funding and lack of a price adjustment formula for FWC commodities) that hinder optimized stocking of MNCH products.
- 6 Eighty-nine percent of SDPs reported keeping oxytocin in working cold storage, a decline from 95% in September 2023. This drop is likely due to an increase in the number of facilities without cold storage, which rose from 5% to 9%. All regional warehouses had appropriate cold storage available, indicating good compliance at the warehouse level.
- 7 The proportion of SDPs with cold chain equipment that monitor cold chain temperature daily was 62%, a slight reduction from 66% in September 2023. This indicates a need for improved temperature monitoring practices to ensure availability of quality-assured oxytocin at SDPs. Regional warehouses showed a significant improvement in monitoring cold chain temperature (56% in September 2023 to 100% in April 2024) following technical support from GHSC-PSM to replace batteries and resolve connectivity challenges for defective smart temperature monitoring devices.
- 8 For SDPs that monitor temperatures daily, the recorded temperatures that were outside the 2-8°C range averaged 0.8 times in the last 7 days, indicating a relatively stable temperature control environment at these facilities which is critical in maintaining the integrity of cold chain commodities.

Recommended Actions

- 1 GHS with technical assistance from GHSC-PSM should establish a technical working group to prioritize and coordinate the implementation of recommendations from the FWC and financial sustainability assessment. This will help address supply chain bottlenecks for essential medicines including maternal, newborn and child health (MNCH) commodities.
- 2 The Ministry of Health (MOH) with technical support from GHSC-PSM should implement a price adjustment formula to cater for inflationary pressures and currency depreciation in the next round of FWC implementation.
- 3 GHSC-PSM should engage the MOH to conduct a biannual review of commodity prices under the FWC and advocate with the National Health Insurance Authority (NHIA) to align and implement a biannual medicines price review. Additionally, GHS should continue to advocate with the NHIA to improve turnaround time for claims payment in an effort to improve the availability of funds for the procurement of MNCH commodities in SDPs.
- 4 GHS should continue to advocate with partners (e.g. World Bank, Global Fund and USAID) to provide support for the procurement of MNCH products. This arrangement should include the establishment of monitoring and accountability systems, targets and medium to long term local fund mobilization mechanisms to promote transparency and sustainable funding for MNCH commodities.
- 5 GHS with technical support from GHSC-PSM should use results from the recent nationwide Supply Chain M&E Framework assessment to address identified bottlenecks and initiate regular regional supply chain performance reviews for MNCH commodities and other health products. This is expected to promote MNCH supply chain performance benchmarking and motivate action for continuous improvement across all regions.
- 6 GHS with technical assistance from GHSC-PSM should continue to provide copies of the new Standard Operating Procedures (SOP) for logistics management to improve adherence to standard inventory management practices. Additionally, the Supplies, Stores and Drug Management Division (SSDM) of GHS with technical support from GHSC-PSM should promote the development and use of stocking plans (based on the SOP) to improve the availability of MNCH products in both regional warehouses and SDPs.
- 7 The Logistics Management Unit of the Supplies, Stores and Drug Management Division of GHS should sustain targeted supportive supervision to SDPs with inventory management challenges to strengthen the management of MNCH products and improve access at the last mile.
- 8 The Family Health Division, with technical support from GHSC-PSM should sensitize and strengthen the capacity of lower level facilities (CHPS compounds and health centers) to stock adequate quantities of magnesium sulfate injection and use it for the timely management of pregnant women who present with eclampsia.
- 9 GHSC-PSM should continue to support the Family Health Division to finalize the MNCH Stockout Reduction Strategy and commence implementation by January 2025 to promote a coordinated action for reducing MNCH stockout rates in SDPs.
- 10 GHS with technical support from GHSC-PSM should continue to advocate with regions to improve the collection of debts from SDPs in an effort to improve payment of vendors and ensure supply consistency.
- 11 The Family Health Division in collaboration with Regional Health Directorates should support SDPs without refrigerators to acquire them. Additionally, the Family Health Division with technical support from GHSC-PSM should leverage available regional platforms (e.g. expanded supply chain technical working group meetings and integrated supportive supervision) to promote adoption of standard inventory management practices including storing oxytocin in working refrigerators.
- 12 Regional Medical Stores, with technical support from GHSC-PSM, should develop and disseminate monthly bulletins on commodity availability to health facilities via the last mile distribution WhatsApp platform. This will enable health facilities to effectively prepare orders and address identified stock gaps.

APRIL 2024 END-USE VERIFICATION (EUV) KEY FINDINGS AND RECOMMENDATIONS

Malaria

Actions Taken Since the Previous Survey (Malaria)

- 1 GHSC-PSM provided technical support to the Ghana Health Service (GHS) to expedite the distribution of ACTs, artesunate injection and sulphadoxine/pyrimethamine to the regions following port clearance and release of Food and Drugs Authority (FDA) quality testing results.
- 2 FDA quality testing turnaround time for malaria commodities has declined from an average of 2 months to 1 month following sustained advocacy by MOH, GHS and GHSC-PSM.
- 3 The Government of Ghana (GOG) has removed accrued import taxes on donated malaria commodities and other health products to facilitate clearance from the port. However, there is the need for MOH to secure funding to cater for accrued demurrage costs (due to delays in clearing commodities) and increased port handling charges resulting from the current macroeconomic situation (high inflation and currency depreciation).
- 4 The National Malaria Elimination Program (NMEP) with technical support from GHSC-PSM used the ACT tracer list to inform the quantification of malaria commodities for the period 2024 to 2026. The ACT tracer list prioritizes the procurement of artemether/lumefantrine 6X2, artemether/lumefantrine 6X4, artesunate/amodiaquine 25/67.5 mg, artesunate/amodiaquine 50/135 mg and artesunate/amodiaquine 100/270 mg (6 tabs).
- 5 GHSC-PSM provided technical support to the NMEP to conduct monthly stock status monitoring of malaria commodities. Analytic outputs from this exercise were used to inform advocacy for the resolution of malaria supply chain bottlenecks.
- 6 GHSC-PSM provided technical support to the Logistics Management Unit (LMU) of GHS to organize central and regional Supply Chain Technical Working Group (SCTWG) meetings as part of efforts to ensure a coordinated approach for resolving malaria supply chain challenges.

Key Observations (Malaria)

- 1 Stockout rate for artemether/lumefantrine 6X4 in service delivery points (SDPs) declined from 35% in September 2023 to 20% in April 2024 following the release of FDA quality testing results for Government of Ghana (GOG) consignment and subsequent distribution. This situation is expected to further improve in the coming months with the

continuous distribution of malaria and other health commodities from regional warehouses to SDPs through the last-mile distribution program. Facility-level stockout rates for the remaining artemisinin-based combination therapies (ACTs) were high and ranged between 41% and 99%. The high stockout rates can mainly be attributed to stockouts at resupply points (69%), product rationing (23%) and delayed delivery by the resupply point (12%). Additionally, preference for artemether/lumefantrine 6X4 (driven by potential economic benefits when facilities cut and dispense adult presentations to pediatric clients) likely contributed to the stocking dynamics of ACTs in SDPs. This is supported by the fact that 64% of SDPs had only one presentation of artemether/lumefantrine available on the day of visit. Since national policies (Standard Treatment Guideline and National Malaria Case Management Guideline) do not encourage dispensing of adult presentations to pediatric clients, SDPs must be sensitized to improve adherence to the policy and help reverse this trend. Furthermore, 12% of SDPs were entirely stocked out of ACTs, hence could not treat malaria. Only 56% of SDPs had a pediatric-specific ACT despite better availability of priority pediatric presentations (artesunate/amodiaquine 25/67.5 mg) in regional warehouses. Notwithstanding the generally high stockout rate for individual ACTs, the percentage of SDPs that had at least one presentation of artemether/lumefantrine available, hence could treat clients of all age bands increased from 75.7% in September 2023 to 84% in April 2024 mainly due to the improved availability of artemether/lumefantrine 6X4.

- 2 At the regional warehouses, there were improvements in stockout rates for most of the priority ACTs (as per the ACT tracer list) following distribution from the central level to regional warehouses in March 2024. Stockout rates for artemether/lumefantrine 6X2 and artemether/lumefantrine 6X4 declined from 80% and 50% in September 2023 to 9% and 0% in April 2024 respectively. Similarly, the stockout rate for artesunate/amodiaquine 25/67.5 mg declined from 60% to 18% while that for artesunate/amodiaquine 100/270 mg declined from 70% to 18%. Occurrence of stockouts at regional warehouses were mainly due to stockouts at resupply points (82%) and product rationing (27%), highlighting the need to improve the supply of malaria commodities to regions through better adherence to supply plan arrangements and timely clearance of commodities from the port. Though the streamlining of ACT procurement resulted in high stockout rates of non-priority ACTs (artemether/lumefantrine 6X1, artemether/lumefantrine 6X3, artesunate/amodiaquine 100/270 mg [3 tabs]) which ranged from 82% to 100% in regional warehouses, this will not impact the capacity of SDPs to manage malaria as they are being phased out in the public health sector.
- 3 Stockout rate for artesunate injection 30 mg increased marginally from 35% in September 2023 to 36% in April 2024 in SDPs. Similarly, stockout rates for both artesunate injection 60 mg and artesunate injection 120 mg increased from 24% to 27%. This was due to an increase in stockout rates at the regional level where values went up from 10% to 27% for artesunate 30 mg injection, 0% to 18% for artesunate 60 mg injection, and 0% to 9% for artesunate injection 120 mg. Reported stockouts at regional warehouses were mainly due to stockouts at the supply point (82%) and product rationing (27%). The stockout rate for

malaria RDT in SDPs increased from 10% in September 2023 to 65% in April 2024 due to high stockout rates at the regional level (82%) resulting from prolonged delays in clearing malaria commodities from the port (arrived in June 2023 but was cleared in April 2024). As a result, the proportion of cases that were diagnosed through malaria RDT/microscopy declined from 96.4% in September 2023 to 78.3% in April 2024. Stockout rate for sulphadoxine-pyrimethamine in SDPs declined from 16% in September 2023 to 8% in April 2023 due to improved availability at regional warehouses. This can be attributed to the receipt of 4.5 million doses (between November 2023 and February 2024) and subsequent distribution from the central level to regional warehouses and to SDPs. The stockout rate for LLIN increased from 7% to 24% in SDPs since the last survey. This was due to the prolonged delay (between 7 and 10 months) in clearing Global Fund shipment of LLINs meant for both health facility-based continuous distribution and point mass distribution.

- 4 Stocking according to plan ranged from 14% to 43%, highlighting the need to work towards optimal stocking and effective supply management of malaria commodities at the regional warehouses. Five out of the ten ACTs managed at regional warehouses were either stocked out, understocked or overstocked (not stocked according to plan)
- 5 On average, updating of stock cards declined from 38% to 29% in SDPs while that for regional warehouses declined 70% from 64%. However, data accuracy in SDPs and regional warehouses increased from 71% and 67% in September 2023 to 80% and 74% respectively. For SDPs, the low stock card updating level and data accuracy gaps were likely due to inadequate Standard Operating Procedures for logistics management (71%), too few staff trained in logistics management (59%), too few staff available to manage or complete stock cards (53%), stock/bin cards or tally cards are kept away from the products (41%) and non-availability of stock cards (24%). At regional warehouses, stock card updating levels and data accuracy were impacted by the separation of stock cards from products (64%), too few staff available to manage or complete stock cards (64%) and too few staff trained in stock management (64%). It should be noted that though figure 9a highlights "too few staff trained in stock management" (59%) as a major stock management challenge in SDPs, this does not align with figure 18 which indicates that 91% of facility staff working in the area of stock management have been trained in stock management.
- 6 The percentage of malaria cases in children under 5 years who were treated with an ACT remained at 98% as observed in the last survey. Anecdotal feedback from SDPs indicates that the remaining 2% of clients were already on an ACT medication and, hence, were given non-malaria medicines as adjunctive treatment. The proportion of malaria cases with unknown severity declined slightly from 33.4% in September 2023 to 30.6% in April 2024. However, it remained high likely due to challenges with case management practices or data recording/reporting in some SDPs. Furthermore, the proportion of malaria cases that were diagnosed clinically (by symptoms) has increased from 3.5% to 19.7% since the last survey due to an increase in SDP stockout rates (went up from 10% to 65%) for

malaria RDT resulting from port clearance delays which affected in-country stock levels. The proportion of SDPs with malaria case management protocol remained at 74% as observed in the last survey, highlighting the need to distribute the document (both hard and soft copies) to facilities that do not have it. On average, the proportion of staff trained in areas in which they work declined marginally from 98% to 95%, likely due to staff attrition.

- 7 The performance of SDPs in six out of fifteen storage indicators monitored ranged between 82% and 96%. Low performance areas were the same as those recorded in the September 2023 survey. They include the availability of shelves and pallets (49%), availability of fire extinguishers (30%), separation of products from walls (24%), availability of storeroom thermometers (5%) and monitoring of storeroom temperature (5%).

Recommendations (Malaria)

- 1 The NMEP with technical support from GHSC-PSM should continue to advocate with the Ministry of Health (MOH) to resolve issues impacting port clearance of malaria commodities including securing funds for the payment of port handling charges
- 2 GHSC-PSM should provide technical support to the NMEP to develop an advanced distribution plan for LLIN (over 8.5 million pieces) and artesunate injection (over 186,000 vials) consignment at the port to facilitate expedited distribution to various regions once commodities are cleared. Additionally, following the clearance and distribution of 7.6 million RDTs to regions in May 2024, GHSC-PSM should support the GHS to conduct expedited distribution from regional warehouses to SDPs to fill stock gaps.
- 3 This NMEP should disseminate the ACT tracer list and leverage monitoring and supportive supervision visits to monitor compliance in SDPs as part of efforts to improve ordering and availability of priority ACTs (both pediatric and adult formulations) at the last mile.
- 4 The NMEP should use appropriate channels (regional review meetings, Regional Supply Chain Coordination meetings, in-service training as well as monitoring and supervision activities) to sensitize SDPs and promote dispensing of recommended ACT presentations to all clients based on weight/age bands.
- 5 The NMEP should identify and disseminate malaria case management guidelines (both hard and soft copies) to SDPs that do not have the document. Additionally, the NMEP should continue to sensitize SDPs to adhere to malaria case management guidelines including recording the severity of malaria cases to facilitate effective treatment.
- 6 The NMEP with technical support from the GHSC-PSM should identify and target logistics supportive supervision to SDPs with product availability challenges, low stock card updating culture and data accuracy gaps.
- 7 The LMU of GHS with technical support from GHSC-PSM should leverage the Supply Chain M&E Framework indicators to inform Regional Technical Working Group discussions and institutionalize performance benchmarking as part of efforts to drive

overall supply chain improvements (e.g. warehouse order processing time, order fill rate, on-time delivery and product availability).

- 8 Regional Health Directorates should continue to advocate with partners to support the provision of critical storage resources (e.g. shelves/pallets, fire extinguishers and storeroom thermometers) for SDPs to help improve overall storage conditions for malaria commodities

Family Planning

Actions Taken Since the Previous Survey (Family Planning)

- 1 The Ghana Health Service (GHS) with technical support from GHSC-PSM has finalized the Family Planning Stockout Reduction Strategy (SRS). The next step is to organize a stakeholder meeting to disseminate the document and commence implementation of interventions.
- 2 GHSC-PSM is supporting GHS and partners to develop the Family Planning Costed Implementation Plan (FPCIP). As part of this process, GHSC-PSM provided technical input on the commodity security component which was informed by the Family Planning Stockout Reduction Strategy (FPSRS). The integration of the FPSRS into the FPCIP is expected to provide a coordinated and focused approach for implementing family planning supply chain interventions within the health sector.
- 3 GHSC-PSM provided technical support to the Family Health Division (FHD) of GHS to distribute over 14 million pieces of male condoms from central level to regional level to minimize storage cost at the central warehouse and improve availability at the last mile.
- 4 GHSC-PSM supported the Logistics Management Unit (LMU) in disseminating the updated Logistics Standard Operating Procedure to all regional health directorates and is currently collaborating with them to ensure further dissemination to SDPs.

Key Observations (Family Planning)

- 1 Stockout rate for male condom in SDPs declined from 43% in September 2023 to 28% in April 2024 due expedited distribution from central level to regional level and further down to SDPs following the release of Food and Drugs Authority (FDA) quality testing results in February 2024. Additionally, stockout rate at the regional level remained at 0%.
- 2 Stockout rates for progestin only pill and combined oral pill in SDPs have declined from 40% and 60% to 35% and 50% respectively since the September 2023 survey. This was

despite the fact that stockout rates for progestin only pill at regional warehouses increased from 0% to 36% while that for combined oral pill increased from 0% to 9%. Overall, stockout rates for these commodities were high mainly due to suboptimal ordering by SDPs resulting from low/no client demand. The effect of client demand dynamics is corroborated by the fact that 30% and 38% of SDPs were not managing progestin only pill and combined oral pill respectively due to low/no client demand.

- 3 Stockout rate for 1-rod implant decreased from 29% to 23% due to better availability at regional warehouses. On the other hand, stockout rates for 2-rod implant increased from 10% to 16% due to an increase in stockout rate at the regional level where values went up from 0% to 27%.
- 4 Stockout rate for Copper T increased from 34% in September 2023 to 50% in April 2024 likely due to product rationing as 63% of regional warehouses were understocked. Additionally, lack of trained providers (15%) and low/no client demand (15%) were the main reasons for the non-management of Copper T in SDPs.
- 5 Stockout rate for DMPA-IM increased from 8% to 18% due to initial challenges with Government of Ghana consignee arrangements which delayed ordering and shipment of this product.
- 6 Despite an improvement in the stockout rate for cycle bead, it still remained high (30%) mainly due to the fact that 75% of regional warehouses were either stocked out or understocked in the three months prior to the survey.
- 7 The main reported reasons for stockouts included items ordered but stocked out at resupply point (38%), items ordered but delivery delayed from resupply point (28%) and items not ordered given low/no demand at facility (26%). Also, regional warehouses provided feedback on the main contributory factors for stockouts including stockout at resupply point (71%), rationing (29%) and unexpected increase in consumption (29%).
- 8 The proportion of SDPs that had updated stock cards decreased from 37% to 32%, highlighting the need to put in measures to reverse this trend. The generally low stock card updating culture in SDPs can be attributed to the limited availability of Standard Operating Procedures (SOPs) for logistics management (71%), inadequate staff trained in logistics management (59%), too few staff available to manage/complete stock cards (53%), keeping of stock cards away from products (41%) and lack of stock cards in some SDPs (24%).

Recommendations (Family Planning)

- 1 GHSC-PSM should provide technical support to the FHD to implement activities in the FPSRS to improve availability of family planning (FP) commodities at all levels of the supply chain.
- 2 The GHS with technical support from the GHSC-PSM should leverage the Regional Supply Chain Technical Working Group meetings to advocate for improved adherence to last mile distribution timelines by regional warehouses and SDPs. This will help ensure timely delivery of family planning commodities to SDPs.
- 3 The GHS with technical support from GHSC-PSM should leverage the National Supply Chain Monitoring and Evaluation Framework to conduct regular monitoring of the family planning supply chain (with a focus on product availability, stocking according to plan, on-time delivery and inventory accuracy) and use results to benchmark regional performance and motivate action for continuous improvement.
- 4 GHS in collaboration with GHSC-PSM should leverage the Interagency Coordinating Committee on Commodity Security (ICC/CS) to advocate for adherence to ordering, procurement and shipment timelines by funding entities as part of efforts to promote consistent supply of family planning commodities from central to regional level and further down to SDPs.
- 5 The Logistics Management Unit in collaboration with FHD and other national health programs should sustain targeted supportive supervision and on-the-job training to SDPs with commodity management gaps to improve adherence to standard inventory management practices (including updating of stock cards) in SDPs.
- 6 GHSC-PSM should provide technical support to the Logistics Working Group of the (ICC/CS) to conduct monthly analysis and review of central and regional level logistics stock status reports and use outputs to inform supply chain decision-making and improve availability at the last mile.
- 7 The GHS with technical support from GHSC-PSM should continue to engage partners to conduct an evaluation of the factors impacting stocking preferences for family planning commodities and use findings to improve availability in SDPs.
- 8 GHS should continue to advocate with partners to support the acquisition of storage resources (shelves, pallets, fire extinguishers, temperature monitoring tools) for SDPs as part of efforts to improve storage conditions for family planning commodities.

Maternal, Newborn and Child Health

Actions Taken Since the Previous Survey (Maternal, Newborn and Child Health)

- 1 GHSC-PSM in collaboration with MOH and GHS has finalized the FWC and Financial Sustainability Assessment report which is expected to improve FWC implementation and strengthen financial management (including the management of drug revolving fund for essential medicines) within the public health sector. The next step is to validate the report and commence the implementation of recommendations.
- 2 GHSC-PSM provided technical support to GHS to conduct a national quantification exercise for MNCH products with a focus on the list of commodities recommended by the United Nations Commission on Life Saving health commodities. The report will be used to advocate for funding for MNCH commodities.
- 3 GHSC-PSM provided technical assistance to MOH during the evaluation and selection of vendors for the fourth round of the FWC arrangement which highlighted the need to implement a price adjustment formula to cushion vendors against inflation. Additionally, four vendors were selected for each product to improve the consistency of supply to regional warehouses and to SDPs.
- 4 GHSC-PSM supported the Ghana Health Service (GHS) to conduct targeted supportive supervision to 88 SDPs as part of measures to address capacity gaps and improve the management of MNCH commodities.
- 5 GHSC-PSM is providing technical support to the Family Health Division to finalize the MNCH Stockout Reduction Strategy.

Key Observations (Maternal, Newborn and Child Health)

- 1 On average, stockout rates for MNCH products in regional warehouses decreased from 40% in September 2023 to 33% in April 2024. Similarly, the average stockout rates in SDPs fell from 50% in September 2023 to 45% in April 2024. Despite these improvements, stockout rates remained high mainly due to delayed claims payment by the NHIA which affected the liquidity position of SDPs resulting in indebtedness and limited supply of MNCH products across the system (both SDPs and regional warehouses). Additionally, the non-implementation of a price adjustment formula for framework contract commodities contributed to limited/non-supply by vendors, resulting in low stock levels/stockouts in regional warehouses and SDPs.

- 2 Stockout rate for misoprostol increased from 36% in September 2023 to 41% in April 2024 in SDPs as a result of an increase in stockout rate at regional warehouses (rose from 10% in September 2023 to 18% in April 2024). Though average stockout rate for newborn products declined from 62% to 58%, it remained high due to funding challenges as previously mentioned. Similar to the September 2023 survey, stockout rates for amoxicillin 250 mg (60%), zinc 10 mg (52%) and zinc 20 mg (41%) were high and were impacted by funding challenges and rationing/non-supply by vendors.
- 3 The main reported reasons for stockouts in SDPs were stockout at resupply point (68%) and product rationing (25%). Similarly, regional warehouses cited stockout at resupply point (57%) and product rationing (29%) as the main reasons for stockouts.
- 4 On average, the proportion of SDPs that had updated stock cards declined from 51% in September 2023 to 36% in April 2024. This can be attributed to inadequate availability of logistics management SOPs (71%), few staff trained in logistics management (59%), too few staff available to complete stock cards (53%) and keeping of stock cards away from products (41%). Conversely, updating of stock cards in regional warehouses increased marginally from 68% in September 2023 to 70% in April 2024.
- 5 Stocked according to plan ranged from 0% to 50% in regional warehouses, highlighting the need to promote adherence to stocking plans (minimum-maximum levels) while resolving issues (e.g. inadequate funding and lack of a price adjustment formula for FWC commodities) that hinder optimized stocking of MNCH products.
- 6 Eighty-nine percent of SDPs reported keeping oxytocin in working cold storage, a decline from 95% in September 2023. This drop is likely due to an increase in the number of facilities without cold storage, which rose from 5% to 9%. All regional warehouses had appropriate cold storage available, indicating good compliance at the warehouse level.
- 7 The proportion of SDPs with cold chain equipment that monitor cold chain temperature daily was 62%, a slight reduction from 66% in September 2023. This indicates a need for improved temperature monitoring practices to ensure availability of quality-assured oxytocin at SDPs. Regional warehouses showed a significant improvement in monitoring cold chain temperature (56% in September 2023 to 100% in April 2024) following technical support from GHSC-PSM to replace batteries and resolve connectivity challenges for defective smart temperature monitoring devices.
- 8 For SDPs that monitor temperatures daily, the recorded temperatures that were outside the 2-8°C range averaged 0.8 times in the last 7 days, indicating a relatively stable temperature control environment at these facilities which is critical in maintaining the integrity of cold chain commodities.

Recommendations (Maternal, Newborn and Child Health)

- 1 GHS with technical assistance from GHSC-PSM should establish a technical working group to prioritize and coordinate the implementation of recommendations from the FWC and financial sustainability assessment. This will help address supply chain bottlenecks for essential medicines including maternal, newborn and child health (MNCH) commodities.
- 2 The Ministry of Health (MOH) with technical support from GHSC-PSM should implement a price adjustment formula to cater for inflationary pressures and currency depreciation in the next round of FWC implementation.
- 3 GHSC-PSM should engage the MOH to conduct a biannual review of commodity prices under the FWC and advocate with the National Health Insurance Authority (NHIA) to align and implement a biannual medicines price review. Additionally, GHS should continue to advocate with the NHIA to improve turnaround time for claims payment in an effort to improve the availability of funds for the procurement of MNCH commodities in SDPs.
- 4 GHS should continue to advocate with partners (e.g. World Bank, Global Fund and USAID) to provide support for the procurement of MNCH products. This arrangement should include the establishment of monitoring and accountability systems, targets and medium to long term local fund mobilization mechanisms to promote transparency and sustainable funding for MNCH commodities.
- 5 GHS with technical support from GHSC-PSM should use results from the recent nationwide Supply Chain M&E Framework assessment to address identified bottlenecks and initiate regular regional supply chain performance reviews for MNCH commodities and other health products. This is expected to promote MNCH supply chain performance benchmarking and motivate action for continuous improvement across all regions.
- 6 GHS with technical assistance from GHSC-PSM should continue to provide copies of the new Standard Operating Procedures (SOP) for logistics management to improve adherence to standard inventory management practices. Additionally, the Supplies, Stores and Drug Management Division (SSDM) of GHS with technical support from GHSC- PSM should promote the development and use of stocking plans (based on the SOP) to improve the availability of MNCH products in both regional warehouses and SDPs.
- 7 The Logistics Management Unit of the Supplies, Stores and Drug Management Division of GHS should sustain targeted supportive supervision to SDPs with inventory

management challenges to strengthen the management of MNCH products and improve access at the last mile.

- 8 The Family Health Division, with technical support from GHSC-PSM should sensitize and strengthen the capacity of lower-level facilities (CHPS compounds and health centers) to stock adequate quantities of magnesium sulfate injection and use it for the timely management of pregnant women who present with eclampsia.
- 9 GHSC-PSM should continue to support the Family Health Division to finalize the MNCH Stockout Reduction Strategy and commence implementation by January 2025 to promote a coordinated action for reducing MNCH stockout rates in SDPs.
- 10 GHS with technical support from GHSC-PSM should continue to advocate with regions to improve the collection of debts from SDPs in an effort to improve payment of vendors and ensure supply consistency.
- 11 The Family Health Division in collaboration with Regional Health Directorates should support SDPs without refrigerators to acquire them. Additionally, the Family Health Division with technical support from GHSC-PSM should leverage available regional platforms (e.g. expanded supply chain technical working group meetings and integrated supportive supervision) to promote adoption of standard inventory management practices including storing oxytocin in working refrigerators.
- 12 Regional Medical Stores, with technical support from GHSC-PSM, should develop and disseminate monthly bulletins on commodity availability to health facilities via the last mile distribution WhatsApp platform. This will enable health facilities to effectively prepare orders and address identified stock gaps.