

[Gitlab EE] Использование gem gitlab-license

Актуальная версия gitlab-license: <https://rubygems.org/gems/gitlab-license>

1. Устанавливаем ruby и сам gem на целевую ВМ:

```
sudo apt install ruby
sudo gem install gitlab-license
```

2. Создаём файл license.rb с содержимым (можно менять параметры блока license):

```
require "openssl"
require "gitlab/license"

key_pair = OpenSSL::PKey::RSA.generate(2048)
File.open("license_key", "w") { |f| f.write(key_pair.to_pem) }

public_key = key_pair.public_key
File.open("license_key.pub", "w") { |f| f.write(public_key.to_pem) }

private_key = OpenSSL::PKey::RSA.new File.read("license_key")
Gitlab::License.encryption_key = private_key

require "openssl"
require "gitlab/license"

key_pair = OpenSSL::PKey::RSA.generate(2048)
File.open("license_key", "w") { |f| f.write(key_pair.to_pem) }

public_key = key_pair.public_key
File.open("license_key.pub", "w") { |f| f.write(public_key.to_pem) }

private_key = OpenSSL::PKey::RSA.new File.read("license_key")
Gitlab::License.encryption_key = private_key

license = Gitlab::License.new
license.licensee = {
  "Name" => "John Doe",
  "Company" => "Horns and Hooves",
  "Email" => "johndoe@inside.cr",
}
license.starts_at = Date.new(2024, 12, 27)
license.expires_at = Date.new(2125, 12, 31)
license.notify_admins_at = Date.new(2125, 12, 1)
license.notify_users_at = Date.new(2125, 12, 1)
license.block_changes_at = Date.new(2125, 12, 31)
license.restrictions = {
  active_user_count: 100000,
}

puts "License:"
puts license

data = license.export
puts "Exported license:"
puts data
File.open("GitLabBV.gitlab-license", "w") { |f| f.write(data) }

public_key = OpenSSL::PKey::RSA.new File.read("license_key.pub")
Gitlab::License.encryption_key = public_key

data = File.read("GitLabBV.gitlab-license")
$license = Gitlab::License.import(data)

puts "Imported license:"
puts $license

unless $license
  raise "The license is invalid."
```

```

end

if $license.restricted?(:active_user_count)
  active_user_count = 100000
  if active_user_count > $license.restrictions[:active_user_count]
    raise "The active user count exceeds the allowed amount!"
  end
end

if $license.notify_admins?
  puts "The license is due to expire on #{ $license.expires_at }."
end

if $license.notify_users?
  puts "The license is due to expire on #{ $license.expires_at }."
end

module Gitlab
  class GitAccess
    def check(cmd, changes = nil)
      if $license.block_changes?
        return build_status_object(false, "License expired")
      end
    end
  end
end

16,1      Top
  puts "The license expired on #{ $license.expires_at }"
elsif $license.will_expire?
  puts "The license will expire on #{ $license.expires_at }"
else
  puts "The license will never expire."
end

```

3. Генерируем лицензию:

```
ruby license.rb
```

4. Появляются 3 файла рядом с license.rb:

```

GitLabBV.gitlab-license
license_key
license_key.pub

```

5. Копируем файл license_key.pub по пути:

```
cp license_key.pub /opt/gitlab/embedded/service/gitlab-rails/.license_encryption_key.pub
```

6. Перезагружаем ВМ гитлаба.

7. Добавляем GitLabBV.gitlab-license через веб-интерфейс гитлаба по пути: https://<gitlab_domain>/admin/application_settings/general и Add license (предварительно поставив галочку на чекбоксе согласия)

8. После успешного добавления, меняем план лицензии в файле /opt/gitlab/embedded/service/gitlab-rails/ee/app/models/license.rb:

Было

```
def plan
  restricted_attr(:plan).presence || STARTER_PLAN
end
```

Стало

```
def plan
  restricted_attr(:plan).presence || ULTIMATE_PLAN
end
```

9. Ещё раз перезагружаем VM гитлаба и видим, и убеждаемся, что план поменялся:

License overview

Plan: Ultimate End date: Dec 31, 2125 12:00am Licensed to: John Doe (johndoe@inside.cr) Type: Legacy license [View details](#)

Users in subscription 100,000 Your license is valid from 2024-12-27 to 2125-12-31. Users with a Guest role or those who don't belong to a Project or Group will not use a seat from your license. Updated 2024-12-28 09:32:06 UTC	Billable users 1 This is the number of billable users on your installation, and this is the minimum number you need to purchase when you renew your license. Updated 2024-12-28 09:32:06 UTC
--	---

10. Отключаем "ping", если это не сделано в конфигурационном файле (gitlab.rb) по следующему урлу https://<gitlab_domain>/admin/application_settings/metrics_and_profiling:

Usage statistics
Enable or disable version check and Service Ping.

☒ **Enable version check**
GitLab informs you if a new version is available. What information does GitLab Inc. collect?

☐ **Enable Service Ping**
Service ping is disabled in your configuration file, and cannot be enabled through this form. For more information, see the [documentation on deactivating service ping](#).

☐ **Include optional data in Service Ping.**
Include additional optional data in Service Ping. To enable optional data, first enable Service Ping. For more information, see [the documentation](#).

Service Ping payload not found in the application cache
Generate Service Ping to preview and download service usage data payload.

☐ **Enable Registration Features** ⓘ
To enable Registration Features, first enable optional data in Service Ping.
For a list of included Registration Features, see [the documentation](#).

[Save changes](#)

11. После обновлении версии Gitlab-ee, повторить пункты 5-9, тк при обновлении меняется публичный ключ инстанса