

Trendyol Super League Explorer

Team Members & SU ID's:

- Utku Can Yıldız - 29375
- Yusuf Eralp Kızıloğlu – 29204

OVERVIEW

The Trendyol Super League (TSL) is the premier football league in Turkey. Established in 1923, it has grown to become one of the most popular entertainment and daily topic in the country. With a rich history and a huge fan base, the TSL captivates football enthusiasts both within Turkey and beyond. While the TSL has a devoted following, its official website, a crucial source of information for fans, has fallen short in providing an optimal user experience. Our project endeavors to revamp the way fans interact with the Turkish Super League, presenting the latest news, statistics, and insights in a fresh and engaging format.

Goals:

- 1-) Our primary goal is to create a robust and well-structured database that encompasses all relevant data about the Turkish Super League, including team information, player profiles, match records, and more. This database should support full CRUD (Create, Read, Update, Delete) operations to ensure its fully functional.
- 2-) Storing vast amounts of data requires meticulous organization. Our goal is to ensure that all data is organized, well-structured, and secure.
- 3-) We aim to establish a complex but efficient database schema, utilizing the Entity-Relationship (ER) model to define the structure of our database accurately. This includes establishing relationships between entities, specifying key constraints, and ensuring data integrity.

Explanation:

Our database will consist of numerous tables and entities to store a wide range of data related to the Turkish Super League. This includes information about teams, players, matches, referees, venues. Tables will be designed to accommodate relationships and constraints between entities, ensuring data integrity and accuracy. To populate our database, we will source real-life information from various reputable and official sources. Additional sources, such as official team and player profiles, reputable sports news outlets, and authoritative social media accounts, will be used to enhance the completeness and timeliness of our database.

Relational Model

```
CREATE TABLE `Teams` (  
    `Team_ID` INTEGER,  
    `Team_Name` VARCHAR(250),  
    PRIMARY KEY (`Team_ID`));  
  
CREATE TABLE `Players` (  
    `Player_ID` INTEGER,  
    `Player_Name` VARCHAR(50),  
    `Transfer value` FLOAT,  
    PRIMARY KEY (`Player_ID`));  
  
CREATE TABLE `Manager` (  
    `Manager_ID` INTEGER,  
    `Manager_Name` VARCHAR(50),  
    `Points_per_match` FLOAT,  
    PRIMARY KEY (`Manager_ID`));  
  
CREATE TABLE `Stadiums` (  
    `Stadium_Name` VARCHAR(50),  
    `Stadium_place` VARCHAR(50),  
    PRIMARY KEY (`Stadium_Name`));  
  
CREATE TABLE `Standings` (  
    `Standing_Points` INTEGER,  
    `Standing_Place` VARCHAR(50),  
    PRIMARY KEY (`Standing_Place`));  
  
CREATE TABLE `Championships` (  
    `Championship_year` INTEGER,  
    `Championship_points` INTEGER,  
    PRIMARY KEY (`Championship_year`));  
  
CREATE TABLE `History` (  
    `Championship_year` INTEGER,  
    `Team_Name` VARCHAR(250),  
    FOREIGN KEY REFERENCES `Teams` (Team_Name),  
    FOREIGN KEY REFERENCES `Championships` (Championship_year));
```

```
CREATE TABLE `Plays_at` (  
  
  `Player_name` VARCHAR(50),  
  
  `Team_Name` VARCHAR(250),  
  
  FOREIGN KEY REFERENCES `Teams` (Team_Name),  
  
  FOREIGN KEY REFERENCES `Players` (Full_name) );
```

```
CREATE TABLE `Management` (  
  
  `Manager_name` VARCHAR(50),  
  
  `Team_Name` VARCHAR(250),  
  
  FOREIGN KEY REFERENCES `Teams` (Team_Name),  
  
  FOREIGN KEY REFERENCES `Managers` (Manager_name) );
```

```
CREATE TABLE `Playground` (  
  
  `Stadium_Name` VARCHAR(50),  
  
  `Team_Name` VARCHAR(250),  
  
  FOREIGN KEY REFERENCES `Teams` (Team_Name),  
  
  FOREIGN KEY REFERENCES `Stadiums` (Stadium_Name) );
```

```
CREATE TABLE `Forms` (  
  
  `Standing_place` VARCHAR(50),  
  
  `Team_Name` VARCHAR(250),  
  
  FOREIGN KEY REFERENCES `Teams` (Team_Name),  
  
  FOREIGN KEY REFERENCES `Standings` (Standing_place) );
```

INSERT INTO Teams(Team_id, Team_Name)

VALUES(0001, “Fenerbahçe), (0002, “Beşiktaş), (0003, “Galatasaray”), (0004, “Kayserispor”), (0005, “Alanyaspor”), (0006, “Trabzonspor”), (0007, “Kasımpaşa”), (0008, “Fatih Karagümrük”), (0009, “Antalyaspor”), (0010, “Ankaragücü”);

INSERT INTO Players(Player_id, Player_Name, Transfer_value)

VALUES(100, “Sebastian Szymanski”,5.000.000), (101, “Mauro Icardi”,10.000.000), (102, “Vincent Aboubakar”,3.000.000), (103, “Umut Nayir”,500.000), (104, “Yusuf Sarı”800.000), (105, “Ahmet Oğuz”,200.000), (106, “Lazar Markovic”,400.000), (107, “Adam Buksa”,1.200.00), (108, “Mame Thiam”,900.000), (109, “Jonjo Shelvey”2.000.000);

INSERT INTO Managers(Manager_id, Manager_Name, Points_per_match)

VALUES(300, “İsmail Kartal”, 2.63), (301, “Okan Buruk”, 2.60), (302, “Sergen Yalçın”,2.00), (303, “Abdullah Avcı”, 2.1), (304, “İlhan Palut”, “Alanyaspor”, 1.94), (305, “Mario Sumudica”, 0.8), (306, “Emre Belözoğlu”, 0.9), (307, “Fatih Tekke”, 1.2), (308, “Çağdaş Atan”, 1.5), (309, “Sami Uğurlu”, 1.3);

INSERT INTO Stadiums(Stadium_name, Stadium_Place)

VALUES(“Şükrü Saraçoğlu”, “Kadıköy/İstanbul”), (“Tüpraş Stadyumu”, “Beşiktaş/İstanbul), (“Rams Park”, “Şişli/İstanbul”), (“Atatürk Olimpiyat”, “İkitelli/İstanbul”), (Papara Park, “Trabzon”), (Kalyon Stadyumu, “Gaziantep”), (Eryaman Stadyumu, “Ankara”), (19 Mayıs Stadyumu, “Samsun”), (4 Eylül Stadı, “Sivas”), (Recep Tayyip Erdoğan Stadı, “Beyoğlu/İstanbul”);

INSERT INTO Standings(Standing_place, Standing_points)

VALUES(1, 75), (2, 73), (3,46), (4, 46), (5 , 40), (6, 39), (7, 39), (8, 38), (9, 38), (10,35);

INSERT INTO Championships(Championship_year, Championship_points)

VALUES(2000-01, 76), (2001-02, 78), (2002-03, 85), (2003-04, 76), (2004-05, 80) ,(2005-06, 83), (2006-07, 70), (2007-08, 79),(2008-09, 71) (2009-10, 75);

