Swagelok Tube Fitting Inventory Checklist: Hex Sizes

90 parts · Tube OD 1/16 in, 1/8 in, 1/4 in · 316 SS unless noted

Date _____

Checked by _____

	Part No.	Description	Tube OD	Second End	Nut Hex	Body Hex	On Hand	Min Qty	Location	Check
Union 6 parts										
	**SS-100-6**	Straight Union	1/16 in	1/16 in tube	**5/16**	n/l				☐
	**SS-200-6**	Straight Union	1/8 in	1/8 in tube	**7/16**	n/l				☐
	**SS-400-6**	Straight Union	1/4 in	1/4 in tube	**9/16**	n/l				☐
	**SS-100-6BT**	Straight Union Bored through	1/16 in	1/16 in tube	**5/16**	n/l				☐
	**SS-200-6BT**	Straight Union Bored through	1/8 in	1/8 in tube	**7/16**	n/l				☐
	**SS-400-6BT**	Straight Union Bored through	1/4 in	1/4 in tube	**9/16**	n/l				☐
Reducing Union 6 parts										
	**SS-200-6-1**	Reducing Union	1/8 in	1/16 in tube	**7/16** **5/16**	n/l				☐
	**SS-400-6-1**	Reducing Union	1/4 in	1/16 in tube	**9/16** **5/16**	n/l				☐
	**SS-400-6-2**	Reducing Union	1/4 in	1/8 in tube	**9/16** **7/16**	n/l				☐
	**SS-200-6-1BT**	Reducing Union Bored through	1/8 in	1/16 in tube	**7/16** **5/16**	n/l				☐
	**SS-400-6-1BT**	Reducing Union Bored through	1/4 in	1/16 in tube	**9/16** **5/16**	n/l				☐
	**SS-400-6-2BT**	Reducing Union Bored through	1/4 in	1/8 in tube	**9/16** **7/16**	n/l				☐
Union Elbow 3 parts										
	SS-100-9	Union Elbow	1/16 in	1/16 in tube	**5/16**	**3/8**				☐
	SS-200-9	Union Elbow	1/8 in	1/8 in tube	**7/16**	**3/8**				☐
	SS-400-9	Union Elbow	1/4 in	1/4 in tube	**9/16**	**1/2**				☐
Reducing Elbow 1 part										
	SS-400-2R-4	Reducing Elbow (Fitting x Tube Stub)	1/4 in	1/4 in tube stub	**9/16**	**1/2**				☐

Hex sizes are inches across flats, from Swagelok catalogs MS-01-140 Rev AJ and MS-01-24 Rev X (VCR). n/l = not listed. Reducing unions show both nut sizes. Drawings are generic and not to scale. BT = bored through. Verify part numbers against the Swagelok catalog before ordering.

Swagelok Tube Fitting Inventory Checklist: Hex Sizes

90 parts · Tube OD 1/16 in, 1/8 in, 1/4 in · 316 SS unless noted

Date _____

Checked by _____

	Part No.	Description	Tube OD	Second End	Nut Hex	Body Hex	On Hand	Min Qty	Location	Check
Union Tee 6 parts										
	**SS-100-3**	Union Tee	1/16 in	1/16 in tube	**5/16**	**3/8**				☐
	**SS-200-3**	Union Tee	1/8 in	1/8 in tube	**7/16**	**3/8**				☐
	**SS-400-3**	Union Tee	1/4 in	1/4 in tube	**9/16**	**1/2**				☐
	**SS-100-3BT**	Union Tee Bored through	1/16 in	1/16 in tube	**5/16**	**3/8**				☐
	**SS-200-3BT**	Union Tee Bored through	1/8 in	1/8 in tube	**7/16**	**3/8**				☐
	**SS-400-3BT**	Union Tee Bored through	1/4 in	1/4 in tube	**9/16**	**1/2**				☐
Union Cross 3 parts										
	SS-100-4	Union Cross	1/16 in	1/16 in tube	**5/16**	n/l				☐
	SS-200-4	Union Cross	1/8 in	1/8 in tube	**7/16**	**3/8**				☐
	SS-400-4	Union Cross	1/4 in	1/4 in tube	**9/16**	**1/2**				☐
Bulkhead Union 6 parts										
	**SS-100-61**	Bulkhead Union	1/16 in	1/16 in tube	**5/16**	**5/16**				☐
	**SS-200-61**	Bulkhead Union	1/8 in	1/8 in tube	**7/16**	**1/2**				☐
	**SS-400-61**	Bulkhead Union	1/4 in	1/4 in tube	**9/16**	**5/8**				☐
	**SS-100-61BT**	Bulkhead Union Bored through	1/16 in	1/16 in tube	**5/16**	**5/16**				☐
	**SS-200-61BT**	Bulkhead Union Bored through	1/8 in	1/8 in tube	**7/16**	**1/2**				☐
	**SS-400-61BT**	Bulkhead Union Bored through	1/4 in	1/4 in tube	**9/16**	**5/8**				☐

Hex sizes are inches across flats, from Swagelok catalogs MS-01-140 Rev AJ and MS-01-24 Rev X (VCR). n/l = not listed. Reducing unions show both nut sizes. Drawings are generic and not to scale. BT = bored through. Verify part numbers against the Swagelok catalog before ordering.

Swagelok Tube Fitting Inventory Checklist: Hex Sizes

90 parts · Tube OD 1/16 in, 1/8 in, 1/4 in · 316 SS unless noted

Date _____

Checked by _____

	Part No.	Description	Tube OD	Second End	Nut Hex	Body Hex	On Hand	Min Qty	Location	Check
Male Connector 12 parts										
	**SS-100-1-1**	Male Connector (Tube x MNPT)	1/16 in	1/16 in MNPT	**5/16**	**5/16**				☐
	**SS-100-1-2**	Male Connector (Tube x MNPT)	1/16 in	1/8 in MNPT	**5/16**	**7/16**				☐
	**SS-200-1-2**	Male Connector (Tube x MNPT)	1/8 in	1/8 in MNPT	**7/16**	**7/16**				☐
	**SS-200-1-4**	Male Connector (Tube x MNPT)	1/8 in	1/4 in MNPT	**7/16**	**9/16**				☐
	**SS-400-1-2**	Male Connector (Tube x MNPT)	1/4 in	1/8 in MNPT	**9/16**	**1/2**				☐
	**SS-400-1-4**	Male Connector (Tube x MNPT)	1/4 in	1/4 in MNPT	**9/16**	**9/16**				☐
	**SS-100-1-1BT**	Male Connector (Tube x MNPT) Bored through	1/16 in	1/16 in MNPT	**5/16**	**5/16**				☐
	**SS-100-1-2BT**	Male Connector (Tube x MNPT) Bored through	1/16 in	1/8 in MNPT	**5/16**	**7/16**				☐
	**SS-200-1-2BT**	Male Connector (Tube x MNPT) Bored through	1/8 in	1/8 in MNPT	**7/16**	**7/16**				☐
	**SS-200-1-4BT**	Male Connector (Tube x MNPT) Bored through	1/8 in	1/4 in MNPT	**7/16**	**9/16**				☐
	**SS-400-1-2BT**	Male Connector (Tube x MNPT) Bored through	1/4 in	1/8 in MNPT	**9/16**	**1/2**				☐
	**SS-400-1-4BT**	Male Connector (Tube x MNPT) Bored through	1/4 in	1/4 in MNPT	**9/16**	**9/16**				☐
Female Connector 5 parts										
	**SS-100-7-2**	Female Connector (Tube x FNPT)	1/16 in	1/8 in FNPT	**5/16**	**9/16**				☐
	**SS-200-7-2**	Female Connector (Tube x FNPT)	1/8 in	1/8 in FNPT	**7/16**	**9/16**				☐
	**SS-200-7-4**	Female Connector (Tube x FNPT)	1/8 in	1/4 in FNPT	**7/16**	**3/4**				☐
	**SS-400-7-2**	Female Connector (Tube x FNPT)	1/4 in	1/8 in FNPT	**9/16**	**9/16**				☐
	**SS-400-7-4**	Female Connector (Tube x FNPT)	1/4 in	1/4 in FNPT	**9/16**	**3/4**				☐

Hex sizes are inches across flats, from Swagelok catalogs MS-01-140 Rev AJ and MS-01-24 Rev X (VCR). n/l = not listed. Reducing unions show both nut sizes. Drawings are generic and not to scale. BT = bored through. Verify part numbers against the Swagelok catalog before ordering.

Swagelok Tube Fitting Inventory Checklist: Hex Sizes

90 parts · Tube OD 1/16 in, 1/8 in, 1/4 in · 316 SS unless noted

Date _____

Checked by _____

	Part No.	Description	Tube OD	Second End	Nut Hex	Body Hex	On Hand	Min Qty	Location	Check
Reducer 7 parts										
	**SS-100-R-2**	Reducer (Fitting x Tube Stub)	1/16 in	1/8 in tube stub	**5/16**	**5/16**				☐
	**SS-100-R-4**	Reducer (Fitting x Tube Stub)	1/16 in	1/4 in tube stub	**5/16**	**5/16**				☐
	**SS-200-R-4**	Reducer (Fitting x Tube Stub)	1/8 in	1/4 in tube stub	**7/16**	**7/16**				☐
	**SS-400-R-2**	Reducer (Fitting x Tube Stub)	1/4 in	1/8 in tube stub	**9/16**	**1/2**				☐
	**SS-100-R-2BT**	Reducer (Fitting x Tube Stub) Bored through	1/16 in	1/8 in tube stub	**5/16**	**5/16**				☐
	**SS-100-R-4BT**	Reducer (Fitting x Tube Stub) Bored through	1/16 in	1/4 in tube stub	**5/16**	**5/16**				☐
	**SS-200-R-4BT**	Reducer (Fitting x Tube Stub) Bored through	1/8 in	1/4 in tube stub	**7/16**	**7/16**				☐
Port Connector 6 parts										
	SS-101-PC	Port Connector	1/16 in	1/16 in tube	none	none				☐
	SS-201-PC	Port Connector	1/8 in	1/8 in tube	none	none				☐
	SS-401-PC	Port Connector	1/4 in	1/4 in tube	none	none				☐
	**SS-201-PC-1**	Reducing Port Connector	1/8 in	1/16 in tube	none	none				☐
	SS-401-PC-1	Reducing Port Connector	1/4 in	1/16 in tube	none	none				☐
	SS-401-PC-2	Reducing Port Connector	1/4 in	1/8 in tube	none	none				☐
VCR Connector 4 parts										
	**SS-4-VCR-6-200**	VCR Male Connector (Male VCR x Tube) 316L SS	1/8 in	1/4 in male VCR	**7/16**	**5/8**				☐
	**SS-4-VCR-6-400**	VCR Male Connector (Male VCR x Tube) 316L SS	1/4 in	1/4 in male VCR	**9/16**	**5/8**				☐
	**SS-4-WVCR-6-400**	VCR Female Connector (Female VCR x Tube) 316L SS	1/4 in	1/4 in female VCR	**9/16**	**1/2**				☐
	**SS-4-VCR-A1-400**	VCR Bulkhead Connector (Male VCR x Tube) 316L SS	1/4 in	1/4 in male VCR	**9/16**	**5/8**				☐

Hex sizes are inches across flats, from Swagelok catalogs MS-01-140 Rev AJ and MS-01-24 Rev X (VCR). n/l = not listed. Reducing unions show both nut sizes. Drawings are generic and not to scale. BT = bored through. Verify part numbers against the Swagelok catalog before ordering.

Swagelok Tube Fitting Inventory Checklist: Hex Sizes

90 parts · Tube OD 1/16 in, 1/8 in, 1/4 in · 316 SS unless noted

Date _____

Checked by _____

	Part No.	Description	Tube OD	Second End	Nut Hex	Body Hex	On Hand	Min Qty	Location	Check
Cap 3 parts										
	SS-100-C	Cap	1/16 in	—	n/l	n/l				☐
	SS-200-C	Cap	1/8 in	—	n/l	n/l				☐
	SS-400-C	Cap	1/4 in	—	n/l	n/l				☐
Plug 3 parts										
	**SS-100-P**	Plug	1/16 in	—	n/l	n/l				☐
	**SS-200-P**	Plug	1/8 in	—	n/l	n/l				☐
	**SS-400-P**	Plug	1/4 in	—	n/l	n/l				☐
Nut 3 parts										
	**SS-102-1**	Nut	1/16 in	—	**5/16**	—				☐
	**SS-202-1**	Nut	1/8 in	—	**7/16**	—				☐
	**SS-402-1**	Nut	1/4 in	—	**9/16**	—				☐

Hex sizes are inches across flats, from Swagelok catalogs MS-01-140 Rev AJ and MS-01-24 Rev X (VCR). n/l = not listed. Reducing unions show both nut sizes. Drawings are generic and not to scale. BT = bored through. Verify part numbers against the Swagelok catalog before ordering.

Swagelok Tube Fitting Inventory Checklist: Hex Sizes

90 parts · Tube OD 1/16 in, 1/8 in, 1/4 in · 316 SS unless noted

Date _____

Checked by _____

	Part No.	Description	Tube OD	Second End	Nut Hex	Body Hex	On Hand	Min Qty	Location	Check
Ferrule 9 parts										
	SS-103-1	Front Ferrule	1/16 in	—	—	—				☐
	SS-203-1	Front Ferrule	1/8 in	—	—	—				☐
	SS-403-1	Front Ferrule	1/4 in	—	—	—				☐
	SS-104-1	Back Ferrule	1/16 in	—	—	—				☐
	SS-204-1	Back Ferrule	1/8 in	—	—	—				☐
	SS-404-1	Back Ferrule	1/4 in	—	—	—				☐
	**SS-100-SET**	Ferrule Set (Front + Back)	1/16 in	—	—	—				☐
	**SS-200-SET**	Ferrule Set (Front + Back)	1/8 in	—	—	—				☐
	**SS-400-SET**	Ferrule Set (Front + Back)	1/4 in	—	—	—				☐
VCR Gasket 7 parts										
	SS-2-VCR-2	VCR Gasket Silver Plated · 316L SS	1/8 in	1/8 in VCR	—	—				☐
	SS-2-VCR-2-VS	VCR Gasket Unplated · 316L SS	1/8 in	1/8 in VCR	—	—				☐
	SS-4-VCR-2	VCR Gasket Silver Plated · 316L SS	1/4 in	1/4 in VCR	—	—				☐
	SS-4-VCR-2-VS	VCR Gasket Unplated · 316L SS	1/4 in	1/4 in VCR	—	—				☐
	SS-4-VCR-2-GR	VCR Retainer Gasket Silver Plated · 316L SS	1/4 in	1/4 in VCR	—	—				☐
	SS-4-VCR-2-GR-VS	VCR Retainer Gasket Unplated · 316L SS	1/4 in	1/4 in VCR	—	—				☐
	**SS-4-VCR-2-ZC-VS**	VCR Side-Load Retainer Gasket Unplated · 316L SS	1/4 in	1/4 in VCR	—	—				☐

Hex sizes are inches across flats, from Swagelok catalogs MS-01-140 Rev AJ and MS-01-24 Rev X (VCR). n/l = not listed. Reducing unions show both nut sizes. Drawings are generic and not to scale. BT = bored through. Verify part numbers against the Swagelok catalog before ordering.