

Package ‘ONETr’

January 23, 2015

Type Package

Title Efficient authenticated interaction with the O*NET API

Version 1.0.2

Date 2015-01-23

Author Eric Knudsen

Maintainer Eric Knudsen <eknudsen@gc.cuny.edu>

Description Provides a series of functions designed to enable users to easily search and interact with occupational data from the O*NET API <www.onetonline.org>. The package produces parsed and listed XML data for custom interactions, or pre-packaged functions for easy extraction of specific data (e.g., Knowledge, Skills, Abilities, Work Styles, etc.).

Depends XML, RCurl

License GPL-3

R topics documented:

abilities	2
cacheEnv	3
education	3
interests	4
jobData	4
jobTitles	5
jobZone	6
keySearch	6
knowledge	7
occupation	8
onetr	8
relatedOccupations	9
setCreds	10
skills	11
socSearch	11
tasks	12
technology	13
tools	13
workActivities	14

workContext	15
workStyles	15
workValues	16
Index	17

abilities

Pull ability data from job extract stored as a list.

Description

This function should be used after a socSearch has been stored. The function extracts ability information for the searched/stored occupation.

Usage

```
abilities(list)
```

Arguments

list the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
## Not run:
# You need to set your credentials with setCreds() prior to use.
abilities(jobData)

## End(Not run)
```

cacheEnv	<i>Environment housing API credentials</i>
----------	--

Description

This environment houses API credentials set with `setCreds`. It is accessed by `keySearch` and `socSearch`.

Usage

```
cacheEnv
```

Format

Environment.

education	<i>Pull education data from job extract stored as a list.</i>
-----------	---

Description

This function should be used after a `socSearch` has been stored. The function extracts education information for the searched/stored occupation.

Usage

```
education(list)
```

Arguments

`list` the name of the list object that the `socSearch` data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
education(jobData)
```

interests

Pull interest data from job extract stored as a list.

Description

This function should be used after a socSearch has been stored. The function extracts interest information for the searched/stored occupation.

Usage

```
interests(list)
```

Arguments

`list` the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
interests(jobData)
```

jobData

Sample Job Data for Clinical Psychologist

Description

This data set contains job data for 'Clinical Psychologist'. It is the direct output of a socSearch using the O*NET SOC code 19-3031.02, and is parsed into a list for efficient access by all package functions.

Usage

```
jobData
```

Format

A list of length 15.

Source

O*NET Online.

References

O*NET OnLine. *National Center for O*NET Development.*

jobTitles

Pull job title data from job extract stored as a list.

Description

This function should be used after a socSearch has been stored. The function extracts job title information for the searched/stored occupation.

Usage

```
jobTitles(list)
```

Arguments

list the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
jobTitles(jobData)
```

jobZone	<i>Pull "Job Zone" data from job extract stored as a list.</i>
---------	--

Description

This function should be used after a socSearch has been stored. The function extracts "Job Zone" information for the searched/stored occupation.

Usage

```
jobZone(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
jobZone(jobData)
```

keySearch	<i>Search O*NET by keyword.</i>
-----------	---------------------------------

Description

This function allows you to search O*NET occupations using a keyword, and receive the results in a data frame.

Usage

```
keySearch(keyword)
```

Arguments

keyword	an occupational keyword you'd like to query the API with
---------	--

Value

A data frame containing the search results.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
## Not run:
# You need to set your credentials with setCreds() prior to use.
keySearch("psychologist")

## End(Not run)
```

knowledge

Pull knowledge data from job extract stored as a list.

Description

This function should be used after a socSearch has been stored. The function extracts knowledge information for the searched/stored occupation.

Usage

```
knowledge(list)
```

Arguments

list the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
knowledge(jobData)
```

occupation	<i>Pull occupation data from job extract stored as a list.</i>
------------	--

Description

This function should be used after a socSearch has been stored. The function extracts occupation information for the searched/stored occupation.

Usage

```
occupation(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
occupation(jobData)
```

onetr	<i>Efficient authenticated interaction with the O*NET API.</i>
-------	--

Description

This package provides a series of functions designed to enable users to easily search and interact with occupational data from the O*NET API <www.onetonline.org>. The package produces parsed and listed XML data for custom interactions, or pre-packaged functions for easy extraction of specific data (e.g., Knowledge, Skills, Abilities, Work Styles, etc.).

Details

This package should be used to explore or extract specific occupational data from the O*NET API. The `setCreds` function should be called with the proper arguments prior to the use of any other package functions- the function stores one's API credentials for use by the other functions throughout the session. `keySearch` allows a search by keyword (e.g., "psychologist") and prints the search results, from which occupational SOC codes can be extracted. SOC codes can then be used with `socSearch` to print or store data about a specific occupation. For a list of functions designed for extract of specific data points (e.g., Knowledge, Skills, Abilities, etc.), please read the documentation and explore the package.

Author(s)

Eric Knudsen

Maintainer: Eric Knudsen <eknudsen@gc.cuny.edu>

References

<http://www.onetonline.org/>

Examples

```
## Not run:
  setCreds("username","password") # must have O*NET API developer account
  keySearch("psychologist")
  socSearch("19-3031.02")

## End(Not run)
```

relatedOccupations	<i>Pull related occupations data from job extract stored as a list.</i>
--------------------	---

Description

This function should be used after a `socSearch` has been stored. The function extracts related occupations information for the searched/stored occupation.

Usage

```
relatedOccupations(list)
```

Arguments

list	the name of the list object that the <code>socSearch</code> data has been stored in
------	---

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
relatedOccupations(jobData)
```

setCreds

*Set O*NET API credentials for functional use.*

Description

This function allows you to store your O*NET API HTTPS credentials for easy authentication when calling package functions. This function must be used before any other function in the package.

Usage

```
setCreds(user, pass)
```

Arguments

user	O*NET API developer username (for the HTTPS API)
pass	O*NET API developer password (for the HTTPS API)

Value

An list to store the API username and password for access by the package functions.

Author(s)

Eric Knudsen

Examples

```
# store API username and password
setCreds("sampleuser","samplepassword")
```

skills	<i>Pull skill data from job extract stored as a list.</i>
--------	---

Description

This function should be used after socSearch has been stored. The function extracts skill information for the searched/stored occupation.

Usage

```
skills(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
skills(jobData)
```

socSearch	<i>Searches and pulls occupational data based on SOC code.</i>
-----------	--

Description

This function should be used to extract and store data on a specific job for further analysis/manipulation by package functions.

Usage

```
socSearch(soc)
```

Arguments

soc	occupation SOC code (if necessary, use keySearch to find SOC code)
-----	--

Value

A list (parsed from XML) of all existing O*NET data on queried occupation.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
## Not run:
# You need to set your credentials with setCreds() prior to use.
socSearch("19-3031.02")

## End(Not run)
```

tasks

Pull task data from job extract stored as a list.

Description

This function should be used after a socSearch has been stored. The function extracts task information for the searched/stored occupation.

Usage

```
tasks(list)
```

Arguments

list the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
tasks(jobData)
```

technology	<i>Pull technology data from job extract stored as a list.</i>
------------	--

Description

This function should be used after a socSearch has been stored. The function extracts technology information for the searched/stored occupation.

Usage

```
technology(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
technology(jobData)
```

tools	<i>Pull tools data from job extract stored as a list.</i>
-------	---

Description

This function should be used after a socSearch has been stored. The function extracts tools information for the searched/stored occupation.

Usage

```
tools(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
tools(jobData)
```

workActivities

Pull work activity data from job extract stored as a list.

Description

This function should be used after a socSearch has been stored. The function extracts work activity information for the searched/stored occupation.

Usage

```
workActivities(list)
```

Arguments

list the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
workActivities(jobData)
```

workContext	<i>Pull work context data from job extract stored as a list.</i>
-------------	--

Description

This function should be used after a socSearch has been stored. The function extracts work context information for the searched/stored occupation.

Usage

```
workContext(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
workContext(jobData)
```

workStyles	<i>Pull work style data from job extract stored as a list.</i>
------------	--

Description

This function should be used after a socSearch has been stored. The function extracts work style information for the searched/stored occupation.

Usage

```
workStyles(list)
```

Arguments

list	the name of the list object that the socSearch data has been stored in
------	--

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
workStyles(jobData)
```

workValues	<i>Pull work value data from job extract stored as a list.</i>
------------	--

Description

This function should be used after a socSearch has been stored. The function extracts work value information for the searched/stored occupation.

Usage

```
workValues(list)
```

Arguments

list the name of the list object that the socSearch data has been stored in

Value

A data frame with relevant data.

Note

May not work if data are not properly formatted.

Author(s)

Eric Knudsen

Examples

```
data(jobData)
# You need to set your credentials with setCreds() prior to use.
workValues(jobData)
```


Index

- *Topic **\textasciitildeabilities**
 - abilities, [2](#)
- *Topic **\textasciitildeauthentication**
 - setCreds, [10](#)
- *Topic **\textasciitildecredentials**
 - setCreds, [10](#)
- *Topic **\textasciitildedatasets**
 - jobData, [4](#)
- *Topic **\textasciitildeeducation**
 - education, [3](#)
- *Topic **\textasciitildeinterests**
 - interests, [4](#)
- *Topic **\textasciitildejobtitles**
 - jobTitles, [5](#)
- *Topic **\textasciitildejobzone**
 - jobZone, [6](#)
- *Topic **\textasciitildekeyword**
 - keySearch, [6](#)
- *Topic **\textasciitildeknowledge**
 - knowledge, [7](#)
- *Topic **\textasciitildeoccupation**
 - occupation, [8](#)
- *Topic **\textasciitilderelatedoccupations**
 - relatedOccupations, [9](#)
- *Topic **\textasciitildesearch**
 - keySearch, [6](#)
 - socSearch, [11](#)
- *Topic **\textasciitildeskills**
 - skills, [11](#)
- *Topic **\textasciitildesoccode**
 - socSearch, [11](#)
- *Topic **\textasciitildetasks**
 - tasks, [12](#)
- *Topic **\textasciitildetechnology**
 - technology, [13](#)
- *Topic **\textasciitildetools**
 - tools, [13](#)
- *Topic **\textasciitildeworkactivities**
 - workActivities, [14](#)
- *Topic **\textasciitildeworkcontext**
 - workContext, [15](#)
- *Topic **\textasciitildeworkstyles**
 - workStyles, [15](#)
- *Topic **\textasciitildeworkvalues**
 - workValues, [16](#)
- *Topic **environment**
 - cacheEnv, [3](#)
- *Topic **jobs**
 - onetr, [8](#)
- *Topic **occupations**
 - onetr, [8](#)
- *Topic **package**
 - onetr, [8](#)
- abilities, [2](#)
- cacheEnv, [3](#)
- education, [3](#)
- interests, [4](#)
- jobData, [4](#)
- jobTitles, [5](#)
- jobZone, [6](#)
- keySearch, [6](#)
- knowledge, [7](#)
- occupation, [8](#)
- onetr, [8](#)
- relatedOccupations, [9](#)
- setCreds, [10](#)
- skills, [11](#)
- socSearch, [11](#)
- tasks, [12](#)
- technology, [13](#)
- tools, [13](#)
- workActivities, [14](#)
- workContext, [15](#)
- workStyles, [15](#)
- workValues, [16](#)