Assignment 3 - CS661A Visualization with Plotly

Due date: Mar 24, 2023, 11:59pm Grade: 100 points (10% of the course grade)

In this assignment, you will create a simple interactive interface using Plotly and Jupyter Widgets. Plotly will be used for generating visualizations and Jupyter Widgets will be used to add sliders and buttons.

Reference for Jupyter Widgets: https://ipywidgets.readthedocs.io/en/stable/ Sliders and Buttons: https://ipywidgets.readthedocs.io/en/stable/examples/Widget%20Events.html

Here is what your interface should do:

- **1.** In the left side, your interface should show an interactive Isosurface visualization of the 3D dataset provided with this assignment. Plotly has an API to draw Isosurfaces. [See Fig. 1]
- **2**. On the right side, your interface should plot a histogram visualization of the 3D dataset. Histogram should have labels and markers for axes as shown in the figure. Plotly has an API to draw histograms. [See Fig. 1]
- **3.** Your interface should contain a slider that allows changing the isovalue for the Isosurface. This slider value range should be mapped to the entire data range and by sliding to through different scalar values, the Isosurface plot should get updated automatically. You should also color your Isosurface using a standard Python/Plotly colormap so that the color of your Isosurface changes as you change the isovalue. I have used colormap 'plasma' in this example. You can use Jupyter Widgets to add the slider. [See Fig. 1]
- **4.** At the beginning, you should show Isosurface of isovalue=0.0 and the histogram of the entire volume data set as seen in the Figure. [See Fig. 1]
- **5.** When you change your slider, you will also update the histogram plot. Let's say, you have selected the isovalue = x in from the slider by changing it. Then your histogram plot should contain data points with the following conditions: $(x 0.25) \le points$ with data values in histogram $\le (x + 0.25)$. So, essentially, you will update the histogram plot with data values around (within +/- 0.25) your current selected isovalue from the slider. This will be histogram of a subset of the data and your histogram axes labels should get updated with the new data range. [See Fig. 2]
- **6.** Finally, you will add a button called 'Reset'. When this button is clicked, the plot will get reset to its initial/beginning configuration, i.e., the slider value should be set back to 0.0, Isosurface plot should get updated with the isovalue = 0.0, the histogram plot should show the histogram of the entire data set and not of a subset. You can use Jupyter Widgets to add the button. [See Fig. 1 and 2]
- 7. Your interface should be interactive, and users can change the slider value freely to see different isosurfaces and the corresponding histograms.

If you have done everything as suggested, you should see images like the following for volume rendering:




Fig. 1: Plots at the beginning/initialization




Fig. 2: Plot when the slider is changed. Note the change in surface structure, surface color, and histogram shape, different range for histogram axes.

Dataset for this task:

The dataset that you will use in this assignment is a 3D scalar field volume data of a turbulence mixture simulation. The VTI file is provided with the assignment.

How to submit?

The HelloIITK portal will be set up for submission. There will be a time limit set, and if you miss the deadline, you will start losing points as per the late submission policy. If you miss the deadline, please contact me, and I will deal with it on a case-by-case basis. Please start early and finish it by the deadline. You should submit your codes as a single IPython Notebook into a single compressed (*.zip) file. Your code should be commented properly. Name your compressed file as "Lastname_rollnum_Assignment3.zip".

** You must ensure you are submitting your correct submission files. If you upload wrong files, you will not be allowed to submit again. You have two late days. No submissions will be accepted after the allowed late days. **