



# **Rajiv Gandhi University of Knowledge Technologies**

(Catering the Educational Needs of Gifted Rural Youth of A.P)

R.K Valley, Y.S.R Kadapa (Dist)-516330.

## **ROAST UP**

### **(Online Food Ordering System)**

Supervised by

Ms. Shaik Shabana

Assistant Professor

Department of Computer Science Engineering

Submitted by

Team:ERROR MAKERS

S.Surendra R170931

L.Umar Ahmed R170930

E.Jahnavi R170415

C.Mounika R170422

C.Indu R170470

Department of computer Science Engineering

This Project report has been submitted in fulfillment of the requirements for the Degree of Bachelor of Technology in Software Engineering.

Rajiv Gandhi University of Knowledge Technologies  
IIIT,R.K.Valley,YSR Kadapa(Dist)-516330.



CERTIFICATE

This is to certify that, this is a bonafide record of the practical  
work done by the candidate,Mr./Ms.\_\_\_\_\_

Holding ID No\_\_\_\_\_Section\_\_\_\_\_ in the department  
of\_\_\_\_\_laboratory conducted by the  
\_\_\_\_\_Department as a part of\_\_\_\_\_.

Head of the Department

Internal Examiner

Submitted for the practical examination held on\_\_\_\_\_

Signature of the External Examiner

## ABSTRACT

An Online Food Ordering System is proposed here which simplifies the food ordering process. The proposed system shows an interface and update the menu with all available options so that it eases the customer work. Customer can choose more than one item to make an order and can view order details before logging off. Restaurant employees then use these orders through an easy to delivery on customer place.

### Table of Contents

1.INTRODUCTION.....	4
1.1 Purpose.....	4
1.2 Document Conventions.....	4
1.3 Intended Audience And Reading Suggestions.....	4
1.4 Project Scope.....	4
1.5 References.....	4
2.OVERALL DESCRIPTION.....	4
2.1 Product Perspective.....	4
2.2 Product Features.....	4
2.3 User Classes and Characteristics.....	4
2.4 Design and Implementation Constraints.....	4
2.5 Operating Environment.....	5
2.6 Assumptions and dependencies.....	5
3.SYSTEM FEATURES.....	5
3.1 Functional Requirements.....	5
4.EXTERNAL INTERFACE REQUIREMENT.....	5
4.1 User Interface.....	5
4.2 Hardware Interface.....	5
4.3 Software Interface.....	5
5.NON FUNCTIONAL REQUIREMENTS.....	6
6.SYSTEM DESIGN.....	6
6.1 DFD Diagram.....	6
6.2 ER Diagram.....	6
6.3 UML Diagram.....	7
7.CODING.....	13
8.OUTPUT .....	43

## 1)INTRODUCTION

### 1.1 PURPOSE

The purpose of this document is to describe the Online Food Ordering System. This document contains the functional and non-functional requirements of the project and it also contains the guidelines for system engineers and designers to start working the project.

### 1.2 DOCUMENT CONVENTIONS

FONT	STYLE	SIZE
Headings(Liberation Serif)	Headings(Bold)	Headings(12)
Sub Headings(Liberation Serif)	Sub Headings(Bold)	Sub Headings (10.5)
Others(Liberation Serif)	Others(Normal)	Others(10.5)

### 1.3 INTENDED AUDIENCE AND READING SUGGESTIONS

The intended readers of this document are the developers of the site ,testers,managers and coordinators. Any suggested changes on the requirements listed on this document should be included while developing.

### 1.4 PROJECT SCOPE

Online Food Ordering System is a web application that will allow its users to register and then select the food items of their choice from the menu list and order food online. This application is allowed user to give feedback and payments of order after their satisfaction .There will two types (admin and customer )in this application. Admin have access to monitor everything on the online food ordering system also allow to add update and delete food items after sign in Admin can also verify the order. Customer can view the menu of different restaurants and then select food items of his/her choice to the shopping cart after login customer must fill a form providing his/her name ,number,address,city,delivery time slot and payment method cash on delivery and food delivered to the customer at home with respect to the selected time slot.

### 1.5 REFERENCES

- 1.Shabana mam Lectures.
- 2.Website : <https://www.w3schools.com/>
- 3.Website : <https://www.javatpoint.com/javascript-tutorial>.

## 2)OVERALL DESCRIPTION

### 2.1)PRODUCT PERSPECTIVE

The online food ordering system is anew system that replaces the customer manual work that is customer wants to go to restaurant to eat food but this system deliver the food to customer at their home.

### 2.2)PRODUCT FEATURES

#### 2.2.1)Administrators

- Admin should be able to insert,modify and delete the menu.
- Can get the information of any customer who has ordered food.
- Add and edit the menu and arrange food items by categories in the menu.
- Online payment process and cash on delivery.

#### 2.2.2)Normal users(customers)

- The customer should provided with the updated menu.
- Customers can search the food items by categories like veg,Non-veg.

### 2.3)USER CLASSES AND CHARACTERISTICS

Users of this Online Ordering food system are staff, manager, admin who maintain the website. Staff, managers are assumed to have basic knowledge of computers and internet browsing. Admin of the system should have more knowledge of internal modules of the system and are able to rectify small problems that may arise due to power failures.

#### 2.4) DESIGN AND IMPLEMENTATION CONSTRAINTS

- The information of all user details must be stored in database that is accessible by the website.
- The Online food Ordering system is running 24 hours a day.
- Users may access from any computer that has internet browsing capabilities and an internet connection.
- Customers must have their correct usernames and passwords to enter into their online accounts and place order.

#### 2.5) OPERATING ENVIRONMENT

The Online Food Ordering is a website and shall operate in all famous browsers, for a model we are taking Microsoft Internet Explorer, Google Chrome, Mozilla Firefox.

#### 2.6) ASSUMPTIONS AND DEPENDENCIES

One assumption is that the application is used on a computer or a mobile phone with enough performance ability, and the use of an up-to-date internet browser.

### 3) SYSTEM FEATURES

#### 3.1) FUNCTIONAL REQUIREMENTS

##### 3.1.1) Admin

- **Insert food items:**  
This action is done to add new food item to menu.
- **Delete /Modify food item:**  
This event is to delete an existing food item in menu.

##### 3.1.2) Customer

- **Register:** When new user enters for the first time then they have to register.
- **Select food items:** Customer can order food items based on menu
- **Payment:** Customer can use online payment/cash on delivery.
- **Login:** The customer login to the system by entering valid user id and password for ordering.
- **Review the Order before submitting:** Before submitting the complete order is reviewed to the customer. Customer name, phone number, location, and placed order then finally order is submitted.
- **Logout:** After the payment process, customer will logout.

##### 3.1.3) Staff

- Collecting orders and delivery orders.

### 4) EXTERNAL INTERFACE REQUIREMENTS

#### 4.1) USER INTERFACE

- **Login Interface:** In case the user is not registered yet, he can enter the details and register which asks the user to type his username and password. If the user entered either his username or password incorrectly then an error message occurs.
- **Categories view:** categories view shows the categories in menu like veg, non-veg.

#### 4.2) HARDWARE INTERFACE

Only the recommended configuration (basic requirements of a computer system) no other specific hardware is required to run the software.

#### 4.3) SOFTWARE INTERFACE

- Browser to load and view the web page
- Operating system
- **Scripting Languages**
- HTML, CSS, PHP.

## 5)NON-FUNCTIONAL REQUIREMENTS

### 5.1)Performance Requirements

- The system performance should be fast.

### 5.2)Safety Requirements

- System use shall not harm to customers

### 5.3)Security Requirements

- System will use secured database.
- Customers can just read information but they cannot edit or modify anything.

### 5.4)Availability

- The system should be available at all times.

### 5.5)User friendly

- System should be easily used by the customer.


### 5.6)Efficient

- System should be efficient that it won't get hang if heavy traffic of order is placed.


## 6)SYSTEM DESIGN

### 6.1)DATA FLOW DIAGRAM


ZERO LEVEL DFD - Online Food Ordering System



## FIRST LEVEL DFD- ONLINE FOOD ORDERING SYSTEM




## 6.2)ER-DIAGRAM(online food ordering system)






## 6.3)UML DIAGRAMS

### 6.3.1)CLASS DIAGRAM-(online food ordering system)







### 6.3.2)USE CASE DIAGRAM-(Online food ordering system)




### 6.3.3)ACTIVITY DIAGRAM-(Online food ordering system)



### 6.3.4) SEQUENCE DIAGRAM-(Online food ordering system)



### 6.3.5) COLLABORATION DIAGRAM-(Online food ordering system)



## 7)CODING

### home.php

```
<?php
session_start();
if($_SESSION['mail']==''|| $_SESSION['log']==false)
    header("Location:login.php");

?>

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>ROASTUP-HOME</title>
        <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
            rel="stylesheet">
        <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">
        <link href="lib/animate/animate.min.css" rel="stylesheet">
        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
        <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
        <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
        <link href="css/style.css" rel="stylesheet">
    </head>
    <body>
        <div class="navbar navbar-expand-lg bg-light navbar-light">
            <div class="container-fluid">
                <a href="home.php" class="navbar-brand"><span>ROASTUP</span></a>
                <button type="button" class="navbar-toggler" data-toggle="collapse" data-
                    target="#navbarCollapse">
                    <span class="navbar-toggler-icon"></span>
                </button>

                <div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
                    <div class="navbar-nav ml-auto">
                        <a href="home.php" class="nav-item nav-link active">Home</a>
                        <a href="about.php" class="nav-item nav-link">About</a>
                        <a href="feature.php" class="nav-item nav-link">Feature</a>
                        <a href="menu.php" class="nav-item nav-link">Menu</a>
                        <a href="contact.php" class="nav-item nav-link">Contact</a>
                        <a href="form.php" class="nav-item nav-link">Cart</a>
                        <a href="ordered_list.php" class="nav-item nav-link">Orders Details</a>
                        <a href="logout.php" class="nav-item nav-link">Logout</a>
                    </div>
                </div>
            </div>
        </div>
        <div class="carousel">
            <div class="container-fluid">
                <div class="owl-carousel">
                    <div class="carousel-item">
```

```

        <div class="carousel-img">
            
        </div>
        <div class="carousel-text">
            <h1>ROAST<span>UP</span>...</h1>

            <div class="carousel-btn">
            </div>
        </div>
    </div>
    <div class="carousel-item">
        <div class="carousel-img">
            
        </div>
        <div class="carousel-text">
            <h1>FooD<span>Is</span>Energy...</h1>
            <p><strong> NOTHING BRINGS PEOPLE TOGETHER LIKE GOOD FOOD😊</strong></p>
            <div class="carousel-btn">
            </div>
        </div>
    </div>
    <div class="carousel-item">
        <div class="carousel-img">
            
        </div>
        <div class="carousel-text">
            <h1>Fastest Order <span>Delivery</span></h1>
            <p><strong>DISCOVER GREAT PLACES TO EAT  AROUND YOU...</strong></p>
            <div class="carousel-btn"></div>
        </div>
    </div>
</div>
</div>
</div>
<!-- Feature Start -->
<div class="feature">
    <div class="container">
        <div class="row">
            <div class="col-lg-5">
                <div class="section-header">
                    <p>Why Choose Us</p>
                    <h2>Our Key Features</h2>
                </div>
                <div class="feature-text">
                    <div class="feature-img">
                        <div class="row">
                            <div class="col-6">
                                
                            </div>
                            <div class="col-6">
                                
                            </div>
                            <div class="col-6">
                                
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div class="col-6">
            
        </div>
    </div>
</div>
<p>

</p>
<a class="btn custom-btn" href="">Book A Table</a>
</div>
</div>

```

```

<div class="col-lg-7">
    <div class="row">
        <div class="col-sm-6">
            <div class="feature-item">
                <i class="flaticon-cooking"></i>
                <h3>World's best Chef</h3>
                <p>

```

A great chef has to passionate about food and cooking.They have to genuinely enjoy the whole process of procuring,preparing,cooking and serving food and have to be able to design menus too.

```

                </p>
            </div>
        </div>

```

```

        <div class="col-sm-6">
            <div class="feature-item">
                <i class="flaticon-vegetable"></i>
                <h3>Natural ingredients</h3>
                <p>

```

Nothing artificial or synthetic has been included in,or has been added to,a food that would not normally be expected to be in that food.

```

                </p>
            </div>
        </div>

```

```

</div>
<div class="row">
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-medal"></i>
            <h3>Best quality products</h3>
            <p>

```

If a high-quality product is one with superior performance or a large number of features.

```

            </p>
        </div>
    </div>

```

```

<div class="col-sm-6">
    <div class="feature-item">
        <i class="flaticon-meat"></i>
        <h3>Fresh vegetables & Meet</h3>
        <p>

```

Fresh produce means fruits and vegetables that have not been processed in any manner. This term does not include such items as nuts, herbs, popcorn, vegetable ...

```

        </p>
    </div>

```



```

        </div>
    </div>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-courier"></i>
            <h3>Fastest door delivery</h3>
            <p>
                ROAST UP is our fastest and most flexible collection and delivery service.
            </p>
        </div>
    </div>
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-fruits-and-vegetables"></i>
            <h3>Ground beef & Low fat</h3>
            <p>
                It has the lowest fat content and are the two lightest,healthiest options.
            </p>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="contact">
    <div class="container">
        <div class="section-header text-center">
            <p>Contact Us</p>
            <h2>Contact For Any Query</h2>
        </div>
        <div class="row align-items-center contact-information">
            <div class="col-md-6 col-lg-3">
                <div class="contact-info">
                    <div class="contact-icon">
                        <i class="fa fa-map-marker-alt"></i>
                    </div>
                    <div class="contact-text">
                        <h3>Address</h3>
                        <p>7 Roads,Kadapa,AP</p>
                    </div>
                </div>
            </div>
            <div class="col-md-6 col-lg-3">
                <div class="contact-info">
                    <div class="contact-icon">
                        <i class="fa fa-phone-alt"></i>
                    </div>
                    <div class="contact-text">
                        <h3>Call Us</h3>
                        <p>+918887799900</p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```



```

<div class="col-lg-7">
  <div class="row">
    <div class="col-md-6">
      <div class="footer-contact">
        <h2>Our Address</h2>
        <p><i class="fa fa-map-marker-alt"></i>123 Street, New York, USA</p>
        <p><i class="fa fa-phone-alt"></i>+012 345 67890</p>
        <p><i class="fa fa-envelope"></i>info@example.com</p>
        <div class="footer-social">
          <a href=""><i class="fab fa-twitter"></i></a>
          <a href=""><i class="fab fa-facebook-f"></i></a>
          <a href=""><i class="fab fa-youtube"></i></a>
          <a href=""><i class="fab fa-instagram"></i></a>
          <a href=""><i class="fab fa-linkedin-in"></i></a>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
<div class="copyright">
  <div class="container">
    <p>Copyright &copy; <a href="#">RoastUP</a>, All Right Reserved.</p>
  </div>
</div>
</div>
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js">
</script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>

<script src="mail/jqBootstrapValidation.min.js"></script>
<script src="mail/contact.js"></script>
<script src="js/main.js"></script>
</body>
</html>

```

## login.html

```

<DOCTYPE html>
<html>
<head>
<title> </title>
<link href="css/log.css" rel="stylesheet">
<script src="js/log.js" type="text/javascript"></script>
</head>
<body>
<div class="container">
  <div class="box-1">

```

```

<div class="content-holder">
  
  <button class="button-1" onclick="signup()">Sign up</button>
  <button class="button-2" onclick="login()">Login</button>
</div>
</div>
<div class="box-2">
  <div class="login-form-container">
    <h1>Login Form</h1>
    <input type="text" placeholder="Username" class="input-field">
    <br><br>
    <input type="password" placeholder="Password" class="input-field">
    <br><br>
    <button class="login-button" type="button">Login</button>
  </div>
  <div class="signup-form-container">
    <h1>REGISTER</h1>
    <input type="text" placeholder="FullName" class="input-field">
    <br><br>
    <input type="text" placeholder="Username" class="input-field">
    <br><br>
    <input type="tel" placeholder="+91xxxxxxxx" class="input-field">
    <br><br>
    <input type="email" placeholder="Email" class="input-field">
    <br><br>
    <input type="password" placeholder="Password" class="input-field">
    <br><br>
    <button class="sign up-button" type="button">REGISTER</button>
  </div>
</div>
</body>
</html>

```

## login.php

```

<?php
    session_start();
    $_SESSION["mail"]="";
    $_SESSION["log"]=false;
    if(isset($_POST['log']))
    {
        $conn=new mysqli("localhost","root","","SSD");
        if(!$conn)
        {
            echo "Not Connected";
        }
        else
        {
            $email=$_POST['email'];
            $passwd=$_POST['passwd'];
            if($email=='admin@roastup' && $passwd=='roastup')
            {
                $_SESSION['mail']='admin';
                $_SESSION['log']=true;
            }
        }
    }

```

```

        header("Location:admin.php");
    }
    else
    {
        $query="select * from customers where email='$email' and
        password='$passwd'";
        $result=mysqli_query($conn,$query);
        $data=mysqli_num_rows($result);
        if($data)
        {
            $_SESSION['mail']=$email;
            $_SESSION['log']=true;
            header("Location:home.php");
        }
        else
            echo "<script>alert('Invalid Credentials')</script>";
    }
}

}

?>
<?php
    session_start();
    if(isset($_POST['reg'])){
        $fullname=$_POST['fullname'];
        $email=$_POST['email'];
        $mobile=$_POST['mobile'];
        $passwd=$_POST['passwd'];
        $conn=new mysqli("localhost","root","","SSD");
        $check="select * from customers where email='$email'";
        $select=mysqli_query($conn,$check);
        if(mysqli_num_rows($select)==0)
        {
            $query="INSERT INTO `customers`(`fullname`,`email`,`mobile`,`password`)
            VALUES ('$fullname','$email',$mobile,'$passwd')";
            mysqli_query($conn,$query);

            echo "<h4><center><font color=green>Successfully Registered<br>Login with
            your credentials</></fontcenter></h4>";

        }
        else
        {
            echo"<script>
            alert('Email Already Exist. Login with your credentials')</script>";
        }
    }
?>
<DOCTYPE html>
<html>
<head>
<title> </title>

```

```

<link href="css/log.css" rel="stylesheet">
<script src="js/log.js" type="text/javascript"></script>
</head>
<body>

<!--BUTTON --->
<div class="container">
  <div class="box-1">
    <div class="content-holder">
      
      <button class="button-1" onclick="signup()">Sign up</button>
      <button class="button-2" onclick="login()">Login</button>
    </div>
  </div>
  <!--login --->
  <div class="box-2">
    <div class="login-form-container">
      <?php
        session_start();
        $_SESSION['id']="";
        $_SESSION['login']=false;
      ?>

      <form action="" method="POST">
        <h1>Login Form</h1>
        <input type="email" placeholder="Email id" class="input-field" name="email"
          required>
        <br><br>
        <input type="password" placeholder="Password" class="input-field"
          name="passwd" required>
        <br><br>
        <input class="login-button" type="submit" value="LOGIN" name="log">
      </form>
    </div>
    <!--login --->
    <div class="signup-form-container">
      <form action="" method="POST">
        <h1>REGISTER</h1>
        <input type="text" placeholder="FullName" class="input-field" name="fullname" required>
        <br><br>
        <input type="tel" placeholder="+91xxxxxxxxx" class="input-field" name="mobile" required>
        <br><br>
        <input type="email" placeholder="Email" class="input-field" name="email" required>
        <br><br>
        <input type="password" placeholder="Password" class="input-field" name="passwd" required>
        <br><br>
        <input class="signup-button" type="submit" value="REGISTER" name="reg" required>
      </form>
    </div>
  </div>
</body>
</html>

```

## admin.php

```
<?php
session_start();
if($_SESSION['mail']!='admin' || $_SESSION['log']==false)
    header("Location:login.php");
?>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>ROASTUP</title>
    <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
        rel="stylesheet">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
        rel="stylesheet">
    <link href="lib/animate/animate.min.css" rel="stylesheet">
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
    <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
    <link href="css/style.css" rel="stylesheet">
</head>
<body>
    <div class="navbar navbar-expand-lg bg-light navbar-light">
        <div class="container-fluid">
            <a href="home.php" class="navbar-brand"><span>ROASTUP</span></a>
            <button type="button" class="navbar-toggler" data-toggle="collapse" data-
                target="#navbarCollapse">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
                <div class="navbar-nav ml-auto">
                    <a href="logout.php" class="nav-item nav-link ">Logout</a>
                </div>
            </div>
        </div>
    </div>
    <div class="page-header mb-0">

    </div>

    <?php
    session_start();
    $con=new mysqli("localhost","root","","SSD");
    if(!$con)
    {
        echo "There is an error while connection";
    }
    $sel="select * from admin";
    $que=mysqli_query($con,$sel);
    if(mysqli_num_rows($que)!=0)
```



```

{
    echo"<br>".<h3 align='center'><strong>Admin Page</strong></h3> ";
    echo"<br>".<h3 align='center'><strong>Custome's Orders
    Details</strong></h3> ";
    echo "<table border='1' align='center'>
    <tr>
    <th>User Id</th>
    <th>Item Details</th>
    <th>Total Cost</th>
    <th>Ordered Date</th>
    </tr>";
    while($data=mysqli_fetch_assoc($que))
    {
        echo "<tr>
        <td>".$data['user'].</td>
        <td>".$data['item_details'].</td>
        <td>".$data['totalcost'].</td>
        <td>".$data['orderdate'].</td>
        <tr>";
    }
    echo "</table>";
}
else
{
    echo "<strong><font color=red><center>No details</center></font></strong>";
}
?>

```

```

<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></
script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
<script src="mail/jqBootstrapValidation.min.js"></script>
<script src="mail/contact.js"></script>
<script src="js/main.js"></script>

</body>
</html>

```

### about.html

```

<?php
session_start();
if($_SESSION['mail']==""|| $_SESSION['log']==false)
    header("Location:login.php");
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">

```

```

<title>ROASTUP</title>
<link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
rel="stylesheet">
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">
<link href="lib/animate/animate.min.css" rel="stylesheet">
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
<link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
<link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
<link href="css/style.css" rel="stylesheet">
</head>
<body>
<div class="navbar navbar-expand-lg bg-light navbar-light">
<div class="container-fluid">
<a href="home.php" class="navbar-brand"><span>ROASTUP</span></a>
<button type="button" class="navbar-toggler" data-toggle="collapse" data-
target="#navbarCollapse">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
<div class="navbar-nav ml-auto">
<a href="home.php" class="nav-item nav-link">Home</a>
<a href="about.php" class="nav-item nav-link active">About</a>
<a href="feature.php" class="nav-item nav-link">Feature</a>
<a href="menu.php" class="nav-item nav-link">Menu</a>
<a href="contact.php" class="nav-item nav-link">Contact</a>
<a href="form.php" class="nav-item nav-link">Cart</a>
<a href="ordered_list.php" class="nav-item nav-link">Orders Details</a>
<a href="logout.php" class="nav-item nav-link">Logout</a>
</div>
</div>
</div>
</div>
<div class="page-header mb-0"> </div>
<div class="about">
<div class="container">
<div class="row align-items-center">
<div class="col-lg-6">
<div class="about-img">
<video id="news_video" src="img/logo.mp4" width=480px height=360px id="vid"
autoplay loop muted playsinline ></video>
<span></span>
</div>
</div>
</div>
<div class="col-lg-6">
<div class="about-content">
<div class="section-header">
<p>About Us</p>
<h2>Cooking Since 2020</h2>
</div>
<div class="about-text">
<p>
RoastUP Is a Online Food Delievry Company with more than 25k+ customers and

```

having great rating.<br><br> Our Management's and Team's Main Motto Is  
<strong><italic>Quality & Hygiene</italic></strong><br><br><br><strong>Our Company has Also Got  
3rd Rank In Markenting Exposure and 7th Rank In Clean-India Index</strong>

</p>

<p>

.....

</p>

</div>

</div>

</div>

</div>

</div>

</div>

<div class="footer">

<div class="container">

<div class="row">

<div class="col-lg-7">

<div class="row">

<div class="col-md-6">

<div class="footer-contact">

<h2>Our Address</h2>

<p><i class="fa fa-map-marker-alt"></i>123 Street, New York, USA</p>

<p><i class="fa fa-phone-alt"></i>+012 345 67890</p>

<p><i class="fa fa-envelope"></i>info@example.com</p>

</div>

</div>

</div>

</div>

<div class="col-lg-5">

<div class="footer-newsletter">

<h2>Newsletter</h2>

<p>

</p>

<div class="form">

<input class="form-control" placeholder="Email goes here">

<button class="btn custom-btn">Submit</button>

</div>

</div>

</div>

</div>

</div>

<div class="copyright">

<div class="container"><p>Copyright &copy; <a href="#">ROASTUP</a>, All Right

Reserved.</p></div>

</div>

</div>

<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></

script>

<script src="lib/easing/easing.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<script src="lib/tempusdominus/js/moment.min.js"></script>

<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>

```

<script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
<script src="mail/jqBootstrapValidation.min.js"></script>
<script src="mail/contact.js"></script>
<script src="js/main.js"></script>
</body>
</html>

```

## menu.php

```

<?php
session_start();
if($_SESSION['mail']!= '' || $_SESSION['log']==false)
    header("Location:login.php");
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>ROASTUP</title>
    <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
rel="stylesheet">
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">
    <link href="lib/animate/animate.min.css" rel="stylesheet">
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
    <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
    <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
    <link href="css/style.css" rel="stylesheet">
</head>
<body>
    <script type="text/javascript">
        function order_path()
        {
            window.location.href="order.php";
        }
        function p()
        {
            var q=document.getElementById("quantity");
            if(q.value)
                alert('Added to cart');
        }
    </script>
    <div class="navbar navbar-expand-lg bg-light navbar-light">
        <div class="container-fluid">
            <a href="home.php" class="navbar-brand"><span>ROASTUP</span></a>
            <button type="button" class="navbar-toggler" data-toggle="collapse" data-
target="#navbarCollapse">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
                <div class="navbar-nav ml-auto">
                    <a href="home.php" class="nav-item nav-link">Home</a>
                    <a href="about.php" class="nav-item nav-link">About</a>

```

```

        <a href="feature.php" class="nav-item nav-link">Feature</a>
        <a href="menu.php" class="nav-item nav-link active">Menu</a>
        <a href="contact.php" class="nav-item nav-link">Contact</a>
        <a href="form.php" class="nav-item nav-link">Cart</a>
        <a href="ordered_list.php" class="nav-item nav-link">Orders Details</a>
        <a href="logout.php" class="nav-item nav-link">Logout</a>

    </div>
</div>
</div>
</div>
<div class="page-header mb-0">

</div>

<div class="menu">
    <div class="container">
        <div class="section-header text-center">
            <h2> OUR Delicious Food Menu</h2>
        </div>
        <div class="menu-tab">
            <ul class="nav nav-pills justify-content-center">
                <li class="nav-item">
                    <a class="nav-link active" data-toggle="pill" href="#burgers">VEG</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" data-toggle="pill" href="#snacks">NON-VEG</a>
                </li>
            </ul>
            <div class="tab-content">
                <div id="burgers" class="container tab-pane active">
                    <div class="row">
                        <div class="col-lg-7 col-md-12">
                            <div class="menu-item">
                                <div class="menu-img">
                                    
                                </div>
                                <form action="adding.php" method="POST">
                                    <h3><span>VEG Fried Rice....</span> <strong>₹199.00</strong></h3>
                                    <input type='hidden' value='101' name='id'>
                                    <input type="number" name="qty" id="quantity" id="qt" min=1 required>
                                    <input type="submit" name="Submit" value="ADD" onclick="p()">
                                    <p>Veg Fried Rice is an Asian Made By Stir Frying CookedRice<br></p>
                                </form>
                            </div>
                            <div class="menu-item">
                                <div class="menu-img">
                                    
                                </div>
                                <form action="adding.php" method="POST">
                                    <h3><span>VEG Manchuria....</span> <strong>₹159.00</strong></h3>
                                    <input type='hidden' value='102' name='id'>
                                    <input type="number" name="qty" id="quantity" min=1 required>
                                    <input type="submit" name="Submit" value="ADD" onclick="p()">
                                </form>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```







```

        <div class="row">
            <div class="col-md-6">
                <div class="footer-contact">
                    <h2>Our Address</h2>
                    <p><i class="fa fa-map-marker-alt"></i>7Roads,Kadapa,AP</p>
                    <p><i class="fa fa-phone-alt"></i>+8887799900</p>
                    <p><i class="fa fa-envelope"></i>support@roastup.com</p>
                </div>
            </div>
        </div>
    </div>
    <div class="col-lg-5">
        <div class="footer-newsletter">
            <h2>Suggestions</h2>
            <p>
            </p>
            <div class="form">
                <input class="form-control" placeholder="Email goes here">
                <button class="btn custom-btn">Submit</button>
            </div>
        </div>
    </div>
    <div class="copyright">
        <div class="container">
            <p>Copyright &copy; <a href="#">ROASTUP</a>, All Right Reserved.</p></div></div>
</div>
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></
script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
<script src="mail/jqBootstrapValidation.min.js"></script>
<script src="mail/contact.js"></script>
<script src="js/main.js"></script>
</body>
</html>

```

### order.php

```

<?php
session_start();
if($_SESSION['mail']==""|| $_SESSION['log']==false)
    header("Location:login.php");
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>ROASTUP-ORDER</title>
    </head>
    <body>

```

```

<link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
rel="stylesheet">
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">
<link href="lib/animate/animate.min.css" rel="stylesheet">
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
<link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
<link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
<link href="css/style.css" rel="stylesheet">
<script>
    function p()
    {
        var mob=document.getElementById("mobile");
        var add= document.getElementById("address");
        var paym=document.getElementById("pay");
        if(mob.value && add.value && paym.value)
        {
            alert('Successfully Ordered');
        }
    }
</script>
</head>
<body>
    <div class="navbar navbar-expand-lg bg-light navbar-light">
        <div class="container-fluid">
            <a href="home.php" class="navbar-brand"><span>ROASTUP</span></a>
            <button type="button" class="navbar-toggler" data-toggle="collapse" data-
target="#navbarCollapse">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
                <div class="navbar-nav ml-auto">
                    <a href="home.php" class="nav-item nav-link">Home</a>
                    <a href="about.php" class="nav-item nav-link">About</a>
                    <a href="feature.php" class="nav-item nav-link">Feature</a>
                    <a href="menu.php" class="nav-item nav-link">Menu</a>
                    <a href="order.php" class="nav-item nav-link active">Order</a>
                    <a href="contact.php" class="nav-item nav-link">Contact</a>
                    <a href="form.php" class="nav-item nav-link">Cart</a>
                    <a href="ordered_list.php" class="nav-item nav-link">Orders Details</a>
                    <a href="logout.php" class="nav-item nav-link">Logout</a>
                </div>
            </div>
        </div>
    </div>
    <div class="page-header mb-0">

</div>
<div class="booking">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-lg-5">
                <div class="booking-form">
                    <form action="delete.php" method="POST">

```

```

        <h3><strong>ADDRESS FOR DELIVERY</strong></h3><br><br>
    <div class="control-group">
    <div class="input-group">
        <input type="text" class="form-control" placeholder="Mobile" id="mobile" required />
        <div class="input-group-append">
            <div class="input-group-text"><i class="fa fa-mobile-alt"></i></div>
        </div>
    </div>
    </div>
    <div class="control-group">
    <div class="input-group">
        <label><strong>ADDRESS</strong></label>
        <textarea name="story" rows="5" cols="33" id="address" required></textarea>
    </div>
    </div>
    <div class="control-group">
    <div class="input-group">
        <label><strong>PAYMENT MODE &nbsp;&nbsp;&nbsp;</strong></label>
        <select required id="pay">
        <option></option>
        <option>Wallet</option>
        <option>COD</option>
        </select>
    </div>
    </div>
    <div>
        <!--<button class="btn custom-btn" type="submit" >PLACE ORDER</button> -->
        <input type="submit" name="submit" value="PLACE ORDER" onclick="return p()" >
    </div>
        <div class="input-group-append">
            <div class="input-group-text"><i class="fa fa-chevron-down"></i></div>
        </div>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
</div>
<div class="footer">
    <div class="container">
        <div class="row">
            <div class="col-lg-7">
                <div class="row">
                    <div class="col-md-6">
                        <div class="footer-contact">
                            <h2>Our Address</h2>
                            <p><i class="fa fa-map-marker-alt"></i>7Roads,Kadapa,AP</p>
                            <p><i class="fa fa-phone-alt"></i>+918887799900</p>
                            <p><i class="fa fa-envelope"></i>support@roastup.com</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
    <div class="col-lg-5">
        <div class="footer-newsletter">
            <h2>SUGGESTIONS</h2>
            <p></p>
            <div class="form">
                <input class="form-control" placeholder="Email goes here">
                <button class="btn custom-btn">Submit</button>
            </div>
        </div>
    </div>
</div>
<div class="copyright">
    <div class="container">
        <p>Copyright &copy; <a href="#">Your Site Name</a>, All Right Reserved.</p>

    </div>
</div>
</div>
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></
script>
<script src="lib/easing/easing.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<script src="lib/tempusdominus/js/moment.min.js"></script>
<script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
<script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
<script src="mail/jqBootstrapValidation.min.js"></script>
<script src="mail/contact.js"></script>
<script src="js/main.js"></script>
</body>
</html>

```

### ordered.php

```

<?php
session_start();
if($_SESSION['mail']==""|| $_SESSION['log']==false)
    header("Location:login.php");
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>ROASTUP</title>
        <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
rel="stylesheet">
        <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">
        <link href="lib/animate/animate.min.css" rel="stylesheet">
        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
        <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
        <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />

```

```

<link href="css/style.css" rel="stylesheet">
</head>
<body>
  <div class="navbar navbar-expand-lg bg-light navbar-light">
    <div class="container-fluid">
      <a href="home.php" class="navbar-brand"><span>ROASTUP</span></a>
      <button type="button" class="navbar-toggler" data-toggle="collapse" data-
target="#navbarCollapse">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
        <div class="navbar-nav ml-auto">
          <a href="home.php" class="nav-item nav-link">Home</a>
          <a href="about.php" class="nav-item nav-link">About</a>
          <a href="feature.php" class="nav-item nav-link">Feature</a>
          <a href="menu.php" class="nav-item nav-link">Menu</a>
          <a href="contact.php" class="nav-item nav-link">Contact</a>
          <a href="form.php" class="nav-item nav-link">Cart</a>
          <a href="ordered_list.php" class="nav-item nav-link active">Orders Details</a>
          <a href="logout.php" class="nav-item nav-link">Logout</a>
        </div>
      </div>
    </div>
  </div>
  <div class="page-header mb-0">
  </div>
  <?php
    session_start();
    $mail=$_SESSION['mail'];
    $con=new mysqli("localhost","root","","SSD");
    if(!$con)
    {
        echo "There is an error while connection";
    }
    $sel="select * from admin where user='$mail' order by orderdate DESC";
    $que=mysqli_query($con,$sel);
    if(mysqli_num_rows($que)!=0)
    {
        echo"<br>".<h3 align='center'><strong>Orders Details</strong></h3> ";
        echo "<table border='1' align='center'>
        <tr>
        <th>Item Details</th>
        <th>Total Cost</th>
        <th>Ordered Date</th>
        </tr>";
        while($data=mysqli_fetch_assoc($que))
        {
            echo "<tr>
            <td>".$data['item_details'].</td>
            <td>".$data['totalcost'].</td>
            <td>".$data['orderdate'].</td>
            <tr>";
            echo "</table>";
        }
    }

```

```

        else
        {
            echo "<strong><font color=red><center>No details</center></font></strong>";
        }
    ?>

    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></
script>
    <script src="lib/easing/easing.min.js"></script>
    <script src="lib/owlcarousel/owl.carousel.min.js"></script>
    <script src="lib/tempusdominus/js/moment.min.js"></script>
    <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
    <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
    <script src="mail/jqBootstrapValidation.min.js"></script>
    <script src="mail/contact.js"></script>
    <script src="js/main.js"></script>
</body>
</html>

```

### feature.php

```

<?php
session_start();
if($_SESSION['mail']!="|| $_SESSION['log']==false)
    header("Location:login.php");
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>ROASTUP-Feature</title>
        <link href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
rel="stylesheet">
        <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
rel="stylesheet">
        <link href="lib/animate/animate.min.css" rel="stylesheet">
        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
        <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
        <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" />
        <link href="css/style.css" rel="stylesheet">
    </head>
    <body>
        <div class="navbar navbar-expand-lg bg-light navbar-light">
            <div class="container-fluid">
                <a href="index.php" class="navbar-brand"><span>ROASTUP</span></a>
                <button type="button" class="navbar-toggler" data-toggle="collapse" data-
target="#navbarCollapse">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse justify-content-between" id="navbarCollapse">
                    <div class="navbar-nav ml-auto">
                        <a href="home.php" class="nav-item nav-link">Home</a>
                        <a href="about.php" class="nav-item nav-link">About</a>
                        <a href="feature.php" class="nav-item nav-link active">Feature</a>
                        <a href="menu.php" class="nav-item nav-link">Menu</a>
                    </div>
                </div>
            </div>
        </div>
    </body>
</html>

```

```

        <a href="contact.php" class="nav-item nav-link">Contact</a>
        <a href="form.php" class="nav-item nav-link">Cart</a>
        <a href="ordered_list.php" class="nav-item nav-link">Orders Details</a>
        <a href="logout.php" class="nav-item nav-link">Logout</a>
    </div>
</div>
</div>
</div>
<div class="page-header">

</div>
<div class="feature">
    <div class="container">
        <div class="row">
            <div class="col-lg-5">
                <div class="section-header">
                    <p>Why Choose Us</p>
                    <h2>Our Key Features</h2>
                </div>
                <div class="feature-text">
                    <div class="feature-img">
                        <div class="row">
                            <div class="col-6">
                                
                            </div>
                            <div class="col-6">
                                
                            </div>
                            <div class="col-6">
                                
                            </div>
                            <div class="col-6">
                                
                            </div>
                        </div>
                    </div>
                    <p>

                </div>
            </div>
            <div class="col-lg-7">
                <div class="row">
                    <div class="col-sm-6">
                        <div class="feature-item">
                            <i class="flaticon-cooking"></i>
                            <h3>World's best Chef</h3>
                            <p>
                                A great chef has to passionate about food and cooking.They have to
                                genuinely enjoy the whole process of procuring,preparing,cooking and serving food and have to be
                                able to design menus too.
                            </p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

        <div class="feature-item">
            <i class="flaticon-vegetable"></i>
            <h3>Natural ingredients</h3>
            <p>
                Nothing artificial or synthetic has been included in,or has been added to,a
food that would not normally be expected to be in that food.
            </p>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-medal"></i>
            <h3>Best quality products</h3>
            <p>
                If a high-quality product is one with superior performance or a large number
of features.
            </p>
        </div>
    </div>
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-meat"></i>
            <h3>Fresh vegetables & Meet</h3>
            <p>
                Fresh produce means fruits and vegetables that have not been processed in
any manner. This term does not include such items as nuts, herbs, popcorn, vegetable ...
            </p>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-courier"></i>
            <h3>Fastest door delivery</h3>
            <p>
                ROAST UP is our fastest and most flexible collection and delivery service.
            </p>
        </div>
    </div>
    <div class="col-sm-6">
        <div class="feature-item">
            <i class="flaticon-fruits-and-vegetables"></i>
            <h3>Ground beef & Low fat</h3>
            <p>
                It has the lowest fat content and are the two lightest,healthiest options.
            </p>
        </div>
    </div>
</div>
</div>
</div>
</div>

```

```

</div>
<!-- Feature End -->

<!-- Footer Start -->
<div class="footer">
  <div class="container">
    <div class="row">
      <div class="col-lg-7">
        <div class="row">
          <div class="col-md-6">
            <div class="footer-contact">
              <h2>Our Address</h2>
              <p><i class="fa fa-map-marker-alt"></i>123 Street, New York, USA</p>
              <p><i class="fa fa-phone-alt"></i>+012 345 67890</p>
              <p><i class="fa fa-envelope"></i>info@example.com</p>
            </div>
          </div>
        </div>
      </div>
      <div class="col-lg-5">
        <div class="footer-newsletter">
          <h2>Suggestions</h2>
          <div class="form">
            <input class="form-control" placeholder="Email goes here">
            <button class="btn custom-btn">Submit</button>
          </div>
        </div>
      </div>
    </div>
    <div class="copyright">
      <div class="container"><p>Copyright &copy; <a href="#">RoastUP</a>, All Right
Reserved.</p></div>
    </div>
  </div>
  <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.bundle.min.js"></
script>
  <script src="lib/easing/easing.min.js"></script>
  <script src="lib/owlcarousel/owl.carousel.min.js"></script>
  <script src="lib/tempusdominus/js/moment.min.js"></script>
  <script src="lib/tempusdominus/js/moment-timezone.min.js"></script>
  <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script>
  <script src="mail/jqBootstrapValidation.min.js"></script>
  <script src="mail/contact.js"></script>
  <script src="js/main.js"></script>
</body>
</html>

```

### **add.php**

```
<?php
session_start();
if($_SESSION['mail']!="&& $_SESSION['log']!=false)
{

    $mail=$_SESSION['mail'];
    $id=$_POST['id'];
    $qty=$_POST['qty'];
    $con=new mysqli("localhost","root","","SSD");
    if(!$con)
    {
        echo "There is error while connection";
    }
    $sele="SELECT `id`, `qty` FROM `temp` WHERE id=$id and userid='$mail'";
    $ques=mysqli_query($con,$sele);
    if(mysqli_num_rows($ques)!=0)
    {
        $data=mysqli_fetch_assoc($ques);
        $tqty=$data['qty'];
        $qty=$qty+$tqty;
        $upd="UPDATE `temp` SET `qty`='$qty' WHERE `id`='$id'";
        $que=mysqli_query($con,$upd);
        echo "hi";
        if(!$que)
        {
            echo "Error in updating";
        }
    }
    else
    {
        $ins="INSERT INTO `temp`(`userid`,`id`,`qty`) VALUES ($mail,$id,$qty)";
        $que=mysqli_query($con,$ins);
    }
}

header("Location:http://localhost/ROASTUP/SE-PR/menu.php");
?>
```

### **delete.php**

```
<?php
session_start();
if($_SESSION['mail']==""|| $_SESSION['log']==false)
    header("Location:login.php");
?>
<?php
    session_start();
    $con=new mysqli("localhost","root","","SSD");
    session_start();
    $mail=$_SESSION['mail'];
    $sel="select * from temp where userid='$mail'";
    $query=mysqli_query($con,$sel);
    $str="";
    $totalcost=0;
    $cost=0;
```

```

        while($data=mysqli_fetch_assoc($query))
        {
            $id=$data['id'];
            $sele="select * from menu where id='$id'";
            $qu=mysqli_query($con,$sele);
            while($da=mysqli_fetch_assoc($qu))
            {
                $name=$da['name'];
                $cost=$da['price']*$data['qty'];
                $totalcost=$totalcost+$cost;
                $str=$str.$name."-".$data['qty']."\n";
            }
        }
        $insert="INSERT INTO `admin`(`user`, `item_details`, `totalcost`) VALUES ('$mail','$str',
$totalcost)";
        $qq=mysqli_query($con,$insert);
        $del="delete from temp where userid='$mail'";
        $que=mysqli_query($con,$del);
        header("Location:ordered_list.php");
    ?>

```

### cart.html

```

<html>
<head>
<link href="form.css" rel="stylesheet">
<script src="form.js" type="text/javascript"></script>
</head>
<body>
    <div class="container">
        <div class="header">
            <h3>CART DETAILS</h3> <br>
        </div>
        <form action="order.html" method="">
            <div class="details">
                <?php
                    $con=new mysqli("localhost","root","","SSD");
                    if(!$con)
                    {
                        echo "There is an error while connection";
                    }
                    $sel="select * from temp";
                    $que=mysqli_query($con,$sel);
                    $totalcost=0;
                    if(mysqli_num_rows($que)!=0)
                    {
                        //$data=mysqli_fetch_assoc($que);
                        echo "<table border='1'>
                            <tr>
                                <th>Item Name</th>
                                <th>Quantity</th>
                                <th>Cost</th>
                            </tr>";

```

```

        while($data=mysqli_fetch_assoc($que))
        {
            $id=$data['id'];
            $sele="select * from menu where id=$id";
            $ques=mysqli_query($con,$sele);
            $da=mysqli_fetch_assoc($ques);
            $name=$da['name'];
            $price=$da['price'];
            $cost=$price*$data['qty'];
            $totalcost=$totalcost+$cost;
            echo "<tr>
            <td>".$name."</td>
            <td>".$data['qty']."</td>
            <td>".$cost."</td>
            <tr>";
        }
        echo "</table>";
        echo "<br>Total Amount: ".$totalcost;
        echo "</div>
        <div class='sub'>
        <!--<input type='button' class='sub-btn' value='Confirm' > -->
        <a href='order.html'><button>Confirm Order</button></a>
        </div>";
    }
    else
    {
        echo "<strong><font color=red><center>No items in the Cart</center></font></strong>";
    }
    ?>
</form>
</div>
</body>
</html>

```

### logout.php

```

<?php
    session_start();
    $_SESSION['mail']='';
    $_SESSION['log']=false;
    header("Location:login.php");

?>

```

### form.css

```


body
{
    margin:0;
    padding:0;
    background:linear-gradient(to bottom right,#E3F0FF,#FAFCFF);
    height:105vh;
    display: flex;
    justify-content: center;
    align-items: center;
}

```


```
}  
.container{  
    width: 70%;  
    height: 80%;  
    background-color:#ffffff;  
    border-radius: 20px;  
    box-shadow: 0px 25px 40px #cc6eff;  
}  
.header{  
    margin: auto;  
    width: 90%;  
    height: 15%;  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
}  
.details{  
    margin: auto;  
    width: 90%;  
    height: 15%;  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
}  
form{  
    display: flex;  
    flex-wrap: wrap;  
    justify-content: space-between;  
}  
.header h3{  
    font-size: 20px;  
    font-family: sans-serif;  
    font-weight: 700;  
    color: #2F3841;  
    position: relative;  
    left: 25%;  
}
```

## 8)OUTPUT


### 8.1)HOME PAGE




### 8.2)ABOUT



### 8.3)FEATURE




### 8.4)LOGIN PAGE






## 8.5)FOOD MENU



## 8.6)ORDER DETAILS



## 8.7)ADMIN PAGE

