

CENTURY NIT CONSULT

PLATFORM DOCUMENTATION

Complete Platform Documentation

*The study-abroad platform end to end. What it does, how it is
built, how the client journey works, and how it runs in
production.*

CLIENT PORTAL · OPERATIONS CENTER · API & WORKERS

2026-09-22

Contents

PART I	What the platform is	3
PART II	Signing in	4
PART III	Who can do what	5
PART IV	The client journey	6
PART V	Consultations, scheduling and meetings	9
PART VI	Money	11
PART VII	Documents	14
PART VIII	Communication	14
PART IX	Marketing	16
PART X	Content management	17
PART XI	The Operations Center, page by page	18
PART XII	The website and portal, page by page	19
PART XIII	Data, security and the background engine	20
PART XIV	Under the hood, the flows that matter	23

Everything about the platform in one document, in plain language. It covers what the system is, how it's built, what each part does, how the client journey works end to end, and how it runs in production.

PART I

What the platform is

Century NIT is a study-abroad consultancy platform. A client signs up, books a paid consultation, and is then guided step by step, by real staff, through enrolment, university applications, visa processing, and departure. Staff run the whole operation from a separate console.

The product is **three deployable pieces**:

1. **The public website and client portal**, where visitors browse and where clients live their journey.
2. **The Operations Center**, the staff-only console for consultations, cases, finance, marketing, content, and administration.
3. **The API**, the single backend that both front ends talk to. It holds all data and all business rules. It also publishes an interactive reference (every endpoint, its inputs, and a working "try it" button) for anyone integrating against it.

A visitor to the website never downloads a byte of the staff console. They are separate applications with separate builds.

HOW THE PIECES CONNECT

Each front end sits behind its own Cloudflare Worker. The Worker serves the app's files and forwards every API call to the backend. Because of that forwarding, the browser sees one origin per app, the login cookie is first-party, and sign-in just works. The API keeps a strict list of allowed origins for the rare calls that are genuinely cross-origin; the same list feeds both the browser security layer and the sign-in system so they can never drift apart.

WHERE THE TRUTH LIVES

Everything of record is in one PostgreSQL database: cases, invoices, documents, messages, marketing, content. Both front ends are thin clients. They show what the API says and send back what the user does. The fixed catalogue (branches, consultation types and durations, the assessment sections, the countries list) lives in a shared package all three apps quote, so the words and options can never drift between surfaces. The portal keeps a little per-browser convenience state (drafts, dismissed hints) and an offline fallback for the journey view, but nothing there is authoritative.

PART II

Signing in

One identity system serves both audiences. A staff member is simply a user account that also has a staff record attached; that record is where their role and branch live.

CLIENTS

Clients register themselves. They can sign in with:

- Email and password (with email verification and password reset)
- Google
- Phone number with a texted code (only when a text provider is configured; without one the option refuses rather than pretending)
- A one-time code emailed to them (passwordless)

Clients can add two-factor protection, an authenticator app or emailed codes, but it's never required. An applicant is not made to install an authenticator before they can book a consultation.

STAFF

Staff can never register themselves. There is no staff sign-up anywhere. An account exists only because someone senior invited it, and the invitee sets their own password; nobody else ever knows it. Invitations and one-time codes go out by email; in development they print to the server console instead so everything can be tested without email accounts.

Two-factor is **required for every staff role**, enforced by the server: either an authenticator app or enrolled email codes. The very first administrator is created once with a server-side setup token; the moment any staff member exists, that door closes permanently.

Both apps also sign idle users out. A portal session that goes untouched for twelve hours ends itself; a console session ends after an administrator-set window (two hours by default). Each warns with a five-minute countdown first, and one click stays signed in.

PART III

Who can do what

Two separate ideas, both checked on the server (the console interface only hides buttons; the backend is the real authority):

- **Modules** decide what a role can *see*: which pages and API areas open to them.
- **Capabilities** decide what a role can *do*: assign work, issue invoices, invite staff, own a chapter of a case.

Both live in one shared definition used by the console and the API, so they can never disagree.

Administrators can build custom roles in a permission matrix; a custom role gets a rank, and you can only grant roles ranked below your own.

THE BUILT-IN ROLES

ROLE	SEES	CAN DO
Super Admin	Everything	Everything
Admin	Platform administration (staff, sign-in policy, content, settings) plus read access to casework	Invite and manage staff, manage roles and client accounts, change platform settings; does not work case files
Manager	All branches, all cases	Assign work, invite staff, issue invoices, approve payment schedules, own any chapter, edit packages and the university catalogue
Coordinator	All cases and branches	Assign and route work, own any chapter; the front-desk role
Customer Service	Cases at their branch, leads, helpdesk	Route work, first-line support
Consultant	Their own caseload	Own chapters (consultations, applications, visa, departure), comment, request documents, update stages, raise draft invoices
Finance	Invoices, ledger, payments, packages	Issue, void and credit invoices, edit packages, approve payment schedules

Branch scoping is real: a role without "see every branch" is confined to its own branch, enforced by the API.

PART IV

The client journey

Everything hangs off one ladder: **six chapters**.

CHAPTER	WHAT HAPPENS
1: Consultation	Client books online or in-person, picks a real slot, pays, meets the consultant, gets a structured eligibility assessment across nine sections (personal, passport, education, employment, English proficiency, study preferences, finances, documents, review)
2: Enrolment	Client confirms they want to proceed (or pauses or declines), picks a service package and payment plan, pays the 10% agency deposit
3: Applications	Client chooses schools, pays the application fee, staff submit and track offers, client accepts one
4: Visa	Client consents to start, pays the visa fee, the officer files and tracks it through its ladder (handler assigned, filing pending, biometrics, decision, complete)
5: Departure	Travel help (yes, hold or no), the pre-departure fee milestone, a checklist, then official documents released
6: Complete	Client departed; post-arrival instalments run as aftercare

Inside the chapters the portal walks the client through about fourteen finer steps. A step is never silently skipped: if later evidence exists (an admission, a paid visa), earlier un-ticked steps show as "skipped", not done.

THE INTAKE ADAPTS TO WHERE YOU ENTER

A client who only needs visa help is asked different facts than one starting from scratch. The booking intake branches on entry intent: a study entrant gives ranked study choices (up to three country, university, programme, field and intake picks); a visa entrant declares the offer they already hold, plus prior refusals and travel history, the risk inputs the file is built around; a departure entrant declares the visa they hold and their arrival logistics: window, airport, accommodation, pickup, dependants. The profile that results is a real dossier: passport, education and employment history, English test scores, funding source and sponsor.

THE ASSESSMENT RECOMMENDS, NOT JUST VERDICTS

Completing a consultation records more than eligible or not. The consultant files a recommended country, university, programme, package and the exact stages to buy, which is how the package offer on the client's enrolment step is shaped. For a visa or departure entry the verdict is one of proceed, widen the plan, or not viable, backed by structured findings like licensed sponsor and funds meet the rule. Closing an assessment while required evidence is still unverified needs a written override reason on the case.

HOW "WHERE THE CLIENT IS" IS DECIDED

Two representations, deliberately different:

- **A coarse stage stored on the case**, set by staff and checked against gate rules (you can't enter visa work before the fees settle). It acts as a floor: it can push a client forward, never backward.
- **A fine step computed from facts**. The API gathers what actually exists (a booking, a paid deposit, an offer, a consent) and derives the step the portal shows. It is never stored, so it can't disagree with reality, and both apps use the same shared logic and the same words.

Everything is scoped to the client's **current case**. A returning client's earlier case can never leak paid invoices or admissions into the new one; schools and invoices are read per case, never per person.

CONSENT IS A GATE, NOT A SUGGESTION

The client's Confirmed / On hold / Declined is recorded and gates stage entry. Staff cannot push a client past a consent they haven't given. The visa chapter in particular opens only on explicit consent.

WHO OWNS THE WORK

Ownership history is append-only. Who owns a case now is the open record; reassignment closes the old one, never overwrites. Each chapter has its own seat (consultant, visa officer, travel officer), and the assignment picker for each chapter only offers staff holding the matching ownership permission. A consultant can delegate a session to a colleague and reclaim it, and a daily duty-coordinator roster covers each branch. Every client also has a journey coordinator who carries into every case they open, so coordination follows the person from consultation through application. At consultation placement the assigned officer can be chosen to carry the whole case, becoming the application's handler from day one.

HARD BOUNDARIES

Some moments stop the case until a manager acts. Paying the deposit raises a "pending handler assignment" handoff; that payment is the only trigger for the school-submission handler. Entering departure or the final payment stage hard-gates the same way until a manager resolves the handoff or defers it.

THE PRE-DEPARTURE CHECKLIST

The checklist is seeded from a template the platform admins edit, plus country-specific items the destination adds automatically. Items are split by owner: some the client ticks, some only staff can close ("Century NIT closes this item"), and some demand proof, meaning they close only when an uploaded document is verified. Staff may tick a client item on a phone call, and the record says who did it; waiving a required item needs a written reason.

FLEXIBLE ENTRY AND EXIT

Service packages are priced per stage. A client can enter at different service stages, select only what they need, stop after any reached stage, and later request to continue. A continuation is a real flow, not just a flag: staff propose the next stage and attach a quotation for it, the client accepts, pauses or declines from the portal, and a lapsed or declined offer can be re-invited. Accepting opens the next chapter under its own pricing, so a client who stopped after applications can resume at visa without buying a new package.

WHO DOES WHAT, WHEN

MOMENT	ACTOR	ACTION	CLIENT SEES
Booking lands	Coordinator or manager	Assign a consultant (or the duty roster covers it)	"Consultant being assigned"
Session held	Consultant	Complete the assessment (outcome, recommendations, verdict for visa entries)	Assessment outcome and recommendations
Enrolment open	Client	Confirm, hold or decline; pick package and plan; pay the deposit	Journey advances
Deposit settled	Manager	Resolve the handler handoff, assign the case consultant	Named consultant
Schools chosen	Chapter owner, then finance	Raise the draft invoice, approve and issue it	"Fee being prepared" then a payable invoice
Offers in	Consultant	Record each school's outcome	Live tracking; client accepts an offer
Visa start	Client, visa officer, finance	Client consents; officer raises the draft, finance issues, client pays	"Pay the visa fee"
Visa work	Visa officer	Embassy filing, biometrics, decision	Visa tracking
Departure boundary	Manager	Resolve the handoff, assign the travel officer	Departure chapter opens

Travel settled	Client and finance	Flight choice; fee milestone paid	Documents on the unlock path
Pre-departure	Client and staff	Checklist items verified or waived	Official documents released
Any time	Finance	Issue, void, credit invoices; edit packages	Ledger and receipts
Any time	Admin	Staff invites, roles, sign-in policy, content	(No client-visible step)

PART V

Consultations, scheduling and meetings

What a client can book comes from three inputs: the branch's weekly hours and slot settings, each consultant's own working hours, and everything already booked, including busy times mirrored in from staff personal calendars. A database-level rule makes double-booking impossible even if two people click at the same instant. Availability is re-checked inside the transaction *and* a unique index decides the race, so a pre-check alone can never let two requests both read "free".

Every booking is born **unassigned**: assigning a consultant is always a manager's decision, never automatic and never round-robin. One deliberate exception to the slot check: when a booking arrives already paid, the capacity check is skipped and the booking lands regardless. Money in hand takes priority, and ops decides afterwards whether a consultant can take it or the appointment needs rescheduling.

THE CONSULTATION'S OWN LIFECYCLE

The booking and the consultation are two records kept in lock-step. The consultation runs a real state machine, assigned, confirmed, in assessment, completed, and the transitions carry meaning:

- **Confirming is a state, not a message.** A slot is confirmed only once a consultant is assigned and the time is still ahead; confirmation moves both records to confirmed together, and the client is told the slot is locked (with the meeting link if one is set).
- **A moved slot voids the confirmation.** If a confirmed consultation's booking is rescheduled, the consultation rolls back to *assigned*, the consultant must confirm the new time before the assessment can start.
- **An undo exists for a misclick.** "Start assessment" can be rolled back to confirmed, but completed outcomes stay locked forever.
- **Cancelling cascades.** Force-cancelling the consultation pulls the booking off the calendar, kills its reminders, and emails both sides, ending the engagement, not just the appointment.

- **A cancellation can carry a credit.** Staff can issue a free-rebooking credit on a cancelled case: the client's next consultation checkout skips payment entirely, and they're told in-app and by email, a credit nobody hears about is no credit.

Reschedules a client requests go to staff for approval; staff-side reschedules are direct. Every transition lands on an append-only activity timeline.

COORDINATION: WHO STEERS A CASE

Consultations carry a steering layer of their own. A manager (or owner) can delegate a case to a **coordinator**, and while a case is coordinated, only the coordinator may place handlers or move the file between branches; everyone else, managers included, watches until they take the case back. That take-back is always available, the built-in break-glass, so a delegated case can never strand.

Two refinements shape who may steer:

- **Grants.** A manager can give a staff member *standing* coordination authority that lasts until it's retracted or lapses, so a trusted coordinator doesn't need per-case delegation. Retracting a grant is deliberately aggressive: it also pulls every case they currently steer back into the management pool, because access can't linger past its welcome.
- **Journey scope.** A coordinator can be attached to the *applicant* rather than the case, every case that client opens inherits them, and their live cases are stamped now. Releasing clears future cases only; in-flight cases keep whoever holds them.

A daily **duty coordinator** is set per branch, and the delegation picker is fed by a live workload read, each active staff member's open and overdue counts and a capacity percentage, so work goes to the desk that can take it. A consultation can also be **referred to another branch** without naming a handler, the receiving desk staffs it from their own queue, because the branch owns the file, not the client's location.

MEETINGS

Online sessions run in video rooms the client joins **inside the portal**, no external link needed. Staff can paste any meeting link (Zoom, Meet, Teams, any https address) onto a booking, or generate a Google Meet space on demand through the company's connected Google account, either way the client just sees "join". Join windows differ by side: the host gets in thirty minutes early to prep, the client fifteen, and the room dies two hours after the end. A background check every minute marks meetings live or ended, feeding the console's "what's happening now" view.

Staff calendars connect both ways: they can pull their personal calendar's busy times in so clients can't book over them, and publish their Century bookings out to their personal calendar as a subscribeable feed. A shared company calendar connection mirrors the branch's bookings to one Google calendar the whole team can watch.

Beyond the paid consultation, handlers can schedule **check-ins** on an active case: free sessions like a document review, an offer decision call, a visa mock interview or a pre-departure briefing. The client is emailed and joins through the portal exactly like a booking, but no fee is ever raised for one.

PART VI

Money

All amounts are stored as integer cents. The invoice pipeline is a two-step approval chain that drives the journey:

1. The **chapter owner** (the consultant or visa officer doing the work) raises a draft estimate, a proforma, on the case.
2. **Finance** approves and issues it. Now it's a real, payable invoice.
3. The client pays; partial payments count; when the balance reaches zero the invoice settles.
4. Corrections happen by voiding or crediting. Every action lands in the invoice's permanent event history, never by editing the past.

HOW CLIENTS PAY

Paystack is the primary client-side rail: checkout, then verification, then a signed webhook settles the payment on the server. The webhook is the authority; if it's slow, staff can reconcile against the gateway. A Stripe card gateway exists alongside it and activates when a key is configured, so the payments log shows records from both gateways plus staff-recorded bank and cash entries. There is deliberately no way for a client to claim "I paid"; cash and bank payments are recorded by staff. Checkout is opened in cedis at the live exchange rate, if the merchant account isn't GHS-enabled the gateway call falls back to dollars, and a proforma can't be paid at all until staff review and issue it (an agency proforma auto-issues the moment the client goes to pay it). Mobile-money charges with an OTP step are also supported. Receipts and invoices print as PDFs.

Settlement is deliberately paranoid. The invoice is credited *before* the transaction is marked successful, so a crash mid-settle leaves the transaction pending and a retry can still act, never the other way round, where a retry would have seen "success" on an unpaid invoice forever. A payment larger than the outstanding balance is refused outright. And one payment is also a *decision*: settling the visa invoice records the client's consent to proceed with visa processing and fires the handler handoff in the same stroke, paying the bill is the signature.

Every settled payment triggers a receipt email carrying two PDF attachments, the invoice and a receipt, that itemise the actual lines paid for (visa fee, ticket, consultation) rather than a generic label, show both currencies, and state the remaining balance. The email is queued rather than sent inline, so a mail-provider outage retries on its own schedule instead of losing the client's proof of payment.

MILESTONES: WHEN MONEY FALLS DUE

A full-journey instalment invoice is not a list of dates invented at enrolment, its lines carry *triggers*: the deposit falls due on acceptance, the admissions balance on the first offer, the pre-departure milestone when the visa file opens, and the post-arrival remainder once the client lands. When a case event fires its trigger, the matching line is stamped with a due date, once, and the invoice's own due date moves to the earliest unpaid dated line. That earliest date is what "overdue" reads; overdue is derived, never stored.

The moment a milestone falls due the client is told, in-app and by email, which line, how much, and *why* in their own words ("Your first offer letter has been recorded"), with a link to pay. No silent billing. And because a milestone depends on the case event being recorded through the right path, a daily reconciliation reads the case state itself and dates any line whose event plainly happened, a stage moved by hand or a missed hook can never leave money owed but unbilled; every such stamp is audited.

Payments cover the invoice's lines in order, like water filling a row of glasses, the client's "next payment" is always the first line the money hasn't yet reached, never a vague balance. A client can switch between the full and instalment plans from the portal, but only while nothing beyond the deposit has been paid: after that the lines are the record and the plan cannot move. Schools added after the first application invoice went out are billed on a supplementary invoice, never by rewriting the original.

AUTO-PAY

Auto-pay is documented here fully because it is the piece clients ask about most.

- **The card on file.** A successful card payment returns a reusable gateway authorization, which is stored, card brand, last four digits and bank, never the number. Mobile-money authorizations are not reusable and are never stored, so auto-pay is card-only.
- **Consent is a real switch.** Nothing is charged while it is off. Turning it on requires a card already on file, stamps the consent timestamp, and can be withdrawn from the portal at any time.
- **A daily sweep does the charging.** Once a day a worker walks every unpaid, past-due line on issued invoices where the client opted in, and charges the saved authorization, but only after the milestone reconciliation above has run, so nothing stays owed-but-unbilled.
- **Success is indistinguishable from a manual payment.** A successful auto-debit settles through the exact same path a checkout payment takes, same verification, same receipt email, same live updates. The ledger simply labels it auto-pay • Visa ••••4283.
- **Failures are loud, never silent.** Every attempt is logged with its gateway response. A declined debit emails the client once: what was due, what the card said, when it will be retried, with a "pay now or another way" link, and surfaces a banner in the portal showing the amount, the reason and the next retry date.
- **Retries and escalation.** A failed line retries every three days. If it is still unpaid ten days after the first failure, the client *and* the case handler are both emailed once. The handler gets a follow-up notice, while retries continue in the background.

- **It follows the schedule, not a fixed amount.** The sweep charges each line's outstanding share, capped at the invoice's remaining balance; a line already covered by another payment is never re-charged. When the last line is covered there is simply no work, and a new invoice starts a fresh schedule.

POST-ARRIVAL PLANS

The post-arrival remainder has its own lifecycle. The client (or staff on their behalf, with a recorded reason) picks a schedule, a number of months and a frequency, from a catalogue finance controls in settings. The pick is a *request*: it does not touch the invoice, and a pending request shows as a single undated line so nothing looks payable on a schedule nobody has approved. Finance or a manager then enters the start date and approves; only then does the remainder become one dated instalment line per payment, with the catalogue's flat interest priced in and frozen on the case. A declined request comes back with a reason and the client can pick again; once an instalment has been paid the schedule is locked, paid money is never reshaped.

Each dated, unpaid instalment gets a reminder email ahead of its due date (the lead time is a setting); when a schedule is rewritten, stale reminders are cancelled and replaced. Plans approved before the start-date flow existed anchor on the recorded arrival date, or, failing that, the booked flight's departure plus a day, with a grace window before the first instalment.

FEES AND PACKAGES

The fee catalogue defines what each charge is (agency service fees, plus third-party fees like embassy and school application charges), with tariffs per destination. Service packages are priced per stage so clients buy only the chapters they need. Charges are priced in dollars and charged in ceddis: a configurable exchange rate converts them, so the amount a client actually pays tracks a rate finance controls. A post-arrival catalogue carries the charges that only become relevant after the client lands, each with its own trigger and instalment rules.

A package is a contract, not just a price: it sets a price per stage, lists which catalogue fees it covers, caps how many school applications it includes, and can require verified documents before applications start. The client's funding track and target school count are chosen with the package and shape the quotation.

THE LEDGER

Every case and every client has a ledger view: a chapter-numbered journal of invoices and payments, numbered INV-2026-0007 (and PRO- for proformas) from collision-proof sequences. The ledger is a *read model*: it stores nothing of its own. It reads three sources and merges them into one timeline: settled and manually recorded payments, every auto-pay attempt including declines, and checkout attempts. Scheduled rows come from the invoice's own unpaid dated lines.

The same ledger serves two audiences honestly: the portal trims it to face value (settlements, upcoming instalments, declined auto-debits), while staff see everything: gateway references, decline reasons, which staff member recorded a cash payment, and even failed checkout attempts the client

abandoned. Each row names what the money was for (the invoice line it landed on), the channel ("Paystack · Mobile Money", "auto-pay · Visa ···4283", "Cash"), and the invoice's outstanding balance right after it.

Underneath sits the invoice event history, immutable and append-only, the substrate the views are built from, and the application's "paid" flags are not written by code at all: a database trigger derives them from the ledger on every invoice, line or payment change, so a flag can never disagree with the money. A paid invoice can't be voided: it must be credited with a reason, capped at the outstanding balance, while a proforma can still be voided, which sends it back to whoever raised it with the reason attached.

PART VII

Documents

Clients upload through a vault: the file goes straight to private storage via a temporary signed link, then staff verify it or reject it with a note. Verification progress feeds the client's checklist and the journey on both sides. Staff can request a specific document by name ("passport data page"), which appears as a task in the portal. Rejected files are purged after a retention period. Nothing is publicly reachable; every download goes through a short-lived signed link the API mints. Uploads accept PDF only, up to fifteen megabytes.

One deliberate hold: the documents the agency produces as the client's agent, the admission letter and the visa outcome, are visible in the vault but locked from download until the pre-departure fee milestone is paid. A manager can release them early, and that release records a reason on the case. Staff downloads are never held; the lock is a client-side gate only.

PART VIII

Communication

ONE CONVERSATION SYSTEM, THREE SURFACES

A single thread model (conversations, members, messages, attachments, mentions, reactions) serves:

- **The helpdesk:** client-to-staff threads, scoped to a case and chapter, with subject, category, priority, who it's waiting on, first-response and resolution times, and a satisfaction rating when it closes. Staff can log a request on a client's behalf (a phone call or walk-in becomes a tracked ticket), and a thread can be marked internal so it never appears in the portal at all. Reopened requests are counted.
- **The staff Communication Hub:** direct messages, group chats, mentions, reactions, attachments, presence, typing indicators.

- **The client's Communication Center:** the portal's thread with their assigned staff plus the AI assistant.

Threads can be escalated to managers, and staff keep a library of canned replies scoped to a branch or a stage with merge variables filled at send. Threads also carry system and action entries, so a status change or an assignment shows up in the conversation where it happened, and staff can drop internal notes that are filtered out of every client-facing read. When a client is offline, a reply is emailed to them, and their email reply lands back on the same conversation. Staff presence and typing are shown live as they happen.

The message mechanics are carefully chosen, not incidental:

- **Edits happen in place:** a corrected message never spawns a new row, so replies quoting it and forwards descending from it stay attached.
- **Forwards credit the original:** forwarding a forward still points at the true author rather than building a chain.
- **Deletes are tombstones:** the row survives so quotes don't dangle; only the body is withheld. Messages are never hard-deleted.
- **Reactions toggle:** applying an emoji you already used removes it.
- **Typing is deliberately ephemeral:** never written to the database, because a keystroke's worth of state is worthless a second later.
- **The support queue auto-joins:** a support-role staff member who can *see* a client thread in the queue is quietly made a member when they open it, so list visibility and detail access never disagree.
- **Live events respect the same walls as history:** internal notes are published only on staff channels; a note pushed to the client's live stream would leak even though it never appears in their history, so the two paths resolve recipients separately.

THE AI ASSISTANT

A knowledge assistant runs at the edge on Cloudflare's Workers AI (a Llama 3.1 model, streaming its replies as they're generated), with three personas: a **website assistant** for prospective students on public pages, a **portal assistant** inside the client's communication hub, and an **enquiry** path for visitors. It answers general questions only, says so when it isn't certain of a Century-specific detail, and points people to a human for anything account-specific. First-time public use is gated by a bot check so the widget can't be farmed.

NOTIFICATIONS

One notification service fans out to three channels (in-app, email, and browser push) and logs every delivery attempt so a failure can be retried. Clients only ever see client-appropriate event kinds; staff-only signals never reach the portal. Each user controls their own matrix of which events arrive on which channels, and can set quiet hours in their own timezone so nothing pings overnight. Email never sends

inside a web request; it's queued, so a failed send can never roll back a booking. The lifecycle emails are a designed set: invitation, verification, one-time code, password reset, welcome, booking confirmation, consultant assigned, invoice raised, invoice reminder, document reviewed, school offer, and the receipts.

The portal is push-driven: a live event stream tells it when stages, assignments, invoices or visa states change, so the client sees updates without refreshing. Polling exists only as a fallback for a dropped stream.

THE AUDIT TRAIL

Administrative actions land in an append-only audit trail: who, what, on which record, from which address. Every entry seals the previous entry's fingerprint, so altering or deleting any row breaks the chain and a verification check proves it. The trail is browsable by day, filterable, exportable, and alert rules can watch it (for example, a burst of failed sign-ins or a role change). Settings changes have their own parallel trail.

PART IX

Marketing

Production email marketing built on the suite's own data, in five console tabs: Campaigns, Audiences, Contacts, Templates, Automations.

PEOPLE, NOT ADDRESS BOOKS

The **person** is the record; a list is a membership. The contacts view gathers everyone the suite knows (mailing-list subscribers, applicants, leads), each with their real identity (an applicant shows their case and chapter, a lead their stage), their consent state, and their memberships. One person with two memberships appears once, never as two rows.

CONSENT IS EARNED, NEVER FABRICATED

Adding a contact has exactly two doors: send them a confirmation email (they become opted-in when they click), or record that they consented offline, which requires a written note as the audit trail. There is no silent "confirmed". CSV imports run a dry run first (how many are new, how many duplicates merged, how many invalid), then apply the same consent decision to the batch.

SUPPRESSION

One global do-not-contact list, checked twice: when a campaign's audience is frozen (only opted-in, unsuppressed people become recipients; everyone else is recorded as skipped with the reason) and again at the instant each email is sent. Someone who unsubscribes between scheduling and sending is skipped, not mailed. Bounces and spam complaints from the email provider suppress automatically.

SEGMENTS: LIVE AUDIENCES

Saved filters over the suite's real data (applicants by chapter, branch, country, offer state, unpaid milestone, departure window; leads by stage, source, no-show), evaluated at send time, never copied. A preview shows how many match, how many are opted in, never asked, or suppressed. A campaign targets a list or a segment, never both.

CAMPAIGNS

Composed from blocks (headings, paragraphs, buttons, dividers, two columns) with merge fields that pull real data: the person's name, case reference, stage, officer, branch, next due date, portal link. Senders get a preheader, a from-name, and a reply-to (the branch mailbox by default). Preview is the actual server-rendered email, and a test send goes through the real pipeline. Reports show delivered, open, click, bounce and unsubscribe rates, an hourly timeline, top links, and the per-recipient ledger with retry for failures. Every footer carries working unsubscribe and preferences links.

TEMPLATES AND AUTOMATIONS

Templates render as live miniatures; presets are read-only starters you fork. Automations are rules (when this happens, to people matching this segment, send this template after this delay) covering moments like a no-show follow-up, an assessment completed but no enrolment, an offer received, a visa approval, thirty days to departure, or an overdue milestone. Starters ship as drafts; staff turn them on deliberately. Every firing is logged, including why a person was skipped.

PART X

Content management

One identity record, one content store, one media library, read by the website, the portal, the console, and the email layout.

- **Brand:** the identity record (names, logos, colours, contacts, socials) has a draft and a published copy. Edits save to the draft; publishing makes it live and records who published, with full version history and revert.
- **Entries:** content collections keyed by name and slug, moving through draft, review, then published; schedulable and fully versioned.
- **Navigation:** the site's header and footer link lists.
- **Copy:** every label that's content rather than code, per surface (site, portal, console, email).
- **Media:** the image library. Uploads go straight to private storage, alt text and focal points are editable, and public reads pass through a short-lived signed link so nothing is openly reachable.

Public content reads are edge-cached: fast for visitors, fresh within a minute of publishing.

PART XI

The Operations Center, page by page

Every view keeps its state in the address bar (filters, tabs, open records), so links survive refresh and notifications deep-link to the exact task. A command palette (Ctrl+K, or just "/") jumps to any consultation, case or applicant, remembers recent records, and only offers what the signed-in role may open.

- **Workspace:** the day's triage. Unassigned consultations, cases awaiting a handler, invoices to raise, documents to review, reschedule requests, banded overdue / today / later, with inline assignment. A caseload view shows who is carrying what across the team. Alongside the derived work, staff keep their own task list: follow-ups with due dates, pinned to a lead or a case or neither, each reminding its owner exactly once when it falls due.
- **Inbox, Dashboard, Now:** what happened, the numbers, what's live.
- **Helpdesk:** the client conversation queue with its full lifecycle.
- **Chat:** staff messaging.
- **Consultations:** booked sessions. Assign, refer to another branch, delegate and reclaim, assess, reschedule approvals, no-show and credit, comments, document requests, and the full activity history.
- **Cases:** every engagement, list or board, opening on a per-chapter tab strip (overview, consultation, enrolment, applications, visa, travel, payments, documents) that lands on the chapter the client is in. The case file carries stages, chapter owners, package and plan, invoices, comments, documents, visa and departure details, release override, post-arrival schedule, and referral to another branch.
- **Clients, Leads:** records and the enquiry pipeline, which moves a lead through new, contacted, consultation booked, assessment complete, and converted or lost. Leads carry their source, and a lost lead records a fixed reason so reports can group them. A "last real touch" timestamp tracks when a human actually reached the person, set only by real contact, never by an edit, so stale leads are easy to spot.
- **Appointments, Live meetings:** the week and rooms in progress.
- **Universities, Programmes, Scholarships, Packages, Departure checklist:** the catalogue editors. Scholarships can also be awarded to a specific applicant from their record.
- **Invoices, Ledger, Payments, Fee schedule, Payment plans:** the finance suite.
- **Reports:** revenue and operations analytics, including invoice aging buckets driven by each invoice's due date.
- **Scheduling, My availability:** the week the branch offers, and each person's own hours and calendar connections.

- **Marketing:** campaigns, audiences, contacts, templates, automations.
- **System, Staff & roles, Clients directory, Authentication, Audit, Content (CMS), Lookups, Notifications, Settings:** platform administration. Health, the permission matrix, the audit feed, content, form dropdowns, notification templates and integrations. The sign-in policy is edited here: session lifetime, the staff idle sign-out, lockout thresholds, password rules, breached-password checking, staff rotation age, and the second-factor windows, each bounded and audited. Settings is deeper than a preferences page: integration credentials (email, storage, Google, the payment gateways, push keys) are entered here, stored encrypted, shown masked, and every change is audited. So are the business rules: the deposit percentage, each milestone split, post-arrival grace and interest, officer capacity, booking buffer, slots per day, branch hours and timezone.

PART XII

The website and portal, page by page

THE PUBLIC WEBSITE

Open to everyone, no sign-in:

- **Marketing pages:** home, about, why choose us, services, visa services, student services, success stories ("Red Seat"), FAQs, blog, events, contact.
- **The catalogue:** destinations, universities, programmes and scholarships, each browsable down to a detail page and served live from the same database the staff edit.
- **The enquiry widget:** a floating door on every page where a visitor leaves their details and becomes a lead in the CRM.
- **The newsletter:** a subscribe prompt, double opt-in confirmation, and unsubscribe/preferences pages.
- **"Start your journey":** the doorway that turns a visitor into a registered client and drops them into chapter one.
- **The AI assistant and a newsletter popup** float on every public page; first-time assistant use passes a bot check.

THE PORTAL

The sidebar is the journey itself, the six chapters as the spine, showing done, current and locked.

- **Home / Journey:** the spine, the current step, the next unlock, and the consultant's client-facing updates: a kind-coded timeline (status, note, document needed, decision, handover) with a "new since your last visit" divider.

- **Consultation:** choose online or in-person, pick a live slot, pay, join the call in-app, reschedule or cancel within policy.
- **Enrolment:** the assessment outcome, the decision, package and plan, the deposit.
- **Applications:** school choices, the fee invoice, per-school tracking, accepting an offer. Each school track keeps its own history, the school's own reference number for chasing, proof that we submitted, and when an offer lands its terms are recorded: tuition, deposit and its due date, with the offer letter filed into the vault. A list holds up to five schools, subject to the package's own cap.
- **Visa:** consent, the invoice, live tracking up the ladder to the decision, with each school's outcome one of admitted, waitlisted, rejected or withdrawn (a refusal parks the case with a reapplication path).
- **Departure:** travel help (yes, hold or no), the fee milestone, the checklist, document release. Choosing travel help assigns a travel officer, and only then is the airline fare invoiced, separately: the service fee was already collected in the package, and no ticket is ever billed before someone owns the booking. The ticket invoice follows the same two-step as every other invoice, raised as a proforma, issued by finance. And once the ticket is paid and the booking confirmation is recorded, the case leaves the departure chapter the way it entered: on its own. The chapter also keeps the logistics record: the report-by date, the briefing, airport pickup, accommodation, an emergency contact, and the arrival confirmation.
- **Complete:** the post-arrival instalment schedule, paid-invoice receipts and official-document downloads, and the door to continue: the client can ask for the next stage's services from here.
- **Appointments, Documents, Fees, Security:** bookings, the vault, the ledger and receipts, and the security page: profile fields, a two-step verified email change, MFA setup, session list, and avatar upload with crop.
- **The Communication Center:** a floating support channel inside the portal, the staff thread plus the AI assistant.
- **Newsletter pages:** confirm, unsubscribe, and preferences.

PART XIII

Data, security and the background engine

DATA POSTURE

Every table is behind row-level security. The app connects as owner, but any future non-owner path is denied by default rather than silently open. Anything that's evidence is append-only: audit entries, invoice events, booking events, assignment history, activity feeds. Corrections append; history is never edited.

SECURITY POSTURE

Identity always comes from the session, never from the request. A caller cannot assert a role, branch or account id in a request body; the API derives all of it from the signed session cookie and fresh database reads on every request. A suspended account is refused on every request with its suspension reason. A staff member is just a user who also has a staff record linking them to a role and branch: staff are invite-only, there is no staff self-registration anywhere.

The sign-in doors are rate-limited per address. Sign-in attempts are capped at ten a minute, sign-ups at five, one-time-code sends and password-reset requests at three. The counters live in Redis and are keyed on the caller's address; if Redis is ever unreachable the limiter waits two seconds then lets the request through, so a cache outage can never lock everyone out.

Credentials have real rules, and the rules are a policy, not constants. An authentication policy lives in the console's Administration page, every field bounded and every change audited:

- **Session lifetime** — how long a sign-in lasts at all: fourteen days by default, settable from one to ninety.
- **Idle sign-out** — a staff session that sees no input ends itself. The console learns the limit from the session itself (two hours by default, settable from one to seventy-two), warns with a countdown five minutes before the end, and "stay signed in" re-validates the session and resets the clock. A changed limit reaches open tabs on the next permission sync, and the signed-out login screen quotes the real number. The portal applies the same pattern with a fixed twelve-hour window for clients.
- **Account lockout** — five failed sign-ins inside ten minutes locks the account for fifteen minutes (all three numbers tunable). The lock is derived from the audit stream, not a flag, and only an audited unlock event or the clock clears it.
- **Passwords** — a minimum length (twelve by default), a breached-password check that can be toggled, and a rotation age for staff passwords (six months by default).
- **Second-factor windows** — a grace period before a staff account must have enrolled (seven days), and how long a trusted device skips the second factor (thirty days).

One-time codes are six digits and die after ten minutes. Email-verification links, staff invitations and signed file links all expire on their own. Every account, client or staff, can list its active sessions and revoke them one by one; staff can also suspend a client account or revoke all of a client's sessions at once.

Second factors are enforced per session. A Google sign-in mints the session with the second factor still owed, and the API holds that session at a challenge until it clears. Email-code factors work the same way, and the code window dies with the session, so every new sign-in asks again. Whether a role must enrol is decided by role policy on the server, and the check runs in middleware before any handler.

Sign-in methods are per-audience switches. Password sign-in can be switched off for staff or for clients independently, and Google sign-in can be switched per audience too, so the attack surface each door exposes is a settings decision, not a rebuild.

Secrets are encrypted at rest. The OAuth refresh tokens behind staff calendar connections are stored under AES-256-GCM: tamper-evident, versioned ciphertext, so a leaked database dump does not leak anyone's calendar. A row that can no longer be decrypted, say after a key rotation, fails to a reconnect

prompt rather than crashing availability lookups.

The edge is strict. Every response carries hardened security headers. The origin allowlist is exact-match and shared between CORS and the auth layer, so a sign-in callback can only ever point at a configured origin; localhost origins exist only outside production, and a malformed entry is rejected loudly at startup. Adding a domain is an environment variable, not a code change. Browser traffic reaches the API through each app's own proxy path, so session cookies stay first-party.

Bots are checked at the edge. The public enquiry form and the AI assistant sit behind a Cloudflare Turnstile check; a visitor who passes gets a signed verification cookie that the chat endpoint trusts, all stateless, nothing to store. Newsletter unsubscribe and preferences links carry a signature of the email address under the auth secret, so a preferences link for one address can never be rewritten to manage another.

Webhooks authenticate by signature. The Paystack webhook verifies an HMAC-SHA512 of the raw request body, the signature is the authentication, and a mismatch is refused outright. The other inbound webhook verifies its provider's signature headers the same way. Settlement itself is idempotent on the gateway reference, so a replayed or duplicated webhook settles once and no-ops after.

DELETION, EXPIRY AND RETENTION

Different kinds of data leave the system in different, deliberate ways.

Removing a client account is a super-admin action, always audited, with three modes:

- **Disconnect** removes the login only. The applicant record, the cases and the files stay; the person simply can't sign in anymore.
- **Archive** marks the applicant record archived and removes the login. The history is kept but the person is closed out.
- **Purge** is the full removal: the person's conversations, comments, activity events and leads go, the applicant record and its cases are deleted, and every file they uploaded is cleaned from storage best-effort afterwards. One deliberate exception: **invoices are never deleted**. Journey invoices belonging to the purged case are detached and re-labelled as one-off charges, because financial records must outlive the case they came from.

Everyday removal follows the same spirit. Staff can remove leads, documents, canned replies, roles, packages, and marketing entities (draft campaigns, lists, templates, segments, individual suppressions, list members). Clients can withdraw a reschedule request, cancel autopay consent, remove a school choice, disconnect a calendar feed, or unsubscribe a device from push. Chat messages are never truly deleted: they're marked deleted and shown as a tombstone, because replies and forwards quoting them must not dangle. Open invitations can be revoked.

Things that expire on their own: staff invitations, one-time codes and verification links, sessions, signed file links (minutes for an upload, under an hour for a read), temporary consultation delegations, and a meeting's join window.

Things kept on a clock: rejected documents are purged by a daily sweep after a retention window; finished queue jobs are kept only briefly. **Things kept forever:** the audit trail, invoice events, booking events, assignment history and activity feeds are append-only and are never purged by anything.

BACKGROUND JOBS

Work that shouldn't block a request runs on a separate worker process: emails, campaign sends, push notifications, instalment charges, offline chat replies, helpdesk SLA checks, automation date-triggers, meeting status polls, calendar feed syncs, and document cleanup. Until that process runs, jobs simply wait. Bookings still succeed, but no email sends. It is not optional in production.

EXTERNAL SERVICES

Paystack for all payments, Resend for all email (delivery, open, bounce and complaint events flow back through a signed webhook), LiveKit for video rooms (with Daily kept as an alternative provider), Supabase for private file storage, Google for client sign-in and staff calendars, web push for browser notifications, and a pluggable text provider for phone sign-in (unconfigured by default; the feature refuses rather than pretending).

CONFIGURATION AND DEPLOYMENT

Production refuses to boot without its database, queue, signing secret and the browser-facing addresses. Misconfiguration fails loudly at startup, not silently at runtime. The API ships as a Docker image; the front ends deploy as Cloudflare Workers. The database is migrated by numbered files; new databases are built directly from the schema because the historical migration chain doesn't replay cleanly from zero. The rules and the reasons are written down in the migration discipline notes.

PART XIV

Under the hood, the flows that matter

Features above; mechanics here. These are the paths worth understanding before changing anything.

EVERY REQUEST, IN ORDER

A call reaches the API, gets security headers, passes the origin check, passes rate limiting, then meets the guard chain in a fixed order: prove you're signed in, prove you're staff (if the route needs it), prove you've enrolled a second factor (staff), prove your role may see the module, prove your role may do the action. A branch-scoped role gets its branch constraint applied last. The permission check reads the live roles table, so a role edit takes effect without a deploy; the built-in matrix is only a fallback. Inputs are validated by the same schema that generates the public API reference, so docs and enforcement can't disagree.

HOW THE JOURNEY STEP IS DECIDED

Nothing stores "step 7 of 14". Each time the portal asks, the API collects the facts about the client's newest case: does a consultation exist and what was its outcome, what did the client consent to, which package and plan, which invoices are paid, which handler is assigned, which schools are locked, which offers arrived, what the visa record says, what travel help was chosen, what checklist items are done. A single shared function turns those facts into the step list. Because it's computed fresh, the two apps can never disagree, and a fact that appears out of order (a visa paid before schools locked) marks the earlier steps "skipped" rather than pretending they were done.

HOW A BOOKING BECOMES A CONSULTATION

The client picks a slot, the API creates a payment, Paystack collects the money, and only then do the records land: the booking, the consultation, the invoice marked paid, the event history, and queued notifications. The double-booking guard is a database rule, not application hope: the column ranges physically cannot overlap, so two simultaneous checkouts can't both win the slot. Everything that can fail after the commit (the email, the meeting link, the push) is queued, so a provider outage can never roll back a paid booking.

HOW A PAYMENT SETTLES, TWICE, SAFELY

Two paths can settle a payment. The fast path is the client returning from checkout and the portal asking the API to verify. The authority path is the signed webhook arriving from Paystack on its own schedule. Both run the same settlement, keyed on the gateway reference: the first one to arrive writes the payment, the ledger entry, the event history, and the journey side effects (a deposit fires the handler handoff exactly once). The second arrival sees the reference already recorded and becomes a no-op. Retries, replays and double submissions cannot charge or advance twice. If neither lands, staff reconcile against the gateway to close the gap.

HOW INVOICES ARE NUMBERED AND TRACKED

Drafts (proformas) and issued invoices draw from separate number sequences, each allocated inside the same transaction as the insert, so there are no duplicate numbers under concurrency and no gaps from abandoned drafts. Paid totals are never stored as a number that can drift; they're summed from the payment records each time, and the next uncovered instalment due date is derived from how much has been covered. The ledger views are projections over the invoice event history, which is why they can't disagree with the payments table.

HOW A DOCUMENT MOVES

Upload is three steps: the API mints a short-lived upload link, the file goes straight from the browser to private storage, then the client tells the API it's complete and the record lands. Review changes the record's state (verified, or rejected with a note the client sees) and that state feeds the checklist and the

journey. Downloads are minted per request. Rejected files are deleted by a daily sweep after a retention window, so rejected personal documents don't accumulate in storage.

HOW MARKETING ACTUALLY SENDS

When a campaign is sent, the audience is frozen into a recipient ledger: opted-in and unsuppressed people become pending rows, everyone else becomes a skipped row with its reason recorded. The worker then walks pending rows only, which is why a retry after a crash can never re-mail someone already delivered. Per recipient it builds the merge context from the real case (officer name, branch, next due), wraps every link for click tracking, sends through the provider, and stamps the outcome plus the provider's message id back on the row. As delivery events return through the signed webhook (open, bounce, complaint), the recipient row is updated and a bounce or complaint also writes the global suppression, so the address is protected everywhere from then on. The report is a read of the ledger, so numbers can never drift from what actually sent.

Automations work the opposite direction: a domain moment (visa approved, offer received, assessment complete, no-show, milestone overdue) fires an event into an intake check, which writes a scheduled send per matching person. A sweep every minute delivers whatever's due; a daily scan inside the same sweep handles date triggers like thirty-days-to-departure. Every firing is logged, including the skip reason.

HOW CONSENT FOLLOWS AN ADDRESS

Consent lives on the address, not on a list row. A confirmation click, an offline-consent note, a re-opt-in on the preferences page, an unsubscribe, a bounce: all of it lands in one consent ledger keyed by address. Any surface that asks "may we email this person" reads that ledger plus the global suppression list, so consent granted in the portal and a suppression caused by a bounce protect every list and every campaign at once.

HOW STAFF PERMISSION RESOLVES

A staff sign-in produces the same session as a client sign-in; what makes it staff is the staff record attached to the account, carrying role and branch. When a guarded route runs, the role's permission list is read from the roles table (a custom role's list is exactly what the permission matrix saved), falling back to the built-in defaults only when the role has no row. Seeing and doing are separate entries in that same list: "invoices" the module opens the page, "issue invoices" the capability enables the action. Ownership of a chapter is a capability too, which is why the visa-officer picker can only offer staff who may own visa work.

HOW CHAT STAYS LIVE

Each participant holds a read cursor on a conversation; unread counts are the distance between that cursor and the latest message. Typing indicators and staff presence ride on lightweight heartbeats rather than sockets. When a client is offline, a reply is emailed; when they answer the email, the reply is

threaded back onto the same conversation by the token in the subject, so a thread started in the portal can continue in an inbox without forking.

HOW SCREENS STAY FRESH

The server emits typed domain events over a live stream whenever a fact changes: a payment recorded, a booking assigned, a document uploaded. Each event carries just the entity ids, and each is addressed to an audience: the client's own channel, or every connected console. The apps react by refetching only the affected slice, never the whole screen, so a payment settling mid-conversation updates the ledger without a reload.

SNAPSHOT INTEGRITY

Where a client's choice depends on catalogue data, the choice freezes a copy: a school selection stores the university, programme, country and tuition as they were at selection time. A later catalogue edit or deletion can never silently change what a client was quoted, and the offer terms recorded on each track (tuition, deposit, due date) are facts on the case, not lookups.

THE AUDIT CHAIN, MECHANICALLY

Every audited write computes a fingerprint over the entry's content plus the previous entry's fingerprint, and stores both. Verification replays the whole chain: if any entry was edited or deleted, every fingerprint after it stops matching. It proves tampering happened, not just that data changed, which is why the console shows the chain status as a badge rather than trusting the rows.

THE SWEEPS AND THEIR CLOCKS

- Every minute: due automation sends are delivered; inside the same run, a daily pass handles date triggers.
- Every fifteen minutes: unclaimed helpdesk requests are auto-assigned so nothing sits unanswered.
- Every sixty seconds: meetings are marked live or ended.
- Daily: rejected documents are purged; date-based automation triggers evaluated.
- On a schedule: staff calendar feeds are mirrored into busy blocks.

Every queued job carries an idempotency key; a duplicate key is a silent no-op, failed jobs retry with growing backoff, and finished jobs are kept only briefly, so the queue can't fill with history.

HOW THE RECORDS RELATE

One account (`users`) may be a client, a staff member, or both shapes at once (a staff record attaches to the account). A client has a profile; each engagement is a case; a case owns school submissions, invoices, documents, comments, chapter seats and handoffs. An invoice owns lines, payments and events; payments point at gateway transactions; stored authorizations power instalment charges. A conversation owns members, messages, attachments and reactions. A campaign owns a recipient ledger and tracked

links; the consent ledger and suppression list stand beside all of it, keyed by address rather than by list. People in marketing are assembled at read time from three sources (list contacts, applicants, leads), which is why one person can never appear as two rows.

Covers the three deployables (public site + portal, Operations Center, API + worker) and the shared packages, as of the current codebase.

· · ·

CENTURY NIT CONSULT · GENERATED FROM DOCUMENTATION.MD