

Step 1. Retrieve speech data from the server

Open terminal.

Log into server computer:

`ssh server address`

e.g., ssh webexperiments@hjpatt-136.umd.edu

Type in password (nothing will appear when you type):

(type in server password)

Access the folder that contains your speech data

`cd path/to/your_folder`

e.g., cd Sites/Web_Experiments/Phillips/Rosa/uploads

Check that the folder contains your speech data

`ls`

Go back to the main folder

`cd ..`

Compress the folder containing speech files to zip:

`zip -r name_of_zip ~/path/to/folder/containing/recording_files/`

e.g., zip -r uploads.zip uploads/

→ compresses 'uploads' folder and name the zipped folder 'uploads.zip'

Check that the zip file is created in the main folder:

`ls`

Exit the server:

`exit`

Download the zip file from the server to your local computer (requires server password):

`scp -r server_address:~/path/to/zip_in_the_server ~/path/to/local_destination_folder`
(type in server password)

e.g., scp -r

webexperiments@hjpatt-136.umd.edu:Sites/Web_Experiments/Phillips/Rosa/recordings.zip ~/PlanetCloze/data/backup

→ downloads 'recordings.zip' to a local folder 'backup'

Output of this section: a zip file containing speech files saved locally on your computer

Step 2. Convert .webm files into .wav files

Unzip all individual speech files using terminal:

```
cd path_to_folder  
unzip \*.zip
```

Convert the .webm files into .wav files:

```
cd path_to_folder  
for i in *.webm; do ffmpeg -i "$i" "${i%.*}.wav"; done
```

Rename the original folder to “webm_wav”

Make a new folder “wav” and copy-paste only the .wav files into the folder

Output of this section: a “wav” folder containing all speech files in .wav format

For the next step of the pipeline:

1. Download the *get_transcriptions.zip* file, unzip, and upload it to your Google Drive (under My Drive)
2. Replace the *wav* folder with your local *wav* folder containing all .wav speech files
3. Open and run *get_transcriptions.ipynb* on Google Colab

Supplementary Notes

Key terminal commands

To see a list of all files in a folder:

```
ls
```

To see a list of all files in a folder, ordered (most recent files on top):

```
ls -l -tr
```

To create a folder:

```
mkdir your_folder_name
```

e.g., `mkdir recordings`

→ creates a folder named 'recordings' in the location you are currently working in

To compress files in a folder:

```
zip -r name_of_zip ~/path/to/folder_containing_files/
```

e.g., `zip -r uploads.zip uploads/`

→ compresses 'uploads' folder and name the zipped folder 'uploads.zip'

To unzip a folder:

```
unzip folder_name.zip -d ~/path/to/destination/name_of_unzipped_folder
```

e.g., `unzip 'uploads.zip' -d ~/uploads_unzipped`

→ unzips 'uploads' folder and name the unzipped folder 'uploads_unzipped'

To upload and download files to and from the server:

On your local computer:

To upload a local folder to the server:

```
scp -r ~/path/to/your/local/folder.zip
```

```
webexperiments@hjpat-136.umd.edu:~/path/to/your_folder_in_the_server
```

(It will require the server password. Type in password and press enter.)

e.g., `scp -r ~/images.zip`

```
webexperiments@hjpat-136.umd.edu:~/Sites/Web_Experiments/Phillips/Rosa/PlanetCloze/stims
```

→ uploads 'images.zip' to the 'stims' folder on the server computer

To download files from the server to your local computer:

```
scp -r webexperiments@hjpat-136.umd.edu:~/path/to/your_folder_in_the_server  
~/path/to/your/local_folder
```

(It will require the server password. Type in password and press enter.)

e.g., `scp -r`

```
webexperiments@hjpat-136.umd.edu:~/Sites/Web_Experiments/Phillips/Rosa/recordings.zip ~/PlanetCloze/data/backup
```

→ downloads 'recordings.zip' to a local folder 'backup'