PIZZA SALES

USING MYSQL

PRESENTED BY

EKTA RANI

```sql
-- Retrieve the total number of orders placed.--

select count(order_id) as total_orders from orders;
```

total_orders
21350

```sql
-- Calculate the total revenue generated from pizza sales.--
SELECT
    SUM((order_details.quantity * pizzas.price)) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id
```



total_sales
817860.049999993

```sql
-- Identify the highest-priced pizza.--

SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

	name	price
▶	The Greek Pizza	35.95

```sql
-- Identify the most common pizza size ordered.--

SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC
LIMIT 1;
```

	size	order_count
▶	L	18526

```sql
-- List the top 5 most ordered pizza types along with their quantities--
select pizza_types.name,
sum(order_details.quantity) as quantity from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id join
 order_details on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name
order by quantity desc
limit 5;
```

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

```sql
-- Join the necessary tables to find the total quantity of each pizza category ordered.

SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS total_quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY total_quantity DESC;
```

	category	total_quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050

```sql
-- Determine the distribution of orders by hour of the day.
SELECT
    HOUR(order_time) AS hours, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY hours
ORDER BY order_count DESC;
```

hours	order_count
12	2520
13	2455
18	2399
17	2336
19	2009
16	1920
20	1642
14	1472
15	1468
11	1231
21	1198
22	663
23	28
10	8
9	1

```sql
-- Join relevent tables to find the category wise distribution of pizzas.
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

category	COUNT(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

```sql
--  Group the orders by date and calculate the average number of pizzas ordered per day.
SELECT
    ROUND(AVG(quantity),0) AS avg_pizza_orders
FROM
    (SELECT
        orders.order_date, SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY orders.order_date) AS order_quantity;
```



	avg_pizza_orders
▶	138

```sql
-- Determine the top 3 most ordered pizza types based on revenue.
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

```sql
-- Calculate the percentage contribution of each pizza type to total revenue.
SELECT
    pizza_types.category,
    (SUM(order_details.quantity * pizzas.price) / (SELECT
            ROUND(SUM(order_details.quantity * pizzas.price),
                    2)
        FROM
            order_details
                JOIN
            pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```

category	revenue
Classic	26.90596025566967
Supreme	25.45631126009862
Chicken	23.955137556847287
Veggie	23.682590927384577

```sql
--  Analyze the cumulative revenue generated over time.
select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(order_details.quantity * pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date) as sales;
```

order_date	cum_revenue
2015-01-01	2713.8500000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4
2015-01-10	23990.350000000002
2015-01-11	25862.65
2015-01-12	27781.7

```sql
-- Determine the top 3 most ordered pizza types based on revenue for each pizza category.
select name, revenue from
(select category, name, revenue, rank() over(partition by category order by revenue desc) as rn
from
(select pizza_types.category, pizza_types.name,
sum((order_details.quantity) * pizzas.price) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category, pizza_types.name) as a) as b
where rn <=3;
```

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5
The Classic Deluxe Pizza	38180.5
The Hawaiian Pizza	32273.25
The Pepperoni Pizza	30161.75
The Spicy Italian Pizza	34831.25
The Italian Supreme Pizza	33476.75
The Sicilian Pizza	30940.5
The Four Cheese Pizza	32265.70000000065
The Mexicana Pizza	26780.75
The Five Cheese Pizza	26066.5