Продвинутое использование git

Элза Синюшко¹ 6 марта, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы —

Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

Node.js

Рис. 1: Node.js

commitizen

```
ksinushko@eksinushko:~$ pnpm add -g commitizen
                    Update available! 8.12.0 \rightarrow 8.15.4.
       Changelog: https://github.com/pnpm/pnpm/releases/tag/v8.15.4
                    Run "pnpm add -g pnpm" to update.
          Follow @pnpmjs for updates: https://twitter.com/pnpmjs
Packages: +152
Downloading registry.npmjs.org/typescript/5.3.3: 5,76 MB/5,76 MB, done
Progress: resolved 152, reused 0, downloaded 152, added 152, done
 commitizen 4.3.0
Done in 5.5s
```

Рис. 2: установка commitizen

standard-changelog

```
eksinushko@eksinushko:-$ pnpm add -g standard-changelog
Packages: **56

Progress: resolved 208, reused 152, downloaded 56, added 56, done

/home/eksinushko/.local/share/pnpm/global/5:
* standard-changelog 5.0.0

Done in 4s
eksinushko@eksinushko:-$
```

Рис. 3: установка standard-changelog

package.json

```
    Открыть
    package.json

    */git-extended

    1 {
    "name": "git-extended",

    3 "version": "1.0.0",
    "description": "Git repo for educational purposes",

    5 "main": "index.js",
    6 "repositoryn: "git@github.com:eksinushko/git-extended.git",

    7 "author": "eksinushko",
    8 "license": "CC-BY-4.0",

    9 "config": {
    "commitizen": {

    11 "path": "cz-conventional-changelog"

    13 }

    14 }

    15
```

Рис. 4: package.json

Использование commitizen

```
ksinushko@eksinushko:~/git-extended$ git add .
cz-cli@4.3.0, cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify src or
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master 5f8fa26] chore: y
1 file changed, 15 insertions(+)
 create mode 100644 package.json
eksinushko@eksinushko:~/git-extended$ git push
Перечисление объектов: 4, готово
Подсчет объектов: 180% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 108% (3/3), 480 байтов | 240.80 КиБ/с, готово.
Всего 3 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:eksinushko/git-extended.git
  ec88ab8..5f8fa26 master -> master
```

Рис. 5: Отправка

```
ksinushko@eksinushko:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
 - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/eksinushko/git-extended/.git/hooks]
eksinushko@eksinushko:~/git-extended$ git push --all
Всего 0 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:
             https://github.com/eksinushko/git-extended/pull/new/develop
remote:
To github.com:eksinushko/git-extended.git
                    develop -> develop
 * [new branch]
 ksinushko@eksinushko:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

git-flow

```
ksinushko@eksinushko:~/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'.
Переключились на новую ветку «release/1.0.0»
Summary of actions:
 A new branch 'release/1.0.0' was created, based on 'develop'
 You are now on branch 'release/1.0.0'
Follow-up actions:
  Bump the version number now!
 Start committing last-minute fixes in preparing your release
  When done, run:
     git flow release finish '1.0.0'
 ksinushko@eksinushko:~/git-extended$ standard-changelog --first-release

✓ created CHANGELOG.md

✓ output changes to CHANGELOG.md
 eksinushko@eksinushko:~/git-extended$ git add CHANGELOG.md
eksinushko@eksinushko:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 c4c3954] chore(site); add changelog
 1 file changed, 4 insertions(+)
create mode 100644 CHANGELOG.md
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
```

Рис. 7: Завершение релиза

Отправим данные на github

```
ksinushko@eksinushko:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжажии изменений используется до 6 потоков
Сжатие абъектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 554 байта | 184.00 КиБ/с, готово.
Всего 5 (изменений 2), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (2/2), done.
To github.com:eksinushko/git-extended.git
  5f8fa26..48f99ed develop -> develop
   5f8fa26..490e704 master -> master
eksinushko@eksinushko:-/git-extended$ git push --tags
Перечисление объектов: 1. готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 156 байтов | 156,00 КиБ/с, готово.
Всего 1 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:eksinushko/git-extended.git
 * [new tag]
 ksinushko@eksinushko:-/git-extended$ gh release create v1.8.0 -F CHANGELOG.md
https://github.com/eksinushko/git-extended/releases/tag/vl.0.0
 ksinushko@eksinushko:-/git-extended$
```

Рис. 8: Отправка

Объединение веток

```
eksinushko@eksinushko:-/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:
 A new branch 'feature/feature_branch' was created, based on 'develop'
 You are now on branch 'feature/feature branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature branch
eksinushko@eksinushko:~/git-extended$ touch test2
eksinushko@eksinushko:~/git-extended$ git flow feature finish feature_branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была 48f99ed).
Summary of actions:
- The feature branch 'feature/feature branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'
 eksinushko@eksinushko:~/git-extended$
```

Рис. 9: Объединение веток

git-flow

```
Ħ
                                   eksinushko@eksinushko:~/qit-extended
                                                                                           a ≡
 ksinushko@eksinushko:~/git-extended$ standard-changelog
 output changes to CHANGELOG.md
   inushko@eksinushko:-/git-extended$ git add CHANGELOG.md
      shko@eksinushko:~/git-extended$ git commit -am 'chore(site): update changelog'
release/1.2.3 2bb34c9| chore(site): update changelog
2 files changed, 5 insertions(+), 1 deletion(-)
         oweksinushko:-/git-extendeds git flow release finish 1.2.3
ереключились на ветку «master»
та ветка соответствует «origin/master».
Herge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
package, ison | 2
2 files changed, 5 insertions(+), 1 deletion(-)
аша ветка опережает «origin/master» на 3 коммита.
(используйте «git push», чтобы опубликовать ваши локальные ко<u>ммиты)</u> 🛚
ереключились на ветку «develop»
та ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
package.json | 2
2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была 2bb34c9).
Summary of actions:
 Release branch 'release/1.2.3' has been merged into 'master'
 The release was tagged '1.2.3'
 Release tag '1.2.3' has been back-merged into 'develop'
 Release branch 'release/1.2.3' has been locally deleted
 You are now on branch 'develop'
 csinushko@eksinushko:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово,
При сжатии изменений используется до 6 потоков
```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
ksinushko@eksinushko:~/work/study/2023-2024/Операционные системы/os-intro$ git add
cz-cli@4.3.0, cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify src or
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master 170a43a] chore: y
1 file changed, 14 insertions(+)
create mode 108644 package.json
No files added to staging! Did you forget to run git add?
eksinushko@eksinushko:~/work/study/2023-2024/Операционные системы/os-introl$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 470 байтов | 470.00 КиБ/с, готово.
Всего 3 (изменений 1), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:eksinushko/os-intro.git
  6323c23..170a43a master -> master
   inushko@eksinushko:~/work/study/2023-2024/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория




Рис. 12: Завершение релиза

Выводы по проделанной работе

Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.