PROJECT 10073 RECORD CARD

1. DATE 15 March 1963 3. DATE-TIME GROUP Local GMT 16/0730Z 5. PHOTOS D Yes XXNo	2. LOCATION 36.32N 174 4. TYPE OF OBSERVATIO Ground-Visual XXX Air-Visual 6. SOURCE Military	.02W (Pacific) N O Ground-Radar D Air-Intercept Radar	Was Aircraft Probably Aircraft Possibly Aircraft Was Astronomical Probably Astronomical Probably Astronomical Possibly Astronomical						
7. LENGTH OF OBSERVATION	8. NUMBER OF OBJECTS	Northerly	Satellite Insufficient Data for Evaluation Unknown						
Space object, small resembling bright st through 30 dgr arc f 120 dgr at 30 dgr el Altitude & speed unk speed estimated very	ar tracked m 150 dgr to evation. nown, but	Possible satellite sighting.							

ATIC FORM 329 (REV 26 SEP 52)

INCOMING

AF IN: 52416 (16 Mar 63) L/sc

page 1 of 2

SMB 3244

ZCZCHQA659ZCUJA259

YY RUEAHO

DE RUHPHC Ø38

ZNR

Y 260929Z

FM CONHAWSEAFRON

TO RUHLKW/COMD HAWAIRDEFDIV WHEELER AFB

INFO RUHPB/CCNCPACFLT

RUWGALB/CINCHORAD ENT AFB, COLO

R'EAHQ/COFS'SAF WASHDC

RUECWISECHAV

R"ECW/ CNO

RUHAFS/CINCUSARPAC

R"HPA/CINCPAC

RUHLKMIPACAF

RUHLKSA/PACAF BASECOM, HICKAM AFB

RUKACR/ COM ALSEAFRON

MAVY

O 160907z: 52416 (16 Mar 63) | N C O M | N G

page 2 of2

FM COMBARPAC

TO COMHAWSEAFRON

ET

MCLAS

- 1. CIRVIS REPORT
- 2. BARRIER AIRCRAFT N43217
- 3. SPACE BORN OBJECT, SMALL AND CIRCULAR,
 RESEMBLING BRIGHT STAR TRACKED THRU 30 DEGREES OF
 ARC FROM 150 DEGREES THRU 120 DEGREES TRUE
- 4. REPORTING AIRCRAFT POSIT 36-32N, 174-02W
- 5. 160730Z
- 6. "NKNOWN 30 DEGREES ABOVE HORIZON
- 7. LOME
- 8. "MKNOW!! BUT VERY FAST
 - 9. REPORTING A/C AT FL100 HEADING 195 TRUE
- 15. THIS MSG COMFIRMS IMFO PRESENTED BY PHONECOM AT 160820Z.

DT

16/0908Z

NOTE: ADV CY TO NIN, CIIC AND XOPX.

	10.00	in a	2	
- 14		S-	-50	
- 9			36 4	
		Service	1000	

				TELLITE	1940	LOTA 1					100				14.7												
EQUA	tex					DIHER LA	TITUDES	2				four	109		,	VIELLITE		OTHER LA	ELTUDES								
5.		11.24		SOUTH-		Takana a l		////////	-SOUTH	www.			N		Second .	SOUTH				NORTH-	SOUTH						
(07)	1347	LAI.	CORR.	Chee.			COPA.		1411	IN-ET		TIME	I MI	LAI.	TIME CORR.	CORR.	HT.	50 SARKES BUILDING	TIME CORR.	LUNG.	HT.	REAR.					
				MARC	н 10.	1763	4 .									HARC	H 14.	1963									
1 24.3	63-17	67.4	29.0	-82.64	496	90.00	29.0	-87.08	396	90.0*					1 22 -							ween					
1 19.8	97.92	45.0	23.9		910		127 17 17 17	-104.55	394	107.60		1 35.2	10 mars 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1	47.4	29.1		913	200000000000000000000000000000000000000		-82.67	713	90.0					
	122.12	40.0	19.7	-55.47	971			-119.85	1 1 2 2 2 2 3 3			3 31.4	142.12	40.0	19.7		974			-104.53	302	107.60					
1 10.0	191.12	35.0	16.6		953	54.0		-129.49	871	124.0*				15.0	14.6		917			-119.82	889	117.2.					
1 511	18 .52	10.0	11.9	-71.54	936			-136.84	369	130.50		9 17.9		10.0	13.9		941			-136.77	886	130.40					
	134741	20.0	9.0	-11.26	965		2004	-148.15	3.55				277.72	20.0	7.0	-17.21	948	43.7		-148.04	101	136.30					
		-/0.0	-9.1	17.75	975	CHILINE.		147.04	392	136.1		13 3.4	259.32	0.	0.	0.	957	39.9.		-165.44	3 * 1	140.1-					
	291.47	311.0	-14.0	28.51	974	10000	-44.7		207	136.6		15 59.7	317.52	-20.0	-7.0	17.26	960		-49.2		992	136.3					
	200053	-35.0	-16.5	35.02	975	54.0+	-42:0		-316			18 55.1	351.52	-10.0	-13.0	28.53	957	54.00	-44.4		203	130.6					
	4344	-47.0	-17.7	55.45	317		-38.9		126	119.7		20 50.6	15.12	-40.0	-17.8	45.46	954	60.70	-36.7		116	117.2					
77 14.1	24.24	-15.0	-24.2	10.69	91.6		-34.7		740	107.6		77 46.0	44.03	-45.0	-/4.0	60.73	944	77.40	-34.5		127	107.6					
		-47.4	-29.4	*2.53	955	40.04	-29.5	82.57	3,55	90.00				-41.4	-29.3	82.58	938	90.0	-20,1	82.62	7 39	90.0					
				Heur	11 1 k .	1963				*						HAHC	и 15.	1963									
0.74.5	54.12	57.4	29.0	27.64	901	90.34	79.0	-82.68	201	9020*		0 41.5	74.13	47.4	29-1	-87.62	716	90.0	29.1	-82.67	216	90.0					
. 25.0	63.12	15.0	23.9	-60.11	91-		(C) (C) (C)	-104.54	5 5 7	107.60			103.33	45.0	13.9	-60.77	925	77.4		-104.57	206	107.4.					
4 70.4		10.0		-45.47		60.6		-117.55	5.41	112.70			137.53	40.0			933	44.7	38.4	-119.02	9.94						
6 15.9	191:11	15.0	16.6	-35.55	Chart	54.0	12 10 20 20 20 20	-129.45		126.00			161.73	35.0	100000000000000000000000000000000000000	-34.87		54.0		-127.45	9 74	126.0-					
E 11.3		101.0	13.4		195/176621	47.4		-136.82		130.5*		10 18.7	191.43	20.0		-11.21		47.4		-136.77	8 90	130.60					
17 5.7		0.0	100	-11.76	954	39.9		-147.17		136.3*		17 14.1		0	0.	0.		39.90		-145.02	185	140.1					
12 51.6			-9.1	17.75		43.70		141.35		136.3		14 9.5		+20.0	-9.0	17.26	The state of the s	41.70		148-07	293						
15 53.1		- 25- 25	-14.0	25.51		47.40		116.66		130.5		16 5-0	202.71	- 10 - 0	-13.9	28.53	754	49.41		136.72	903	130.6					
17 40.5		17.6	-16.7	15.05	75,797,777	34.0*		129.33	714	126.0		## C.4		- 55.0	-14.6	15.65		54.0-		179.19	308	176.0					
	350.11	-4:0.D	-19.9	45.46	768			119.70	1000 1000	119.2		19 55.9	2-13	-41.0	-19.8	45.47		60.70		119.76	7.575	113.5					
71 57.4	15.11	-45.0	-24.1	60.10	W. 10 C.	77.44		104.47		107.6		21 46.1	65.54	-47.4	-24.0	82.59	215	72.4.	-34.4		725	107.6					
21 34.8	44.91	-41.4	-27.4	82.54	950	90.00	-24.4	82.58	430	90.00		.50.50.50							-17.1	37.63	F 20.70	90.0					
				PARE	11 12,	1363						named a	1652 50	1000000	10000		H 16.	1963									
1 10.7	74.74	41.4	29.0	-87-53	705	90.0	79.1	-87.67	705	90.0			91.74	41.4	29.1	5-75-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-		90.0		-82.67	717	70.0					
1 25.1		4 .0		-1/1 - 77	91A			-104.54	9.94	107.60			177.94	45.0	23.7	-60.11		12.4		-104.52	710	107.60					
2 /1-1		49.0		-45.44		60.		-119.81		119.24		100 to 10	151.34	15.0	19.7	-45.49		54.0		-117.81	898	126.00					
9 12.0		10.0		-15.PA		47.4	MUZZTS-MU	-120.47	3.40	130.60		9 23.4		30.0		-28.55		47.4		-136.78	394	130.4.					
11 7.4		70.0	9.0			43.7		-148.12	0.000	136.31		11 19.4		20.0		-17.27		43.7		-146.08	369	116.10					
11 2.3		0.0	0.	0.0		10.00		-165.57		140.1		13 14.8		18.	0.	0.		19. 40	57.1	-165.41	181	140-1-					
14 52.3	270.11	-271.21	-4.1	17-26	0.000	43.7.		141.51		135.3		15 19.3		-2000	-1.0	17.27		43.70		148.03	435	136.3					
	334-11	- 9.0	-14.0	75.37		49.41		136.68		130.6		19 1.7	356455	-10.0	15.6	15.86		54.00		136.74	101	130.6					
10.3	630 - 5.5	- 05.0	-16.7	25.03	366		-41.7		711	126-0		70 55.6		-4/5-27	-17.1	45.48		60.70		129.40	714	120.0					
12 40.0	34.71	43.0	-19.4	60.71	763			104.44	720	107.6		22 52.0	54.45	43.0	-24.0	60.15		12.40	7 - 254 7 1	104.49	123						
10.000	6.21.6.(3.4)	-67.4	-27.1	82.55	2007257			62.59		90.43				-Adda.	-23.2	07-60		90.0		82.64		90.0					
				жане	H 13.	1963												*									
15.5	54.17	11.4	23.1	7.51	202	90.0	27.1	-87.57	700	90.0		MODIFIED	DREITAL	STERENT	Eng EA	FTH SATE	LLIT	1760 101	. 1								
7 10:00		45.7		- 50.11		17.4	14.7	-104.53	9.78	107.6*																	
	12 157	58+5		-4-12		50.0		-119.83		114-5-		SPERENT			F 2.0	1 4 75.	14 4 1	4									
1 24-4		15.0	1974 S + DUACO	- 11 . 7.4		54.0	C10, 74 To C17 U	-177.46		176.0		ASCENTIN			11.51 pr	WEST											
1 17-1		10.0		-17.27	TPC-PST'A	47.4		-146.11	0.000	130.30																	
10 17-1	** -1	2010	7.4.27			7.3	46.0		1 62									AND ARCHITECT OF THE TOTAL TO BET THE TOTAL OF THE TRANSPORT OF THE TOTAL OF THE TO									

57.5 -165.45 579 140.15

-49.3 147.39 39/ 176.1

-44.5 136.69 101 130.6

-41.0 129.36 310 175.0

-18.7 119.73 918 117.7

-44.5 104.45 379 107.6

-29.3 82.61 347 70-0

149 19.90

12 1.1 239.17

4 1.6 (1-.5) 26.3 -2.0 17.75 964 43.74

** 99.0 997.77 - H.O -14.0 20.52 763 49.40

11 5.5 176.90 -35.0 -16.7 35.45 261 54.00

7 1 49.7 \$16.17 ANC.0 +19.8 55.55 758 AO.70

1 45.3 /5.40 15.0 -24.4 /6.10 352 12.40

" tal. 1" tal. 12 " tal. 5 " 20. 5 17. 50 907 90.0

* * *

REFERENCE TIME 1461 F 3 M 2 D 1 H 39,39 H MT
INCLINATION ALLZ DIG.
ASCENDENC NOWS LIGHTLE THE DES -16.40 MIN.
ANGEMENT OF CHARGE 121.10 DEG. PER PERIOD
ANGEMENT OF CHARGE 1,27031 DEG. PER PERIOD
ANGEMENT OF CHARGE 3,00005 MIN. PER PERIOD
ECCENTRICITE PERIOD LIS. SEZ MIN.
HASE OF CHARGE 3,00005 MIN. PER PERIOD
ECCENTRICITE DER COLORS AND PERIOD
ECCENTRICITE DE ANGEL 3,00005 MIN. PER PERIOD
ECCENTRICITE DE ANGEL 3,00005 MIN. PER PERIOD
ECCENTRICITE DE ANGEL 3,00005 MIN. PER PERIOD
ENDIUS DE ANGEL 455.7 MILES
ENDIUS DE ANGEL 455.7 MILES
ENDIUS DE ANGEL 455.7 MILES

ASCANDING WITH THE ALL THE STREET PER DAY

ASCANDING WITH THE ALL THE STREET PER DAY

LATER OF CHANGE - 1. ZAAAN DEG. PER DAY

LATER OF CHANGE ALL THE DEG.

The state of the s