PROJECT 10073 RECORD CARD

1. DATE	2. LOCATION		12. CONCLUSIONS				
13 Apr 60	Rhein Main AB,	Germany	D Was Balloon D Probably Balloon Possibly Balloon				
J. DATE-TIME GROUP Local GMT /3/00352 5. PHOTOS / D Yes P No	4. TYPE OF OBSERVATION Of Ground-Visual Of Air-Visual 8. SOURCE Military	O Ground-Roder D Air-Intercept Rader	O Possibly Bolloon O Was Alteraft CK Probably Aircraft D Possibly Aircraft O Probably Astronomical D Possibly Astronomical D Possibly Astronomical				
7. LENGTH OF OBSERVATION 3-4 min	8. NUMBER OF OBJECTS One	9. COURSE descending	O Other U Insufficient Data for Evaluation Unknown				
O. BRIEF SUMMARY OF SIGHTING		11. COMMENTS					
Round, yellow object, siz 4-500 knots speed. No tr straight down.		that sighting c	orting officer's report orresponded with a/c ding at Rhein Main airpor				

ATIC FORM 329 (REV 26 BEP 52)

NNNNZCZCSQPD370CZCSQA435ZCJYA2Ø9

PP RJEDSQ

DE RJFPBW 313

P 141558Z

FM CINCUSAFE

TO RJWFAL/ADC

RJEDSQ/COMDR ATIC

RJEZHQ/COFS USAF

RJEZHQ/OSAF

BT

UNCL FROM ITIGM 141968. ACTION ADC, ATIC FOR AFCIN-4,

COFS FOR AFCIN-1A1, OSAF. THE FOLLOWING REPORT OF UFO SUBMITTED IN

ACCORDANCE WITH AFR 200-2, PAR 15: UFO. A. 1. ROUND. 2. GRAPEFRUIT.

3. YELLOW. 4. ONE. 5. N/A. 6. 4-500 KNOTS SPEED. 7. N/A.

8. NONE. 9. NO TRAIL. B.1. 400-500 KNOTS YELLOW. 2. 250-20,000

FEET. 3. 270 DEGREES. 4. DROPPING FAST. 5. STRAIGHT DOWN.

6. 3-4 MINUTES. C.1. GROUND VISUAL. 2. N/A. 3. N/A.

D.1. 5335Z, 13 APR 65. 2. NIGHT. E.1. RHEIN MAIN AB GER.

2. 5002N 0840E. F. 25

OPERATION LOCATION 11, 693 ACW SQ, FRANKFURT AMIS. G.1. GOOD.

10

1 4 E 2 4 X X ATIC

PAGE TWO RJFPBW 313.

2. CALM. 3. CLEAR. 4. 6 MILES. 5. N/A. 6. N/A. 7. UNKNOWN.

H. NONE. I. N/A. J. NO AIRCRAFT IN AREA. K. ALL CONTROL

AGENCIES WERE CHECKED FOR POSSIBLE AIRCRAFT IN AREA WITH NEGATIVE

RESULTS. 1255Z, 13 APR, S/SGT HARRIS, RHEIN MAIN AB. L. NONE.

17. THIS REPORT IS SUBMITTED FOR YOUR INFORMATION AND ANY ACTION

DEEMED NECESSARY. NO ACTION TO INVESTIGEE THIS INCIDENT FURTHER

BEING TAKEN AT EURATIC.

BT

14/1700Z APR RJFPBW

APO 57, NEW YORK, N. Y.

THE FIRE

ATTI DEL OPS

sumser: UPO Sighting Report

25 APR 1960

Weight-Fatterson AFB, Ohio

IMFO TO: Aerospace Technical Intelligence Conter European Detachment APO 633, US Forces

Attached in the complete initial UFO report prepared by this base in compliance with AFR 200-2. Preliminary sighting information has already been furnished to the ATIC Office, UBAFE, by Frenkfurt Flight Service.

FOR THE COLLLANDER:

WILLIS J. HUBERT
Major, USAB
Administrative Officer

2 Atch

1. AF Form 112

2. Page 45 (FIB), Enroute Low Altitude (RFC), Europe

GOUNTRY OF ACTIVITY REPORTING REPORT N		(Leave blank)			
COUNTRY OR AREA REPORT CONCERNS Rhain Main AB, Germany	DATE OF INFORMATION 13 Apr 60				
ACTIVITY SUBMITTING REPORT 7310th Support Gp APO 57, New York, NY	DATE OF COLLECTION 1.4-20 Apr 60	SRI STATUS (If applicable) SRI NO. CANCELED/COMPLETE			
PREPARING INDIVIDUAL Capt F. E. GOTCH	21 Apr 60	SRI NO. CANCELED/INCOMPLETE			
NAME OR DESCRIPTION OF A CAWRON OLA#11 603 ACAWRON - Frenk Frut AMIS	EVALUATION	ADDITIONAL INFORMATION ON (Date)			
REFERENCES (BAIR Subject provings reports etc., as applicable	le)				

Frankfurt Flight Service Telecon with ATIC Off, Hq USAFE

SUBJECT (Descriptive title. Use individual reports for separate subject)

TFO SIGHTING REPORT

SUMMARY Give summary which highlights the salient factors of narrative report. Begin narrative text on AF Form 112a unless report can be fully stated on AF Form 112. List inclosures, including number of copies)

An unidentified flying object (Light) was reported sighted from Rhein Main by an airman at 0035Z on 13 April 1960. Despite inquiry from local agencies, including the primary air control organizations, no supporting evidence can be found for an assumption that this was other than an ordinary image. The most logical explanation is that the light emanated from a descending aircraft and was too common an occurrence to impress any other observer(s).

INCLS

DISTRIBUTION BY ORIGINATOR (Except USAF and file. Indicate Dupl Mloz and copies who inclosures, if applicable)

Aerospace Technical Intelligence Center European Detachment APO 633 US Forces

WARRING: This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 1s, U.S.C., Section 793 and 794. Its transmission or the revolution of its contents in any manner to an anauthorized person is prohibited by law.

REPLACES AF FORM 112, 1 OCT 52, WHICH MAY BE USED

Air Force-USAFE, Wabn, Ger-57-6169

Subject: UFO Sighting Report.

- a. The following is the description of the UFO which is the subject of this report:
- (1) Its shape was round, and (2) its size was that of a medicine ball held at arms length. (3) The color was uniform and a deep, bright yellow. (4) There was only one in number, thus (5) so formation. (5) No features or details could be discounced, only the light of uniform intensity. (7) There was no tail, trail, or exhaust evident. (8) No sound could be heard. (9) Speed was estimated at 400-500 knots.
- b. (1) The observer's ettention was first attracted by the movement of the light in the dark sky. (2) Initially the object was observed 60° above the horison between 250° and 270° of asimuth. (3) It disappeared in the same azimuth but at ground level. (4) The light burned steadily and the course was unswerving as it arched down and away from the observer. (5) It grew smaller and dismer before disappearing instantaneously in the West. (6) The observation lasted an estimated 3-4 minutes, without reference to a wetch.
- c. (1) The observation was made from the ground by an individual atop a building, (2) without benefit of any optical aids. (3) Not applicable.
- d. (1) The time was 0035% on 13 April 1960. (2) It was a dark night with some stars visible.
- e. The observer was situated stop the civilian terminal building on the north side of Rhein Main Air Base (03 40 E & 50 02 E).
- of the 603rd AC&WRON, Frankfurt AMIS. He is on liaison duty with Frankfurt Air Traffic Center copying flight plans on aircraft having a destination in the East Zone. From a personal interview and information on the professional background of Airnan
- 5. (1) The witness described the weather as clear and calm with clouds to the South and Southwest. Visibility was good. (2) Rhein Main and Wissbaden both reported surface winds as calm. Nearest winds aloft available are from Stuttgart: 5000' 240/10, 10000' 300/10, 16000' 330/10, 25000' 020/30, 30000' 340/40, 50000' 270/10 and 80000' 290/15. The winds at Rhein Main would vary little from these. (3) Rhein Main reported a ceiling of 22,000 feet and (4) visibility of 10 miles. Wiesbaden reported 7 miles visibility. (5) Rhein Main reported an overcast sky condition, while Wiesbaden had a high broken condition. (6) There were no thunderstorms in the area. (7) Temperatures at altitude at Stuttgart (approximately same as Rhein Main) were: 5000' 0'C, 10000'-5, 16000'-18 and 25000'-34"
- h. There was no unusual activity or condition, meterorological, astronomical, or otherwise, which might account for the sighting.
- i. No interception or identification action was taken.
- j. The following agencies were contacted to determine whether any air traffic or balloon releases in the area could possibly account for the sighting: Frankfurt ATCC, Frankfurt Flight Service, USAFE Command Post, 17th Air Porce COC, Rhein control, and the AF metro station at Rhein Main. Also checked for possible leads were: AF radio site at Wasser Kuppe, Army S-2 detachments at Bad Kreuspach and Mainz, Wiesbaden Operations and the Army metro station at Hanau.

k. The preparing officer is Captain Francis E. Gotch, the Ground Training Officer from the Operations section of the 7310th Support Group.

A study of the evidence available, including taped conversations between air traffic and Approach Control (and the tower) at Rhein Main, craft inbound to Rhein Main.

The only air traffic close to the time interval concerned was PAi clipper 160, a freighter inbound to Frankfurt from Amsterdam on Amber 10. At 0031Z the eigeraft reported to Frankfurt approach, enroute to the Limburg fan warker and descending from FL90 to 4000 feet. At 0032Z he was over Limburg (confirmed by radar), descending through FL75. At 0035Z he reported passing FL60 and was cleared to 3000 feet on a heading of passing through 4000 feet and was cleared to 2000 feet on a heading of Passing through 4000 feet and was cleared to 2000 feet on a heading of 2000 feet and was vectored to 210, then 230, to intercept the ILS localizer for a landing on runway 25R. Aircraft landed at 0042Z.

captain , a local PAA check pilot, stated it is general practice for their pilots to show one or two landing lights during descents in the Frankfurt area to better distinguish their aircraft from ground lights. Therefore, it appears that what Airman saw was not a light moving away from the field but rather the landing light(s) of an aircraft descending to land. His estimates of altitude and airspeed under night conditions must be considered, at best, uncertain. The reported absence of any sound was due to the neighboring disturbance of an operating radar antenna and ventilation unit on the roof. The variance between the azimuth of the light reported and the bearing of the aircraft could be tions.

A significant factor in the formation of the conclusion is the absence of any other reports from the densely populated Frankfurt area of any peculiar occurrence. Such illusions involving lights at night can be expected to occur quite frequently in the vicinity of a busy airport.

c. There is no physical evidence, such as materials or photographs.

A	E-man man	1	4 12	ega:	2.1
- 2	UTT	100	G III		46
100		20			

AERODROME OR FACILITY		AIDS TO NAVIGATION							1 A/	G VOICE	TOWERS		I. L. A.	FOR AND TIMES & AND REMARKS SEE AND DIRECTORY PAGES	
NAME	ELEV IN FEET	0? BY	TYPE	UPSTRACT	· Charles and the same of the	POWER CLASS	EM	FAC. T MAG. BRG.	O FLO. N. M.	CALL	FREQ GROUND	CALL	FREQ GROUND	TYPE	REMARKS
ADEN/BADEN	407	FAF	1	CH ST. THE	- Impate	act town				The same of the sa		Baden Airport	117.9		O/R 30 min to Lohe Twe
REITENBACH		USAF	Rün	BRB	416	50W	A2								
(STRASSOURG)	501	Civ	RBn EBn	FOS SE	389	506W 40W	A1	079	0.6	Paris Control APC ②	128.3 ① 362.3 - 360.9 - 119.7 - 119.1	Shasbourg ② Airport	257.8 - 231.4 - 119.7 - 117.9 119.7		(i) Paris ATC for E France, Awy R-7 & Awy R-10 on fest. Paris ACC relay. (i) 0600-2400 Mon; 2400-0130, 0600-2400 Tue, Wed Thu, Fri; 2400-0130, 0600-1700 Saf; 0600-1900 Sun O/T O/R.
ROS TENQUIN	\$20	RCAF	RBn	GT	302	100W	A2	At	FLD	APC !!	385.4 - 362.3 - 317.5 - 293.8 257.8 - 243.9 - 136.08 - 133.74 117.9 - 116.1 - 108.72 - 121.5		385.4 - 362.3 - 317.5 - 293.8 257.8 - 252.5 - 243.0 - 136.08 117.9 - 116.1 - 109.72 - 121.5 3023.5	Radar	
EIDELBERO	367	USA	Rin ②	HDL	383	75W	AZ	035"	1.9	APC #	119.3	Tower ①	117.7 - 119.3 - 121.5		① PFSV 0500-2000 Mon-Fri; 0600-1600 Sat, Sun Hol. ② Unreliable beyond SONM.
ERRENBERG		Civ	RBn	HRB	401		A2								
AHR	525	FAF	RBn C	LR	450 473	250W 350W	A1 A1	011"	0.2	Foreno APC ①	362.3 - 243.0 - 140.40 - 119.7 117.9 x - 107.10 - 121.5	Airport II	257.8 - 243.0 - 119.7 - 117.9 116.64	Radar	PPO Cmdr 1st French Air Division Lahr 0300-1800 Mon-Fri; clsd Sat, Sun, Hol
ENGEN	1813	GAF	RSn ②	Lin	4/3	33011				Munich Control	See Musich ACC	Tower. !!	117.7 - 136.08 x - 151.56 x 137.18 x - 132.48 x - 135.0 x 133.38 x - 148.14 x - 121.5		
ECKAR		Civ	RSn	NKR	355		AO/A2								
HALSBOURG	1016	USAF	RBn ② Omni TACAN	PL PL FL	CHA21	50W TVOR	A2	245° A1 A1	4.6 FLD FLD FLD	Mosella APC	① 303.4 - ① 137.88	Tower	371.8 - 257.8 - 243.0- 117.9 121.5	Radar	Moselle Term Can Mandatary for all IFR acts a & dept Unret N quad over 25NM due to inferference Hahn RBn
AMSTEIN	779	USAF	RBn Omei ①	1-2-1-1 RMS EMS 2-1-1-1	362 115.1	400W TVOR	A2	271° A! 358°	4.8 FLD 4.0	Sembach Control (RAPCON)	See Sembach	Tower	295.0 - 257.8 - 243.6 - 141.3 117.9 - 121.5	Redar	① On fest, unreliable not to be used.
OTTWEIL		Civ	RBn	RWL	407		AO/A2								
DELLINGEN	405	RCAF	RBn	58	443	100W	A2	Al	FLD	APC #	362.3 x - 344.0 x - 317.5 x 257.6 x - 243.0 - 149.04 143.46 - 198.72 - 147.24 134.82 - 117.9 - 121.5	Tower II	149,04 - 147,24 - 108,72 143,46 - 140,58 - 134,52 117,9 - 121,5 - 3023,5 R	Radar	
TUTIDART	1295	Civ	Omni RBn RBn	DDG SGT SG	112.3 422 306	VOR	A2 A0/A2 A0/A2	257° 258° 258°	9.8 4.6 0.6	APC ①	362.3 - 243.0 - 126.7 - 119.7 121.5	Tower	362.3 - 243.0 - 118.9 - 119.7 121.5	ILS	① PFSV 0500-1700 Mon-Fri; 0500-1300 Sat.
WEIBRUCKEN	1125	RCAF	Kün	ХР	Sandanie ser	100W	-	ALC: UNKNOWN SHAPE	-	APC II	362.3 - 317.5 x - 257.8 x 255.7 x - 148.88 - 243.0 150.66 - 117.9 - 116.1 108.72 x - 121.5	Tower #	362.3 x - 257.8 x - 150.66 146.88 - 117.9 - 116.1 - 108.72 121.5 - 3023.5 Rx	Reder	
			-												
			1					7 3							