
(a) MDI Feature Importance
melting_point_wmean
stoich_Lp_norm_7
stoich_Lp_norm_3
stoich_Lp_norm_2
melting_point_wstd
stoich_Lp_norm_10
stoich_Lp_norm_5
electron_affinity_wmean
stoich_fraction_max
electronegativity_wmean
ionization_energy_wmean
electron_affinity_wstd
n_valence_wstd
density_elem_wmean
ionization_energy_mean
electronegativity_wstd
n_p_wmean
ionization_energy_wstd
group_wmean
group_wstd
0.000
0.005
0.010
0.015
0.020
0.025
0.030
MDI (Mean Decrease in Impurity)
(b) Permutation Feature Importance (Validation Set)
stoich_Lp_norm_3
stoich_Lp_norm_10
stoich_Lp_norm_7
stoich_Lp_norm_5
stoich_Lp_norm_2
stoich_fraction_max
ionization_energy_min
electronegativity_wstd
ionization_energy_range
melting_point_wmean
ionization_energy_wmean
group_wstd
electronegativity_mean
electronegativity_min
group_wmean
row_wmean
electron_affinity_wmean
ionization_energy_mean
n_p_wmean
electronegativity_wmean
0.000
0.001
0.002
0.003
0.004
0.005
0.006
PFI (Increase in validation MAE)
Elemental property
Stoichiometric
Electronic structure
Ionic compound