

# Motion

Design guidelines · Parent Guidance · Updated October 1, 2026

The prototype animates with **motion** (Framer Motion, `motion/react`). Scalar principle: **safe, unhurried** motion, never bouncy, and always respecting reduced-motion.

## 4.1 Tokens

Durations and curves live in `tokens.css`:

| Band   | Duration | CSS variable                 | Tailwind class                          | Use                                     |
|--------|----------|------------------------------|-----------------------------------------|-----------------------------------------|
| Micro  | 0.15s    | <code>--pg-dur-micro</code>  | <code>duration-(--pg-dur-micro)</code>  | Press, color change, sort menus         |
| Fast   | 0.22s    | <code>--pg-dur-fast</code>   | <code>duration-(--pg-dur-fast)</code>   | Hover, icons, pop-ups                   |
| Base   | 0.35s    | <code>--pg-dur-base</code>   | <code>duration-(--pg-dur-base)</code>   | Accordions, menus, modals, view changes |
| Reveal | 0.55s    | <code>--pg-dur-reveal</code> | <code>duration-(--pg-dur-reveal)</code> | Content entrance on scroll              |

| Curve                       | Value                                 | Use                                      |
|-----------------------------|---------------------------------------|------------------------------------------|
| <code>ease-pg-out</code>    | <code>[0.25, 0.46, 0.45, 0.94]</code> | Brand curve: entrances, reveals, pop-ups |
| <code>ease-pg-in-out</code> | <code>[0.65, 0, 0.35, 1]</code>       | Open/close, accordions, tabs             |

In `motion` props, write the numbers ( `transition={{ duration: 0.55, ease: [0.25, 0.46, 0.45, 0.94] }}` ). Stagger between cards in a grid: **0.06s**, for the first 6 items only.

## 4.2 Patterns

### Reveal on scroll

Used gently and **only once**:

```
<motion.div
  initial={{ opacity: 0, y: 16 }}
  whileInView={{ opacity: 1, y: 0 }}
  viewport={{ once: true, margin: "-60px" }}
  transition={{ duration: 0.55, ease: [0.25, 0.46, 0.45, 0.94] }}
/>
```

- Vertical offset of **16–24px**. Horizontal offsets ( `x` ) only in heroes and image + text rows, 32–48px at most, and a page that uses them gets `overflow-x-clip` so it doesn't create horizontal scroll on mobile.
- Always `once: true` : content doesn't hide again when scrolling up.
- Grids: `delay: index * 0.06` , for the first 6 items only.

## Interaction feedback

| Element                                 | Animation                                                                                                       |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Buttons ( <code>&lt;Button&gt;</code> ) | <code>whileTap={{ scale: 0.97 }}</code> + color with <code>transition-colors</code> . Hover changes color only  |
| Clickable cards                         | Hover: <code>card-hover</code> shadow and <code>y: -2</code> . No scaling                                       |
| Featured images                         | Hover: <b>1.02</b> maximum scale (or no animation)                                                              |
| Social icons                            | Hover: <code>y: -2</code> , no scaling                                                                          |
| Accordion / FAQ                         | <code>auto</code> height + opacity, 0.35s; the <code>+</code> icon rotates 45°                                  |
| Pop-ups and modals                      | Backdrop fades; panel <code>opacity 0 → 1</code> , <code>scale 0.97 → 1</code> , <code>y: -6 → 0</code> , 0.22s |
| Confirmations ("✓ Question Submitted")  | <code>opacity 0 → 1</code> , <code>scale 0.9 → 1</code> , 0.35s, <code>ease-pg-out</code>                       |

## What to avoid

- Bouncy `type: "spring"` .
- `whileHover` scaling above 1.02.
- `whileHover` color changes in `motion` : use Tailwind `hover:` classes.
- Infinite or decorative animations. The only exception is the "live" dot (soft pulse), and only while that state is active.
- Entrance animations on the **Get Help** page: crisis content is visible from the very first moment ( `initial={false}` ).
- Animating the hero or the first visible block in a way that makes the page look empty on load.

## 4.3 Scrolling

- Every navigation opens the new page at the top ( `<ScrollRestoration />` in the root layout); back/forward restores the position.
- "Back to top" buttons and page changes use `scrollBehavior()` from `src/app/utils/motion.ts` : `"smooth"` , or `"auto"` when the user asks for reduced motion.

## 4.4 Reduced-motion contract (mandatory)

Implemented. The app is wrapped in `MotionConfig` :

```
// src/app/App.tsx
<MotionConfig reducedMotion="user">{ /* ...app... */ }</MotionConfig>
```

With `reducedMotion="user"`, `motion` turns off movement and scaling for anyone who has the system setting enabled, and keeps opacity changes. CSS transitions are turned off by the `@media (prefers-reduced-motion: reduce)` rule in `accessibility.css`.

Rule: **no content may stay hidden** ( `opacity: 0` ) if the animation doesn't run.