PARENT GUIDANCE · DESIGN SYSTEM

Parent Guidance — Design Guidelines

Design system of the PG-Live prototype · Updated October 15, 2026

Guidelines for the **PG-Live** prototype (parentguidance.org), written from the **prototype's real code** (`src/app`).

- **The visual identity** (colors, typography, radii, shadows, buttons and animation) is defined with tokens and closed scales.
- **The method:** everything comes from tokens, closed scales, button hierarchy, accessibility and a reduced-motion contract.

> **Status:** the prototype follows these guidelines (chapter 5). Every new screen or component must follow them from the start.

Contents

#	Guide	Content
1	Foundations	Palette, contrast, Poppins typography, spacing, radii and shadows
2	Buttons	Styles, sizes, states, the `<Button>` component and accessibility
3	Layout	Containers, breakpoints, vertical rhythm, grids and patterns (cards, filter bar, banners, pop-ups, legal pages, video) and Figma components
4	Motion	Animation with `motion` , durations, easing and reduced-motion
5	Quality standards	Accessibility, visual consistency, Figma and open items

PDF version: `docs/guidelines/pdf/` has one PDF per guide plus one with all of them (`Parent-Guidance-Design-Guidelines-complete.pdf`). They are generated from these `.md` files with `tools/build-pdf.mjs` ; when a guide changes, they need to be generated again.

Spanish version: the same guidelines in Spanish live in `docs/guidelines/es/` , with their PDFs in `docs/guidelines/pdf/es/` .

Where everything lives

File	What it is
`src/styles/tokens.css`	CSS variables (`--pg-*`) and their Tailwind v4 mapping (`bg-pg-navy` , `rounded-pg-md` , `shadow-pg-card` , `max-w-pg-page` …)
`src/styles/accessibility.css`	Global visible focus and the reduced-motion rule
`src/components/ui/Button.tsx`	`<Button>` , `<ButtonLink>` , `<ButtonAnchor>` and `buttonClass()`
`src/components/cards/UnifiedCard.tsx`	Standard card (resources, courses, help lines)
`src/components/patterns/EventModal.tsx`	Event pop-up (accessible dialog pattern)
`guidelines/Guidelines.md`	Short summary for **Figma Make** (the file its AI reads when generating screens)

Visual personality

Parent Guidance supports families through sensitive topics (mental health, crisis, parenting). The interface must feel **warm, calm and trustworthy**:

- Warm cream background, deep navy text and teal/sage accents.
- Soft shapes: rounded corners, subtle navy-tinted shadows, never hard black ones.
- Calm motion: short, gentle entrances, nothing that bounces or blinks.
- Readability first: the audience is parents, often on their phones and under stress.

Principles

- Token rule: no hex, size or shadow written "by hand"; everything comes from `tokens.css` .
- Closed type and spacing scales; any new value is assigned the nearest step.
- Button hierarchy: one Primary per section, labels that start with a verb, complete states (Focus, Loading, Disabled), 32 / 40 / 48px sizes on the 8px grid, 48px touch height on mobile.
- Grids that degrade in steps (3 → 2 → 1 columns).
- Safe, unhurried motion with duration bands and a mandatory reduced-motion contract.

Rule #1

> No color, font size, radius or shadow is written as a loose value (`text-[#1c3243]` , `text-[13px]` , `shadow-[…]` , `text-gray-700`). Use the tokens in `tokens.css` . If something is missing, first add it as a token here (and in Figma), then use it.

Accepted exceptions: colors inside SVG logos (brand art), course category palettes (data colors) and reading widths of hero text (`max-w-[480px]` …).

How to check a screen

1. Review it at **390, 768, 1024 and 1280px**: no horizontal scroll and no squeezed text.
2. Go through it with the keyboard (Tab, Enter, Esc): everything clickable can be reached and shows focus.
3. AA contrast on all text (table in section 1.1).
4. Buttons use the component, headings follow the scale, no bouncing animations.

PARENT GUIDANCE · DESIGN SYSTEM

Foundations

Design guidelines · Parent Guidance · Updated October 15, 2026

Every value lives in `tokens.css` as a CSS variable (`--pg-navy`) and as a Tailwind class (`bg-pg-navy` , `text-pg-slate` …). In inline styles or `motion` props, use the variable: `style={{ boxShadow: "var(--pg-shadow-card)" }}` , `animate={{ backgroundColor: "var(--pg-teal)" }}` .

1.1 Palette

Brand

Token	Hex	Tailwind	Use
Navy	`#1c3243`	`pg-navy`	Headings, primary text, navigation, dark backgrounds, active chip
Navy hover	`#284054`	`pg-navy-hover`	Hover on navy elements
Slate	`#435766`	`pg-slate`	Body text, descriptions, interface icons
Teal	`#59797d`	`pg-teal`	**Action color**: Primary buttons, links, active icons, selection ring
Teal dark	`#406064`	`pg-teal-dark`	Hover/pressed for teal actions; small accent text (eyebrows, links, metadata)
Sage	`#90b3b6`	`pg-sage`	Decorative accent: color blocks, section-title side bar, large icons, search icons
Mist	`#acbcbe`	`pg-mist`	Decorative elements only ("•" separators with `aria-hidden` , inactive dots). **Never text**
Amber	`#c8893a`	`pg-amber`	Lesson accent; decorative fill only
Live	`#52bd95`	`pg-live`	"Live" dot; decorative only

Surfaces and borders

Token	Hex	Tailwind	Use
Cream	`#f9f4f1`	`pg-cream`	Default page background; search fields on white bars
Cream dark	`#f0edeb`	`pg-cream-dark`	Inactive chips, "Featured" button, dividers on cream
White	`#ffffff`	`white`	Cards, panels, filter bars, inputs
Tint	`#eaf1f1`	`pg-tint`	Soft surfaces: badges, date blocks, selected state

Token	Hex	Tailwind	Use
Tint soft	`#f0f6f6`	`pg-tint-soft`	Background of listing sections; row hover
Line	`#dee8e9`	`pg-line`	Borders of cards and inputs, dividers

In Figma these tokens have their own variable in *Semantic*: *Color Roles*: `pg-cream-dark` → **Background/Chip**, `pg-tint` → **Background/Tint**, `pg-tint-soft` → **Background/Tint Soft**, `pg-navy-hover` → **Background/Inverse Hover** and `pg-amber` → **Accent Colors/Amber** (each one aliases its primitive in *Primitive Colors*).

States

Used in badges, notices and validation. They meet AA on white and cream.

State	Text / icon	Soft background	Where it is used
Success	`#117a3a` `pg-success`	`#d3f7df` `pg-success-soft`	"Guide" badge (with navy text)
Warning	`#a84b02` `pg-warning`	`#feeab1` `pg-warning-soft`	"Worksheet" badge, Ask a Therapist legal notice
Error	`#932f2f` `pg-error`	`#fdcfcf` `pg-error-soft`	"Tool" badge, form errors

They match the Figma variables *Success / Warning / Error Colors* → *Contrast* (text) and → *Soft* (background). Each text color on its soft background passes AA (4.69:1 success, 4.8:1 warning, 5.58:1 error); the "Guide" badge keeps navy text and green for the icon.

Approved contrast combinations

Text	Background	Ratio	Allowed for
Navy	White / Cream / Tint / Line / Sage	5.9–13.2	Everything
Slate	White / Cream / Tint	6.6–7.5	Everything
Teal	White	4.7	Everything
Teal	Cream / Tint	4.1–4.3	**Only text ≥ 18px or ≥ 14px bold**; for small text use Teal dark
Teal dark	White / Cream / Tint	6.0–6.8	Everything
White	Teal / Teal dark / Navy	4.7 / 6.8 / 13.2	Everything (buttons, badges, dark blocks)
Sage	Navy	5.9	Secondary text and accents on dark backgrounds
~~Sage / Mist~~	~~White / Cream~~	2.0–2.3	**Never as text**
~~White~~	~~Sage~~	2.3	**Never**: on sage, text and badges are navy

Highlighted blocks

A banner or CTA **inside** a section must stand out from its background: `pg-sage` (navy text, Inverse button), `pg-navy` (white or sage text, Inverse button) or a white card with a `pg-line` border and the `card` shadow. Never `pg-tint` on `pg-tint-soft` or `pg-cream-dark` on `pg-cream` (1.04:1, the block disappears).

1.2 Typography

Poppins is the only typeface (400, 500, 600 and 700). It is applied once on `body` (`tokens.css`) and every element inherits it, including buttons and inputs: **do not add font classes**. No `font-black` or `font-light` either: Poppins is only loaded in 400–700.

Scale

Token	Mobile → desktop	Tailwind	Weight	Use
`display`	38 → 50px	`text-[38px] md:text-[50px]`	700	Main headline of **the home pages** (one per page)
`h1`	28 → 40px	`text-[28px] md:text-[40px]`	700 (500 in V2)	Page title; titles of featured sections with a colored background ("Need Help Now?", "Join Us!")
`h2`	24px	`text-2xl`	700	Section title, banners
`h3`	20px	`text-xl`	600–700	Block and panel titles, section labels with a sage bar ("Resource Library"), FAQ questions
`h4`	16px	`text-base`	700	Card title
`body-lg`	16px	`text-base`	400	Introductions and featured paragraphs
`body`	14px	`text-sm`	400	**Default text**, buttons, inputs
`small`	12px	`text-xs`	400–600	Metadata, captions, chips, field hints
`eyebrow`	11px	`text-[11px] uppercase`	600	Kicker above headings, date labels ("JUL")

Rules:

- **12px minimum**; 11px only for UPPERCASE text (eyebrows, months in date blocks).
- In Figma, uppercase text uses **Label/XSmall - Bold Caps** (11px, 15% tracking) or **Label/Small - SemiBold Caps** (12px, 10%), and quotes use **Body/Medium - Italic**. No component text is left without a style.
- In code, uppercase tracking comes from two tokens: `tracking-pg-caps` (0.15em, 11px text) and `tracking-pg-eyebrow` (0.1em, 12px and up). No one-off values (`tracking-[1.2px]` , `tracking-wider` …).
- No in-between sizes outside the scale (13, 15, 18, 22, 30, 36px…): use the nearest step.

- Brand emphasis in headlines: one word or phrase in teal *italics* ("Discover *Resources*…"), without changing the size.
- About 70 characters per line maximum in long paragraphs (`max-w-pg-reading` , 680px).

1.3 Spacing

Tailwind's 4px scale is used. Allowed steps:

Tailwind	px	Typical use
`1` / `1.5`	4 / 6	Icon ↔ small text
`2`	8	Gap between inline elements, icon ↔ label, between chips
`3`	12	Gap in compact lists and filter bars
`4`	16	Card padding, gap between fields
`5` / `6`	20 / 24	Panel padding, grid gap, mobile gutter
`8`	32	Space between blocks
`10` / `14`	40 / 56	Page side gutter (md / lg)
`14` / `16` / `20`	56 / 64 / 80	Section vertical padding

Use only values on the Spacing Scale (2, 4, 8, 12, 16, 20, 24, 32…). No half steps (`1.5` , `2.5` , `3.5`): they have no Figma token.

1.4 Radii

Token	Value	Tailwind	Use
`sm`	4px	`rounded-pg-sm`	Checkboxes, minimal elements
`md`	8px	`rounded-pg-md`	**Buttons**, inputs, selects, "Featured" button
`lg`	12px	`rounded-pg-lg`	Small panels, dropdown menus, date blocks
`xl`	16px	`rounded-pg-xl`	**Cards**, pop-ups, banners
`2xl`	28px	`rounded-pg-2xl`	Heroes, featured video, section blocks with a background
`full`	9999px	`rounded-full`	Chips, badges, avatars, dots, pill-shaped search bars

In the shadcn theme `rounded-lg` is 10px and `rounded-xl` 14px, so the `rounded-pg-*` tokens are always used.

1.5 Shadows

Every shadow is **navy-tinted** (`rgba(28,50,67,…)`), never black.

Token	Value	Use
`card`	`0 8px 24px rgba(28,50,67,0.06)`	Cards, filter bars, selected controls
`card-hover`	`0 8px 24px rgba(28,50,67,0.14)`	Interactive cards on hover; navbar on scroll
`overlay`	`0 24px 60px rgba(28,50,67,0.28)`	Pop-ups, modals, floating menus

Cards use a `pg-line` **border +** `card` **shadow**. To make something stand out, don't stack stronger shadows: use the background color (tint, sage or navy).

1.6 Icons

- Library: **Material Icons, Outlined style** (`@mui/icons-material`). Other styles (Filled, Rounded, Sharp) and other libraries are not mixed in.
- Always import from `src/components/ui/icons.tsx`, never straight from `@mui/icons-material`: `import { Search } from "./components/icons"`. If an icon is missing, add it there using its `…Outlined` version.
- Size with `size` in px: 14–16px in controls and 18–20px in icon-only buttons (`<Search size={16} aria-hidden="true" />`).
- Color via `currentColor` plus a text class (`text-pg-slate`, `text-pg-sage` …), never a hex in the SVG.
- Decorative icons get `aria-hidden="true"` ; icon-only buttons get an `aria-label`.
- Exception: SVG logos (Parent Guidance, partners, social networks) keep their brand colors.

PARENT GUIDANCE · DESIGN SYSTEM

Buttons

Design guidelines · Parent Guidance · Updated October 15, 2026

Every action button in the prototype comes from a single system (teal, 8px, Poppins semibold 14px, teal dark on hover), implemented in the `Button.tsx` component (section 2.4).

2.1 Styles

Style	Look	When
Primary	`pg-teal` background, white text; `pg-teal-dark` on hover	The main action of the section: "View course", "Book a session", "Submit question"
Secondary	White background, 1px `pg-teal` border, `pg-teal-dark` text; `pg-tint` background on hover	Supporting action next to a Primary ("Cancel", "View details")
Tertiary	`pg-teal-dark` text only, underlined on hover	Low-priority actions: "See more", "Skip"
Inverse	White background, `pg-navy` text; `pg-cream` on hover	Main action **on navy, teal or sage backgrounds**
Inverse secondary	`white/5` background, `white/20` border, white text; `white/10` on hover	Supporting action on dark backgrounds

> **One Primary per section.** If there are more actions, they become Secondary or Tertiary.

There are no navy or sage buttons: navy is the color of text and navigation, not of action. That way users learn that teal means "I can click this".

On a **sage** background (banners such as "Not sure which resource is right for you?") the main action is **Inverse**: teal on sage is barely visible.

2.2 Sizes

Size	Height	Padding	Text	When
S	32px	`px-4`	14px / 600	Dense UI: toolbars, pagination, "Register" in event rows. On mobile, only if the button is full width
M	40px (48px on mobile)	`px-5`	14px / 600	**Default**
L	48px	`px-7`	16px / 600	Hero CTAs and key screens on mobile

- `rounded-pg-md` radius (8px) on every size.
- The **pill** shape (`rounded-full`) is reserved for chips, badges, filters and the search bar. Not for action buttons.
- Optional icon on the right (`→` arrow or 16px Material Outlined icon) with `gap-2` . If the icon is decorative, it gets `aria-hidden="true"` .
- `w-full` only inside cards or on mobile.

2.3 States

State	Primary	Secondary
Default	`bg-pg-teal text-white`	`bg-white border-pg-teal text-pg-teal-dark`
Hover	`bg-pg-teal-dark`	`bg-pg-tint`
Pressed	`scale 0.97` (motion `whileTap`)	same
Focus	2px `pg-teal-dark` ring with a 2px offset	same
Loading	16px spinner + "Sending…", `aria-busy="true"` , no clicks	same
Disabled	`bg-pg-line text-pg-slate` , `not-allowed` cursor	`border-pg-line text-pg-slate`

Visible focus is applied globally in `src/styles/accessibility.css` : every link, button or field shows a 2px teal dark ring with a white halo when navigating with the keyboard, on light and dark backgrounds. New components don't need to add focus classes.

2.4 Component

The prototype's buttons use `src/components/ui/Button.tsx` :

Component	For	Example
`<Button>`	Actions (submit, open, download)	`<Button variant="secondary" size="s" onClick={…}>Today</Button>`
`<ButtonLink>`	Navigation inside the app (`react-router`)	`<ButtonLink to="/ask-a-therapist">View Answer</ButtonLink>`
`<ButtonAnchor>`	External links, `mailto:` , `tel:` , `sms:` and `#` anchors	`<ButtonAnchor href="tel:988" variant="inverse" size="l">Call 988</ButtonAnchor>`
`buttonClass()`	Just the classes, for elements that can't use the components	`className={buttonClass({ variant: "secondary" })}`

- Props: `variant` (`primary` by default, `secondary` , `tertiary` , `inverse` , `inverse-secondary`) and `size` (`s` , `m` by default, `l`). `<Button>` also accepts `loading` .
- They all have `whileTap={{ scale: 0.97 }}` and no `whileHover` scaling; hover changes color only.
- `className` is for layout (`w-full` , `mt-4` , `shrink-0`), not for changing colors, radii or sizes.

- Exception: the "Search" button inside a pill-shaped search bar may use `rounded-full`, because it is part of the bar.
- In newsletters, the button sits **inside** the input box (with `p-2` and `gap-2`), not glued to its edge.

Controls that are not action buttons

These elements have their own style and do **not** use `<Button>`:

Control	Style
Filter chips	`rounded-full text-xs font-medium px-4 py-2`; active `bg-pg-navy text-white`, inactive `bg-pg-cream-dark text-pg-slate`, with `aria-pressed`
"Featured" (sort) menu	`rounded-pg-md bg-pg-cream-dark text-xs font-medium px-4 py-2`, 14px `ListFilter` (filter_list) + `ChevronDown` (expand_more) icons, centered with the label
Segmented control (Month/List, Day/Week/Month)	`bg-pg-tint-soft` container; active option is white with `shadow-pg-card` and `aria-pressed`
Numeric pagination	32–40px squares; current page in navy or teal; Prev/Next as `<Button variant="secondary" size="s">`
Icon-only buttons	32–40px, `rounded-pg-md`, `aria-label` required (calendar arrows, close, menu)

2.5 Accessibility

- Use `<button>` for actions and `<a>` for navigation. Never `<div onClick>`.
- Touch area of at least **48px** high on mobile: size M grows to 48px automatically (8px grid: 32 / 40 / 48).
- External links (`target="_blank"`) must say so: an external-link icon + hidden text "(opens in a new tab)".
- Icon-only buttons get an `aria-label` ("Close", "Menu").
- Disabled: explain why with nearby helper text if it isn't obvious.
- On the **Get Help** page (crisis lines), call/text buttons use `<a href="tel:…">` and `<a href="sms:…">` in size L, so they are easy to tap in a moment of stress.

2.6 Do / Don't

Do

- One Primary per section, in teal.
- Short labels that start with a verb: "View course", "Book a session".
- The same size for every button in a row.

Don't

- Navy, sage or mist buttons.
- Mixing pill and rectangular buttons on the same screen.

- `whileHover` scaling above 1.02 on buttons: it feels unstable.
- Button text at 10–11px.

PARENT GUIDANCE · DESIGN SYSTEM

Layout

Design guidelines · Parent Guidance · Updated October 15, 2026

3.1 Containers

Token	Width	Tailwind	Use
`page`	1280px	`max-w-pg-page`	Default container: navigation, sections, filter bars, card grids, Mental Health Series
`content`	1100px	`max-w-pg-content`	Topic and event pages, centered banners
`reading`	680px	`max-w-pg-reading`	Long text: legal pages, articles, single-column forms

Hero text may limit its reading width with `max-w-[480px]` or similar; those are not containers.

Side margins (gutter)

```
<section className="px-6 md:px-10 lg:px-14">
  <div className="max-w-pg-page mx-auto">…</div>
</section>
```

- Mobile: 24px · Tablet (≥ 768): 40px · Desktop (≥ 1024): 56px.
- The section background runs edge to edge; the content is centered inside it.
- If a section has few elements (e.g. image + newsletter), the group is **centered** inside the container (`lg:justify-center`) instead of sticking to the left.

3.2 Breakpoints

Tailwind's breakpoints are used. The rule of thumb: **mobile and tablet stack; columns start at `lg`.**

Prefix	From	What changes
(base)	0	One column, 24px gutter, mobile-size headings, ☰ menu
`sm`	640px	Card grids go to 2 columns; row buttons sit next to the content
`md`	768px	Desktop-size headings, 40px gutter, filter bars on a single row
`lg`	1024px	**Full navigation**, 2-column heroes, sidebars on detail and lesson pages, footer in rows, 3–4 column grids

Prefix	From	What changes
`xl`	1280px	Fine adjustments (3 columns of questions in Ask a Therapist); the container is already at its maximum

Degrade in steps: 4 → 2 → 1 or 3 → 2 → 1 columns, never straight from 4 to 1.

Anything with a large fixed width (248–300px sidebars, 420–480px images) applies it only from `lg` (`w-full lg:w-[300px]`). This keeps tablet free of horizontal scroll.

3.3 Vertical rhythm

Context	Mobile → desktop	Tailwind
Standard section	56 → 80px	`py-14 md:py-20`
Compact section (listings, filters)	40 → 56px	`py-10 md:py-14`
Page hero	96px on top (fixed 56px navbar)	`pt-24 pb-14`
Section title → content	24–32px	`mb-6` / `mb-8`
Between cards in a grid	16–20px	`gap-4` / `gap-5`
Inside a card	16–20px	`p-4` / `p-5`

Sections alternate by **background color** (cream → white → tint-soft → navy) instead of divider lines. For highlighted blocks inside a section, see Highlighted blocks.

3.4 Grid patterns

Pattern	Classes	Use
Resource cards	`grid-cols-1 sm:grid-cols-2 lg:grid-cols-3` (or `lg:grid-cols-4`) `gap-4/5`	Resource Library, home pages, a topic's resources
Courses	`grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-4`	On-Demand Courses
Questions with sidebar	`grid-cols-1 sm:grid-cols-2 xl:grid-cols-3 gap-5`	Ask a Therapist
Detail + sidebar	`flex flex-col lg:flex-row gap-6` ; sidebar `w-full lg:w-[280px]` – `[300px]` , `lg:sticky`	Course, lesson, question
Text + image (hero)	`grid grid-cols-1 lg:grid-cols-2 gap-10 items-center`	Coaching, Courses and Get Help heroes
Benefits / steps	`grid-cols-1 sm:grid-cols-2 lg:grid-cols-4`	Navy band and steps on Parent Coaching
Help lines	`grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-5`	Get Help
Topic + sidebar	`grid-cols-1 lg:grid-cols-[1fr_340px] gap-8 lg:gap-14`	Mental Health Series topic page

3.5 Patterns

Standard card (`UnifiedCard`)

- White background, `rounded-pg-xl` , `pg-line` border, `card` shadow.
- 150px-tall image on top (`object-cover` , or `object-contain` with padding for logos).
- With logos, the image area is white (`bg-white`), like the rest of the card; with photos, `bg-pg-tint-soft` only shows while the image loads.
- Content with `p-4` : navy `h4` title, slate `small` description, teal dark `small` metadata.
- Full-width Primary button anchored at the bottom (`mt-auto`), so every card in a row aligns its button.
- Destination: `to` (internal route, `<Link>`), `href` (external, new tab) or `onClick` .
- Optional badge: navy pill with white text in the top-left corner.

Color variant (home): bottom block in `pg-sage` with `pg-navy` text. Hover on clickable cards: `card-hover` shadow and at most `y: -2` . No card scaling.

Until a section has its own detail pages, its cards link to a **sample page** (courses alternate the Milestones and Free Yourself templates; resources open "Building Your Child's Confidence").

Filter bar

Same pattern on On-Demand Courses, Ask a Therapist and Mental Health Series:

```
<div className="bg-white border-y border-pg-line sticky top-14 z-30 shadow-pg-card">
  <div className="max-w-pg-page mx-auto px-6 md:px-10 py-3 flex flex-wrap md:flex-nowrap items-center gap-3 md:gap-4">
    {/* search: relative min-w-0 flex-1 md:flex-none md:w-64; input bg-pg-cream rounded-pg-md py-2, text-pg-sage magnifier */}
    {/* chips: order-last basis-full md:order-none md:basis-auto flex-1 min-w-0 overflow-x-auto gap-2 */}
    {/* "Featured": sort menu on the right */}
  </div>
</div>
```

- Full width, below the hero, and **sticky under the navigation** while browsing the list it filters (if the page continues with other content, the bar sits inside the listing block so it releases at the end).
- One bar per listing: search and chips are never repeated further down.
- On mobile: search + "Featured" on top, chips on their own scrollable row.

Section title with a count

4×20px sage bar + navy `h3` title + count pill `bg-pg-tint text-pg-teal-dark text-xs` ("Resource Library · 9 resources", "Browse All · 15 questions").

Newsletter

The button sits inside the input box: `flex items-center gap-2 rounded-pg-xl bg-pg-tint-soft p-2` (on navy, the box is `bg-pg-navy-hover` and the button is Inverse).

Event pop-up / dialogs

`EventModal`: 320px card with a teal header, `rounded-pg-xl`, `shadow-pg-overlay`. Next to the element that opens it on desktop and tablet (`pg-navy/10` backdrop), centered on mobile (`pg-navy/30` backdrop, `min(320px, 100vw – 32px)` wide). `role="dialog"` with `aria-modal`, trapped focus, closes with Esc, the X or a click outside, and returns focus when closed.

Legal pages

Terms of Use, Cookies Policy and Consent Documents share one template: a header with a **LEGAL** eyebrow (no bar), `h1`, a `max-w-pg-reading` intro and, below it, the **Download** (Primary M, `file_download` icon) and **Print** (Secondary M, `print` icon) buttons. The text sits in a single white card (`rounded-pg-xl`, `p-7 md:p-10`) with the effective date in teal and sections separated by a `pg-line` rule.

Consent Documents groups the documents in collapsible cards: teal dot, `h4` title, chevron, and size S Download/Print on the right (on mobile the buttons wrap to a second line). Only one document is open at a time.

Video

Gradients and overlays on video or photos use navy (`from-pg-navy/80`, `bg-pg-navy/60`), equivalent to *Background/Scrim* in Figma; never black.

Vimeo videos use an `iframe` in `aspect-video`, `rounded-pg-2xl` (featured) or `rounded-pg-xl` (cards), with a descriptive `title`, `allow="autoplay; fullscreen; picture-in-picture"` and `dnt=1` in the URL. The Mental Health Series welcome video loads the player directly; topic page videos show a thumbnail and load the player on click.

3.6 Navigation

- Fixed 56px navy navbar (`h-14`); the logo always links to the home page.
- From `lg`, full links; below it, a ☰ button opens the menu (closes with Esc, an outside tap or on navigation) and returns focus.
- Every new page opens at the top (`ScrollRestoration`); back/forward restores the position.

3.7 Components in Figma

The Figma library (Design system - PG) mirrors the prototype. Every pattern in this guide has a component; start new screens from them instead of drawing by hand.

Component	Figma page	Maps to
Button (Primary, Secondary, Tertiary, Inverse, Inverse Secondary × S/M/L)	Buttons	`<Button>` (chapter 2)
Filter Bar (Desktop/Mobile), Search Field, Sort Menu, Filter Chip	Inputs & Nav	Filter bar (3.5)
Section Header (title + count), Section Eyebrow (with or without bar)	Content Blocks	Section title with a count
Photo CTA Banner, Split CTA Banner (Desktop/Tablet/Mobile), Promo Banner, Multi-action Banner	Content Blocks	Page-closing banners
Hero Media (Portrait/Landscape)	Content Blocks	Hero image with color block
Outline Step, Course Mini Card, Instructor Line	Course & Media	Course detail (outline, "You may also like", instructors)
Video Card, Session Card, Takeaway Card, Action Card, Topic Resource Card	Cards	Mental Health Series topic page
Calendar (Desktop/Mobile), Event List Item, Event Popover	Calendar & Events	Events page and pop-up
Icon/… (Material Outlined, including `download`, `print` and `vimeo`)	Icons	`src/components/ui/icons.tsx`

Full screens live in **Layouts – Desktop / Tablet / Mobile** (1280, 768 and 375px). When a prototype screen changes, update its frame on all three pages too.

3.8 Checklist for a new screen

1. `pg-cream` background, `max-w-pg-page` container with a `px-6 md:px-10 lg:px-14` gutter.
2. A single `display` (home pages only) or `h1` per page.
3. Sections with `py-14 md:py-20`, alternating the background color.
4. Grid from table 3.4, degrading in steps; fixed widths only from `lg`.
5. Cards with `UnifiedCard`; listings with the standard filter bar.
6. One teal Primary per section; buttons with `<Button>`.
7. Review at **390, 768, 1024 and 1280px**.

PARENT GUIDANCE · DESIGN SYSTEM

Motion

Design guidelines · Parent Guidance · Updated October 15, 2026

The prototype animates with `motion` (Framer Motion, `motion/react`). Principle: **safe, unhurried** motion, never bouncy, and always respecting reduced-motion.

4.1 Tokens

Durations and curves live in `tokens.css`:

Band	Duration	CSS variable	Tailwind class	Use
Micro	0.15s	`--pg-dur-micro`	`duration-(--pg-dur-micro)`	Press, color change, sort menus
Fast	0.22s	`--pg-dur-fast`	`duration-(--pg-dur-fast)`	Hover, icons, pop-ups
Base	0.35s	`--pg-dur-base`	`duration-(--pg-dur-base)`	Accordions, menus, modals, view changes
Reveal	0.55s	`--pg-dur-reveal`	`duration-(--pg-dur-reveal)`	Content entrance on scroll

Curve	Value	Use
`ease-pg-out`	`[0.25, 0.46, 0.45, 0.94]`	Brand curve: entrances, reveals, pop-ups
`ease-pg-in-out`	`[0.65, 0, 0.35, 1]`	Open/close, accordions, tabs

In `motion` props, write the numbers (`transition={{ duration: 0.55, ease: [0.25, 0.46, 0.45, 0.94] }}`). Stagger between cards in a grid: **0.06s**, for the first 6 items only.

4.2 Patterns

Reveal on scroll

Used gently and **only once**:

```
<motion.div
  initial={{ opacity: 0, y: 16 }}
  whileInView={{ opacity: 1, y: 0 }}
  viewport={{ once: true, margin: "-60px" }}
  transition={{ duration: 0.55, ease: [0.25, 0.46, 0.45, 0.94] }}
/>
```

- Vertical offset of **16–24px**. Horizontal offsets (`x`) only in heroes and image + text rows, 32–48px at most, and a page that uses them gets `overflow-x-clip` so it doesn't create horizontal scroll on mobile.
- Always `once: true` : content doesn't hide again when scrolling up.
- Grids: `delay: index * 0.06` , for the first 6 items only.

Interaction feedback

Element	Animation
Buttons (`<Button>`)	`whileTap={{ scale: 0.97 }}` + color with `transition-colors` . Hover changes color only
Clickable cards	Hover: `card-hover` shadow and `y: -2` . No scaling
Featured images	Hover: **1.02** maximum scale (or no animation)
Social icons	Hover: `y: -2` , no scaling
Accordion / FAQ	`auto` height + opacity, 0.35s; the `+` icon rotates 45°
Pop-ups and modals	Backdrop fades; panel `opacity 0 → 1` , `scale 0.97 → 1` , `y: -6 → 0` , 0.22s
Confirmations ("✓ Question Submitted")	`opacity 0 → 1` , `scale 0.9 → 1` , 0.35s, `ease-pg-out`

What to avoid

- Bouncy `type: "spring"` .
- `whileHover` scaling above 1.02.
- `whileHover` color changes in `motion` : use Tailwind `hover:` classes.
- Infinite or decorative animations. The only exception is the "live" dot (soft pulse), and only while that state is active.
- Entrance animations on the **Get Help** page: crisis content is visible from the very first moment (`initial={false}`).
- Animating the hero or the first visible block in a way that makes the page look empty on load.

4.3 Scrolling

- Every navigation opens the new page at the top (`<ScrollRestoration />` in the root layout); back/forward restores the position.
- "Back to top" buttons and page changes use `scrollBehavior()` from `src/lib/motion.ts`: `"smooth"`, or `"auto"` when the user asks for reduced motion.

4.4 Reduced-motion contract (mandatory)

Implemented. The app is wrapped in `MotionConfig`:

```
// src/app/App.tsx
<MotionConfig reducedMotion="user">{/* …app… */}</MotionConfig>
```

With `reducedMotion="user"`, `motion` turns off movement and scaling for anyone who has the system setting enabled, and keeps opacity changes. CSS transitions are turned off by the `@media (prefers-reduced-motion: reduce)` rule in `accessibility.css`.

Rule: **no content may stay hidden** (`opacity: 0`) if the animation doesn't run.

PARENT GUIDANCE · DESIGN SYSTEM

Quality standards

Design guidelines · Parent Guidance · Updated October 15, 2026

What every screen of the prototype meets and the rules any new screen has to keep. To review a screen step by step, use the checklist in the Introduction. Open items are listed in 5.4.

5.1 Accessibility

Standard	How it is met
Visible focus	2px `pg-teal-dark` outline with a 2px offset on every link, button and field, from a global rule in `src/styles/accessibility.css`
Reduced motion	`MotionConfig reducedMotion="user"` in `App.tsx`, a CSS rule in `accessibility.css` and non-animated scrolling in `utils/motion.ts` (section 4.4)
Keyboard	Cards are links, FAQs are buttons with `aria-expanded`; the ☰ menu (below 1024px) closes with Esc, an outside tap or on navigation, and returns focus
Contrast	Text only in the approved pairs (section 1.1): sage and mist are never text on light backgrounds, small accent text is teal dark and text on sage is navy
Text size	12px minimum; 11px only for uppercase labels
Names and labels	Icon-only buttons carry `aria-label`; decorative icons and "•" separators carry `aria-hidden`; every image has `alt`
Structure	One `h1` per page
Responsive	No horizontal scroll at 390, 768, 1024 and 1280px; large fixed widths only from `lg`

5.2 Visual consistency

Topic	Rule
Colors	Only `pg-*` tokens, in classes or as `var(--pg-*)`. Overlays on video and photos use navy, never black
Typography	Sizes on the scale (section 1.2); Poppins applied once on `body`; uppercase tracking with `tracking-pg-caps` / `tracking-pg-eyebrow`
Radii	`rounded-pg-sm/md/lg/xl/2xl` (4/8/12/16/28px) and `rounded-full`
Shadows	`shadow-pg-card`, `shadow-pg-card-hover`, `shadow-pg-overlay`
Containers	`max-w-pg-page` (1280), `max-w-pg-content` (1100), `max-w-pg-reading` (680)

Topic	Rule
Durations	0.15 / 0.22 / 0.35 / 0.55 s (section 4.1)
Buttons	Every action uses `<Button>`, `<ButtonLink>` or `<ButtonAnchor>` (chapter 2)
Icons	Material Icons Outlined, always through `components/icons.tsx`

Accepted exceptions: the colors inside SVG logos (brand art), the course and topic category palettes (data colors) and the reading widths of hero text (`max-w-[480px]` …).

5.3 Figma

The Figma library mirrors the prototype: every token has its variable, every pattern its component (section 3.7) and every screen its frame at 1280, 768 and 375px. When a screen changes in the prototype, its three frames are updated too.

5.4 Open items

Topic	Detail	Owner
Buttons without a function	"Help me choose" (Get Help), "Take the Quiz" and "Learn more" (Home V1), "Featured" (Ask a Therapist)	Design/development
Social networks	Facebook, Instagram, YouTube and LinkedIn URLs are missing (Vimeo is already linked)	Content
Sample content	Sample events and registration links; courses and resources without their own page open sample templates	Content
Repeated copy	Three home cards repeat "Dive into a wealth of knowledge tailored for parents"	Content
Home pages	Decide between the main home, V1 and V2	Product
Home V2 accent	Uses a peach tone (`#e8a497`) that is not part of the palette	Design
Cookies Policy	Cookie names are shown in a monospace font	Design
Line height	Mental Health Series, Parent Coaching and the alternative home pages still use some one-off line heights (`leading-[…]`) instead of the type scale (spacing is already on the scale)	Development