

# Parent Guidance — Design Guidelines

Design system of the PG-Live prototype · Updated October 2, 2026

Guidelines for the **PG-Live** prototype (parentguidance.org), written from the **prototype's real code** ( `src/app` ).

- **The visual identity** (colors, typography, radii, shadows, buttons and animation) comes from what the prototype already used: the most repeated values became tokens and the one-off values were consolidated.
- **The method:** everything comes from tokens, closed scales, button hierarchy, accessibility and a reduced-motion contract.

**Status:** the prototype already follows these guidelines (final audit in [section 5.6](#)). Every new screen or component must follow them from the start.

## Contents

| # | Guide                           | Content                                                                                                                                     |
|---|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | <a href="#">Foundations</a>     | Palette, contrast, Poppins typography, spacing, radii and shadows                                                                           |
| 2 | <a href="#">Buttons</a>         | Styles, sizes, states, the <code>&lt;Button&gt;</code> component and accessibility                                                          |
| 3 | <a href="#">Layout</a>          | Containers, breakpoints, vertical rhythm, grids and patterns (cards, filter bar, banners, pop-ups, legal pages, video) and Figma components |
| 4 | <a href="#">Motion</a>          | Animation with <code>motion</code> , durations, easing and reduced-motion                                                                   |
| 5 | <a href="#">Prototype audit</a> | What was fixed, how it was verified and what is still pending                                                                               |

**PDF version:** `docs/guidelines/pdf/` has one PDF per guide plus one with all of them ( `Parent-Guidance-Design-Guidelines-complete.pdf` ). They are generated from these `.md` files; when a guide changes, they need to be generated again. The Spanish version lives in `docs/guidelines/` and its PDFs in `docs/guidelines/pdf/es/`.

## Where everything lives

| File                                            | What it is                                                                                                                                                                                 |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>src/styles/tokens.css</code>              | CSS variables ( <code>--pg-*</code> ) and their Tailwind v4 mapping ( <code>bg-pg-navy</code> , <code>rounded-pg-md</code> , <code>shadow-pg-card</code> , <code>max-w-pg-page</code> ...) |
| <code>src/styles/accessibility.css</code>       | Global visible focus and the reduced-motion rule                                                                                                                                           |
| <code>src/app/components/Button.tsx</code>      | <code>&lt;Button&gt;</code> , <code>&lt;ButtonLink&gt;</code> , <code>&lt;ButtonAnchor&gt;</code> and <code>buttonClass()</code>                                                           |
| <code>src/app/components/UnifiedCard.tsx</code> | Standard card (resources, courses, help lines)                                                                                                                                             |
| <code>src/app/mhs/EventModal.tsx</code>         | Event pop-up (accessible dialog pattern)                                                                                                                                                   |
| <code>guidelines/Guidelines.md</code>           | Short summary for <b>Figma Make</b> (the file its AI reads when generating screens)                                                                                                        |

## Visual personality

Parent Guidance supports families through sensitive topics (mental health, crisis, parenting). The interface must feel **warm, calm and trustworthy**:

- Warm cream background, deep navy text and teal/sage accents.
- Soft shapes: rounded corners, subtle navy-tinted shadows, never hard black ones.
- Calm motion: short, gentle entrances, nothing that bounces or blinks.
- Readability first: the audience is parents, often on their phones and under stress.

## Principles

- Token rule: no hex, size or shadow written "by hand"; everything comes from `tokens.css` .
- Closed type and spacing scales; any new value is assigned the nearest step.
- Button hierarchy: one Primary per section, labels that start with a verb, complete states (Focus, Loading, Disabled), 44px minimum touch area.
- Grids that degrade in steps (3 → 2 → 1 columns).
- Safe, unhurried motion with duration bands and a mandatory reduced-motion contract.

## Rule #1

No color, font size, radius or shadow is written as a loose value ( `text-[#1c3243]` , `text-[13px]` , `shadow-[...]` , `text-gray-700` ). Use the tokens in `tokens.css` . If something is missing, first add it as a token here (and in Figma), then use it.

Accepted exceptions: colors inside SVG logos (brand art), course category palettes (data colors) and reading widths of hero text ( `max-w-[480px]` ...).

## How to check a screen

1. Review it at **390, 768, 1024 and 1280px**: no horizontal scroll and no squeezed text.
2. Go through it with the keyboard (Tab, Enter, Esc): everything clickable can be reached and shows focus.
3. AA contrast on all text (table in [section 1.1](#)).
4. Buttons use the component, headings follow the scale, no bouncing animations.

# Foundations

Design guidelines · Parent Guidance · Updated October 2, 2026

Every value lives in `tokens.css` as a CSS variable ( `--pg-navy` ) and as a Tailwind class ( `bg-pg-navy` , `text-pg-slate` ...). In inline styles or `motion` props, use the variable: `style={{ boxShadow: "var(--pg-shadow-card)" }}` , `animate={{ backgroundColor: "var(--pg-teal)" }}` .

## 1.1 Palette

### Brand

| Token      | Hex                                                                                                      | Tailwind                   | Use                                                                                                        |
|------------|----------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------------------------------------------|
| Navy       |  <code>#1c3243</code>   | <code>pg-navy</code>       | Headings, primary text, navigation, dark backgrounds, active chip                                          |
| Navy hover |  <code>#284054</code> | <code>pg-navy-hover</code> | Hover on navy elements                                                                                     |
| Slate      |  <code>#435766</code> | <code>pg-slate</code>      | Body text, descriptions, interface icons                                                                   |
| Teal       |  <code>#59797d</code> | <code>pg-teal</code>       | <b>Action color:</b> Primary buttons, links, active icons, selection ring                                  |
| Teal dark  |  <code>#406064</code> | <code>pg-teal-dark</code>  | Hover/pressed for teal actions; small accent text (eyebrows, links, metadata)                              |
| Sage       |  <code>#90b3b6</code> | <code>pg-sage</code>       | Decorative accent: color blocks, section-title side bar, large icons, search icons                         |
| Mist       |  <code>#acbcbe</code> | <code>pg-mist</code>       | Decorative elements only ("•" separators with <code>aria-hidden</code> , inactive dots). <b>Never text</b> |
| Amber      |  <code>#c8893a</code> | <code>pg-amber</code>      | Lesson accent; decorative fill only                                                                        |
| Live       |  <code>#52bd95</code> | <code>pg-live</code>       | "Live" dot; decorative only                                                                                |

### Surfaces and borders

| Token      | Hex                                                                                                      | Tailwind                   | Use                                                  |
|------------|----------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------|
| Cream      |  <code>#f9f4f1</code> | <code>pg-cream</code>      | Default page background; search fields on white bars |
| Cream dark |  <code>#f0edeb</code> | <code>pg-cream-dark</code> | Inactive chips, "Featured" button, dividers on cream |
| White      |  <code>#ffffff</code> | <code>white</code>         | Cards, panels, filter bars, inputs                   |
| Tint       |  <code>#eaf1f1</code> | <code>pg-tint</code>       | Soft surfaces: badges, date blocks, selected state   |

| Token     | Hex                                                                                       | Tailwind     | Use                                       |
|-----------|-------------------------------------------------------------------------------------------|--------------|-------------------------------------------|
| Tint soft |  #f0f6f6 | pg-tint-soft | Background of listing sections; row hover |
| Line      |  #dee8e9 | pg-line      | Borders of cards and inputs, dividers     |

In Figma these tokens have their own variable in *Semantic: Color Roles*: `pg-cream-dark` → **Background/Chip**, `pg-tint` → **Background/Tint**, `pg-tint-soft` → **Background/Tint Soft**, `pg-navy-hover` → **Background/Inverse Hover** and `pg-amber` → **Accent Colors/Amber** (each one aliases its primitive in *Primitive Colors*).

## States

Used in badges, notices and validation. They meet AA on white and cream.

| State   | Text / icon                                                                                          | Soft background                                                                                           | Where it is used                                |
|---------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| Success |  #117a3a pg-success |  #d3f7df pg-success-soft | "Guide" badge (with navy text)                  |
| Warning |  #a84b02 pg-warning |  #feeab1 pg-warning-soft | "Worksheet" badge, Ask a Therapist legal notice |
| Error   |  #932f2f pg-error  |  #fdcfcf pg-error-soft  | "Tool" badge, form errors                       |

They match the Figma variables *Success / Warning / Error Colors* → *Contrast* (text) and → *Soft* (background). Each text color on its soft background passes AA (4.69:1 success, 4.8:1 warning, 5.58:1 error); the "Guide" badge keeps navy text and green for the icon.

## Approved contrast combinations

| Text                   | Background                         | Ratio            | Allowed for                                                           |
|------------------------|------------------------------------|------------------|-----------------------------------------------------------------------|
| Navy                   | White / Cream / Tint / Line / Sage | 5.9–13.2         | Everything                                                            |
| Slate                  | White / Cream / Tint               | 6.6–7.5          | Everything                                                            |
| Teal                   | White                              | 4.7              | Everything                                                            |
| Teal                   | Cream / Tint                       | 4.1–4.3          | <b>Only text ≥ 18px or ≥ 14px bold</b> ; for small text use Teal dark |
| Teal dark              | White / Cream / Tint               | 6.0–6.8          | Everything                                                            |
| White                  | Teal / Teal dark / Navy            | 4.7 / 6.8 / 13.2 | Everything (buttons, badges, dark blocks)                             |
| Sage                   | Navy                               | 5.9              | Secondary text and accents on dark backgrounds                        |
| <del>Sage / Mist</del> | <del>White / Cream</del>           | 2.0–2.3          | <b>Never as text</b>                                                  |
| <del>White</del>       | <del>Sage</del>                    | 2.3              | <b>Never:</b> on sage, text and badges are navy                       |

## Highlighted blocks

A banner or CTA **inside** a section must stand out from its background: `pg-sage` (navy text, Inverse button), `pg-navy` (white or sage text, Inverse button) or a white card with a `pg-line` border and the card shadow. Never `pg-tint` on `pg-tint-soft` or `pg-cream-dark` on `pg-cream` (1.04:1, the block disappears).

## 1.2 Typography

**Poppins** is the only typeface (400, 500, 600 and 700). It is applied once on `body` ( `tokens.css` ) and every element inherits it, including buttons and inputs: **do not add font classes**. No `font-black` or `font-light` either: Poppins is only loaded in 400–700.

### Scale

| Token                | Mobile → desktop | Tailwind                                                | Weight          | Use                                                                                              |
|----------------------|------------------|---------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------------|
| <code>display</code> | 38 → 50px        | <code>text-[38px]</code><br><code>md:text-[50px]</code> | 700             | Main headline of <b>the home pages</b> (one per page)                                            |
| <code>h1</code>      | 28 → 40px        | <code>text-[28px]</code><br><code>md:text-[40px]</code> | 700 (500 in V2) | Page title; titles of featured sections with a colored background ("Need Help Now?", "Join Us!") |
| <code>h2</code>      | 24px             | <code>text-2xl</code>                                   | 700             | Section title, banners                                                                           |
| <code>h3</code>      | 20px             | <code>text-xl</code>                                    | 600–700         | Block and panel titles, section labels with a sage bar ("Resource Library"), FAQ questions       |
| <code>h4</code>      | 16px             | <code>text-base</code>                                  | 700             | Card title                                                                                       |
| <code>body-lg</code> | 16px             | <code>text-base</code>                                  | 400             | Introductions and featured paragraphs                                                            |
| <code>body</code>    | 14px             | <code>text-sm</code>                                    | 400             | <b>Default text</b> , buttons, inputs                                                            |
| <code>small</code>   | 12px             | <code>text-xs</code>                                    | 400–600         | Metadata, captions, chips, field hints                                                           |
| <code>eyebrow</code> | 11px             | <code>text-[11px]</code><br><code>uppercase</code>      | 600             | Kicker above headings, date labels ("JUL")                                                       |

Rules:

- **12px minimum**; 11px only for UPPERCASE text (eyebrows, months in date blocks).
- In Figma, uppercase text uses **Label/XSmall – Bold Caps** (11px, 15% tracking) or **Label/Small – SemiBold Caps** (12px, 10%), and quotes use **Body/Medium – Italic**. No component text is left without a style.
- No in-between sizes outside the scale (13, 15, 18, 22, 30, 36px...): use the nearest step.
- Brand emphasis in headlines: one word or phrase in teal *italics* ("Discover *Resources...*"), without changing the size.
- About 70 characters per line maximum in long paragraphs ( `max-w-pg-reading` , 680px).

## 1.3 Spacing

Tailwind's 4px scale is used. Allowed steps:

| Tailwind     | px           | Typical use                                              |
|--------------|--------------|----------------------------------------------------------|
| 1 / 1.5      | 4 / 6        | Icon ↔ small text                                        |
| 2            | 8            | Gap between inline elements, icon ↔ label, between chips |
| 3            | 12           | Gap in compact lists and filter bars                     |
| 4            | 16           | Card padding, gap between fields                         |
| 5 / 6        | 20 / 24      | Panel padding, grid gap, mobile gutter                   |
| 8            | 32           | Space between blocks                                     |
| 10 / 14      | 40 / 56      | Page side gutter (md / lg)                               |
| 14 / 16 / 20 | 56 / 64 / 80 | Section vertical padding                                 |

Avoid loose in-between values ( `py-3.5` , `px-2.5` ) except for optical adjustments inside components.

## 1.4 Radii

| Token             | Value  | Tailwind                    | Use                                                      |
|-------------------|--------|-----------------------------|----------------------------------------------------------|
| <code>sm</code>   | 4px    | <code>rounded-pg-sm</code>  | Checkboxes, minimal elements                             |
| <code>md</code>   | 8px    | <code>rounded-pg-md</code>  | <b>Buttons</b> , inputs, selects, "Featured" button      |
| <code>lg</code>   | 12px   | <code>rounded-pg-lg</code>  | Small panels, dropdown menus, date blocks                |
| <code>xl</code>   | 16px   | <code>rounded-pg-xl</code>  | <b>Cards</b> , pop-ups, banners                          |
| <code>2xl</code>  | 28px   | <code>rounded-pg-2xl</code> | Heroes, featured video, section blocks with a background |
| <code>full</code> | 9999px | <code>rounded-full</code>   | Chips, badges, avatars, dots, pill-shaped search bars    |

In the shadcn theme `rounded-lg` is 10px and `rounded-xl` 14px, so the `rounded-pg-*` tokens are always used.

## 1.5 Shadows

Every shadow is **navy-tinted** ( `rgba(28,50,67,...)` ), never black.

| Token                   | Value                                       | Use                                          |
|-------------------------|---------------------------------------------|----------------------------------------------|
| <code>card</code>       | <code>0 8px 24px rgba(28,50,67,0.06)</code> | Cards, filter bars, selected controls        |
| <code>card-hover</code> | <code>0 8px 24px rgba(28,50,67,0.14)</code> | Interactive cards on hover; navbar on scroll |

| Token   | Value                           | Use                             |
|---------|---------------------------------|---------------------------------|
| overlay | 0 24px 60px rgba(28,50,67,0.28) | Pop-ups, modals, floating menus |

Cards use a **pg-line border + card shadow**. To make something stand out, don't stack stronger shadows: use the background color (tint, sage or navy).

## 1.6 Icons

- Library: **Material Icons, Outlined style** ( `@mui/icons-material` ). Other styles (Filled, Rounded, Sharp) and other libraries are not mixed in.
- Always import from `src/app/components/icons.tsx`, never straight from `@mui/icons-material`:  
`import { Search } from "../components/icons"`. If an icon is missing, add it there using its `Outlined` version.
- Size with `size` in px: 14–16px in controls and 18–20px in icon-only buttons ( `<Search size={16} aria-hidden="true" />` ).
- Color via `currentColor` plus a text class ( `text-pg-slate`, `text-pg-sage` ...), never a hex in the SVG.
- Decorative icons get `aria-hidden="true"`; icon-only buttons get an `aria-label`.
- Exception: SVG logos (Parent Guidance, partners, social networks) keep their brand colors.

# Buttons

Design guidelines · Parent Guidance · Updated October 2, 2026

Every action button in the prototype comes from a single system, built from the most repeated button in the original design (the `UnifiedCard` one: teal, 8px, Poppins semibold 14px, teal dark on hover) and implemented in the `Button.tsx` component (section 2.4).

## 2.1 Styles

| Style                    | Look                                                                                                                        | When                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Primary</b>           | <code>pg-teal</code> background, white text; <code>pg-teal-dark</code> on hover                                             | The main action of the section: "View course", "Book a session", "Submit question" |
| <b>Secondary</b>         | White background, 1px <code>pg-teal</code> border, <code>pg-teal-dark</code> text; <code>pg-tint</code> background on hover | Supporting action next to a Primary ("Cancel", "View details")                     |
| <b>Tertiary</b>          | <code>pg-teal-dark</code> text only, underlined on hover                                                                    | Low-priority actions: "See more", "Skip"                                           |
| <b>Inverse</b>           | White background, <code>pg-navy</code> text; <code>pg-cream</code> on hover                                                 | Main action <b>on navy, teal or sage backgrounds</b>                               |
| <b>Inverse secondary</b> | <code>white/5</code> background, <code>white/20</code> border, white text; <code>white/10</code> on hover                   | Supporting action on dark backgrounds                                              |

**One Primary per section.** If there are more actions, they become Secondary or Tertiary.

There are no navy or sage buttons: navy is the color of text and navigation, not of action. That way users learn that teal means "I can click this".

On a **sage** background (banners such as "Not sure which resource is right for you?") the main action is **Inverse**: teal on sage is barely visible.

## 2.2 Sizes

| Size     | Height | Padding           | Text       | When                                                                                                  |
|----------|--------|-------------------|------------|-------------------------------------------------------------------------------------------------------|
| <b>S</b> | 36px   | <code>px-4</code> | 14px / 600 | Dense UI: toolbars, pagination, "Register" in event rows. On mobile, only if the button is full width |
| <b>M</b> | 44px   | <code>px-5</code> | 14px / 600 | <b>Default</b>                                                                                        |

| Size | Height | Padding | Text       | When                                |
|------|--------|---------|------------|-------------------------------------|
| L    | 52px   | px-7    | 16px / 600 | Hero CTAs and key screens on mobile |

- `rounded-pg-md` radius (8px) on every size.
- The **pill** shape ( `rounded-full` ) is reserved for chips, badges, filters and the search bar. Not for action buttons.
- Optional icon on the right ( `→` arrow or 16px Material Outlined icon) with `gap-2` . If the icon is decorative, it gets `aria-hidden="true"` .
- `w-full` only inside cards or on mobile.

## 2.3 States

| State    | Primary                                                                 | Secondary                                              |
|----------|-------------------------------------------------------------------------|--------------------------------------------------------|
| Default  | <code>bg-pg-teal text-white</code>                                      | <code>bg-white border-pg-teal text-pg-teal-dark</code> |
| Hover    | <code>bg-pg-teal-dark</code>                                            | <code>bg-pg-tint</code>                                |
| Pressed  | <code>scale 0.97</code> (motion <code>whileTap</code> )                 | same                                                   |
| Focus    | 2px <code>pg-teal-dark</code> ring with a 2px offset                    | same                                                   |
| Loading  | 16px spinner + "Sending...", <code>aria-busy="true"</code> , no clicks  | same                                                   |
| Disabled | <code>bg-pg-line text-pg-slate</code> , <code>not-allowed</code> cursor | <code>border-pg-line text-pg-slate</code>              |

Visible focus is applied globally in `src/styles/accessibility.css` : every link, button or field shows a 2px teal dark ring with a white halo when navigating with the keyboard, on light and dark backgrounds. New components don't need to add focus classes.

## 2.4 Component

The prototype's buttons use `src/app/components/Button.tsx` :

| Component                         | For                                                                                                     | Example                                                                                                  |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <code>&lt;Button&gt;</code>       | Actions (submit, open, download)                                                                        | <code>&lt;Button variant="secondary" size="s" onClick={...}&gt;Today&lt;/Button&gt;</code>               |
| <code>&lt;ButtonLink&gt;</code>   | Navigation inside the app ( <code>react-router</code> )                                                 | <code>&lt;ButtonLink to="/ask-a-therapist"&gt;View Answer&lt;/ButtonLink&gt;</code>                      |
| <code>&lt;ButtonAnchor&gt;</code> | External links, <code>mailto:</code> , <code>tel:</code> , <code>sms:</code> and <code>#</code> anchors | <code>&lt;ButtonAnchor href="tel:988" variant="inverse" size="l"&gt;Call 988&lt;/ButtonAnchor&gt;</code> |
| <code>buttonClass()</code>        | Just the classes, for elements that can't use the components                                            | <code>className={buttonClass({ variant: "secondary" })}</code>                                           |

- Props: `variant` ( `primary` by default, `secondary`, `tertiary`, `inverse`, `inverse-secondary` ) and `size` ( `s`, `m` by default, `l` ). `<Button>` also accepts `loading` .
- They all have `whileTap={{ scale: 0.97 }}` and no `whileHover` scaling; hover changes color only.
- `className` is for layout ( `w-full`, `mt-4`, `shrink-0` ), not for changing colors, radii or sizes.
- Exception: the "Search" button inside a pill-shaped search bar may use `rounded-full`, because it is part of the bar.
- In newsletters, the button sits **inside** the input box (with `p-1.5` and `gap-2` ), not glued to its edge.

## Controls that are not action buttons

These elements have their own style and do **not** use `<Button>` :

| Control                                        | Style                                                                                                                                                                                                                             |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Filter chips                                   | <code>rounded-full text-xs font-medium px-4 py-2</code> ; active <code>bg-pg-navy text-white</code> , inactive <code>bg-pg-cream-dark text-pg-slate</code> , with <code>aria-pressed</code>                                       |
| "Featured" (sort) menu                         | <code>rounded-pg-md bg-pg-cream-dark text-xs font-medium px-4 py-2.5</code> , 14px<br><code>ListFilter</code> ( <code>filter_list</code> ) + <code>ChevronDown</code> ( <code>expand_more</code> ) icons, centered with the label |
| Segmented control (Month/List, Day/Week/Month) | <code>bg-pg-tint-soft</code> container; active option is white with <code>shadow-pg-card</code> and <code>aria-pressed</code>                                                                                                     |
| Numeric pagination                             | 36–44px squares; current page in navy or teal; Prev/Next as <code>&lt;Button variant="secondary" size="s"&gt;</code>                                                                                                              |
| Icon-only buttons                              | 36–44px, <code>rounded-pg-md</code> , <code>aria-label</code> required (calendar arrows, close, menu)                                                                                                                             |

## 2.5 Accessibility

- Use `<button>` for actions and `<a>` for navigation. Never `<div onClick>` .
- Minimum touch area of **44×44px** on mobile (size M or L).
- External links ( `target="_blank"` ) must say so: an external-link icon + hidden text "(opens in a new tab)".
- Icon-only buttons get an `aria-label` ("Close", "Menu").
- Disabled: explain why with nearby helper text if it isn't obvious.
- On the **Get Help** page (crisis lines), call/text buttons use `<a href="tel:...">` and `<a href="sms:...">` in size L, so they are easy to tap in a moment of stress.

## 2.6 Do / Don't

### Do

- One Primary per section, in teal.
- Short labels that start with a verb: "View course", "Book a session".
- The same size for every button in a row.

### Don't

- Navy, sage or mist buttons.
- Mixing pill and rectangular buttons on the same screen.
- `whileHover` scaling above 1.02 on buttons: it feels unstable.
- Button text at 10–11px.

# Layout

Design guidelines · Parent Guidance · Updated October 2, 2026

## 3.1 Containers

| Token                | Width  | Tailwind                      | Use                                                                                    |
|----------------------|--------|-------------------------------|----------------------------------------------------------------------------------------|
| <code>page</code>    | 1280px | <code>max-w-pg-page</code>    | Default container: navigation, sections, filter bars, card grids, Mental Health Series |
| <code>content</code> | 1100px | <code>max-w-pg-content</code> | Topic and event pages, centered banners                                                |
| <code>reading</code> | 680px  | <code>max-w-pg-reading</code> | Long text: legal pages, articles, single-column forms                                  |

Hero text may limit its reading width with `max-w-[480px]` or similar; those are not containers.

### Side margins (gutter)

```
<section className="px-6 md:px-10 lg:px-14">
  <div className="max-w-pg-page mx-auto">...</div>
</section>
```

- Mobile: 24px · Tablet ( $\geq 768$ ): 40px · Desktop ( $\geq 1024$ ): 56px.
- The section background runs edge to edge; the content is centered inside it.
- If a section has few elements (e.g. image + newsletter), the group is **centered** inside the container ( `lg:justify-center` ) instead of sticking to the left.

## 3.2 Breakpoints

Tailwind's breakpoints are used. The rule of thumb: **mobile and tablet stack; columns start at `lg`**.

| Prefix          | From   | What changes                                                                                                    |
|-----------------|--------|-----------------------------------------------------------------------------------------------------------------|
| (base)          | 0      | One column, 24px gutter, mobile-size headings, ☰ menu                                                           |
| <code>sm</code> | 640px  | Card grids go to 2 columns; row buttons sit next to the content                                                 |
| <code>md</code> | 768px  | Desktop-size headings, 40px gutter, filter bars on a single row                                                 |
| <code>lg</code> | 1024px | <b>Full navigation</b> , 2-column heroes, sidebars on detail and lesson pages, footer in rows, 3–4 column grids |

| Prefix | From   | What changes                                                                                          |
|--------|--------|-------------------------------------------------------------------------------------------------------|
| xl     | 1280px | Fine adjustments (3 columns of questions in Ask a Therapist); the container is already at its maximum |

**Degrade in steps:** 4 → 2 → 1 or 3 → 2 → 1 columns, never straight from 4 to 1.

Anything with a large fixed width (248–300px sidebars, 420–480px images) applies it only from `lg` ( `w-full lg:w-[300px]` ). On tablet, fixed widths were what caused horizontal scroll.

## 3.3 Vertical rhythm

| Context                             | Mobile → desktop                | Tailwind                    |
|-------------------------------------|---------------------------------|-----------------------------|
| Standard section                    | 56 → 80px                       | <code>py-14 md:py-20</code> |
| Compact section (listings, filters) | 40 → 56px                       | <code>py-10 md:py-14</code> |
| Page hero                           | 96px on top (fixed 56px navbar) | <code>pt-24 pb-14</code>    |
| Section title → content             | 24–32px                         | <code>mb-6 / mb-8</code>    |
| Between cards in a grid             | 16–20px                         | <code>gap-4 / gap-5</code>  |
| Inside a card                       | 16–20px                         | <code>p-4 / p-5</code>      |

Sections alternate by **background color** (cream → white → tint-soft → navy) instead of divider lines. For highlighted blocks inside a section, see [Highlighted blocks](#).

## 3.4 Grid patterns

| Pattern                | Classes                                                                                                                    | Use                                               |
|------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Resource cards         | <code>grid-cols-1 sm:grid-cols-2 lg:grid-cols-3</code> (or <code>lg:grid-cols-4</code> ) <code>gap-4/5</code>              | Resource Library, home pages, a topic's resources |
| Courses                | <code>grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-4</code>                                                               | On-Demand Courses                                 |
| Questions with sidebar | <code>grid-cols-1 sm:grid-cols-2 xl:grid-cols-3 gap-5</code>                                                               | Ask a Therapist                                   |
| Detail + sidebar       | <code>flex flex-col lg:flex-row gap-6</code> ; sidebar <code>w-full lg:w-[280px] - [300px]</code> , <code>lg:sticky</code> | Course, lesson, question                          |
| Text + image (hero)    | <code>grid grid-cols-1 lg:grid-cols-2 gap-10 items-center</code>                                                           | Coaching, Courses and Get Help heroes             |
| Benefits / steps       | <code>grid-cols-1 sm:grid-cols-2 lg:grid-cols-4</code>                                                                     | Navy band and steps on Parent Coaching            |
| Help lines             | <code>grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-5</code>                                                               | Get Help                                          |
| Topic + sidebar        | <code>grid-cols-1 lg:grid-cols-[1fr_340px] gap-8 lg:gap-14</code>                                                          | Mental Health Series topic page                   |

## 3.5 Patterns

### Standard card ( UnifiedCard )

- White background, `rounded-pg-xl`, `pg-line` border, `card` shadow.
- 150px-tall image on top ( `object-cover`, or `object-contain` with padding for logos).
- With logos, the image area is white ( `bg-white` ), like the rest of the card; with photos, `bg-pg-tint-soft` only shows while the image loads.
- Content with `p-4`: navy `h4` title, slate `small` description, teal dark `small` metadata.
- Full-width Primary button anchored at the bottom ( `mt-auto` ), so every card in a row aligns its button.
- Destination: `to` (internal route, `<Link>`), `href` (external, new tab) or `onClick`.
- Optional badge: navy pill with white text in the top-left corner.

Color variant (home): bottom block in `pg-sage` with `pg-navy` text. Hover on clickable cards: `card-hover` shadow and at most `y: -2`. No card scaling.

Until a section has its own detail pages, its cards link to a **sample page** (courses alternate the Milestones and Free Yourself templates; resources open "Building Your Child's Confidence").

### Filter bar

Same pattern on On-Demand Courses, Ask a Therapist and Mental Health Series:

```
<div className="bg-white border-y border-pg-line sticky top-14 z-30 shadow-pg-card">
  <div className="max-w-pg-page mx-auto px-6 md:px-10 py-3 flex flex-wrap md:flex-nowrap items-center gap-3 md:gap-4">
    {/* search: relative min-w-0 flex-1 md:flex-none md:w-64; input bg-pg-cream rounded-pg-md py-2.5, text-pg-sage magnifier */}
    {/* chips: order-last basis-full md:order-none md:basis-auto flex-1 min-w-0 overflow-x-auto gap-2 */}
    {/* "Featured": sort menu on the right */}
  </div>
</div>
```

- Full width, below the hero, and **sticky under the navigation** while browsing the list it filters (if the page continues with other content, the bar sits inside the listing block so it releases at the end).
- One bar per listing: search and chips are never repeated further down.
- On mobile: search + "Featured" on top, chips on their own scrollable row.

### Section title with a count

4×20px sage bar + navy `h3` title + count pill `bg-pg-tint` `text-pg-teal-dark` `text-xs` ("Resource Library · 9 resources", "Browse All · 15 questions").

### Newsletter

The button sits inside the input box: `flex` `items-center` `gap-2` `rounded-pg-xl` `bg-pg-tint-soft` `p-1.5` (on navy, the box is `bg-pg-navy-hover` and the button is Inverse).

## Event pop-up / dialogs

`EventModal` : 320px card with a teal header, `rounded-pg-xl`, `shadow-pg-overlay`. Next to the element that opens it on desktop and tablet (`pg-navy/10` backdrop), centered on mobile (`pg-navy/30` backdrop, `min(320px, 100vw - 32px)` wide). `role="dialog"` with `aria-modal`, trapped focus, closes with Esc, the X or a click outside, and returns focus when closed.

## Legal pages

Terms of Use, Cookies Policy and Consent Documents share one template: a header with a **LEGAL** eyebrow (no bar), `h1`, a `max-w-pg-reading` intro and, below it, the **Download** (Primary M, `file_download` icon) and **Print** (Secondary M, `print` icon) buttons. The text sits in a single white card (`rounded-pg-xl`, `p-7 md:p-10`) with the effective date in teal and sections separated by a `pg-line` rule.

Consent Documents groups the documents in collapsible cards: teal dot, `h4` title, chevron, and size S Download/Print on the right (on mobile the buttons wrap to a second line). Only one document is open at a time.

## Video

Vimeo videos use an `iframe` in `aspect-video`, `rounded-pg-2xl` (featured) or `rounded-pg-xl` (cards), with a descriptive `title`, `allow="autoplay; fullscreen; picture-in-picture"` and `dnt=1` in the URL. The Mental Health Series welcome video loads the player directly; topic page videos show a thumbnail and load the player on click.

## 3.6 Navigation

- Fixed 56px navy navbar (`h-14`); the logo always links to the home page.
- From `lg`, full links; below it, a `≡` button opens the menu (closes with Esc, an outside tap or on navigation) and returns focus.
- Every new page opens at the top (`ScrollRestoration`); back/forward restores the position.

## 3.7 Components in Figma

The Figma library ([Design system - PG](#)) mirrors the prototype. Every pattern in this guide has a component; start new screens from them instead of drawing by hand.

| Component                                                                 | Figma page     | Maps to                                 |
|---------------------------------------------------------------------------|----------------|-----------------------------------------|
| Button (Primary, Secondary, Tertiary, Inverse, Inverse Secondary × S/M/L) | Buttons        | <code>&lt;Button&gt;</code> (chapter 2) |
| Filter Bar (Desktop/Mobile), Search Field, Sort Menu, Filter Chip         | Inputs & Nav   | Filter bar (3.5)                        |
| Section Header (title + count), Section Eyebrow (with or without bar)     | Content Blocks | Section title with a count              |

| Component                                                                                                  | Figma page        | Maps to                                                   |
|------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------|
| Photo CTA Banner, Split CTA Banner (Desktop/Tablet/Mobile), Promo Banner, Multi-action Banner              | Content Blocks    | Page-closing banners                                      |
| Hero Media (Portrait/Landscape)                                                                            | Content Blocks    | Hero image with color block                               |
| Outline Step, Course Mini Card, Instructor Line                                                            | Course & Media    | Course detail (outline, "You may also like", instructors) |
| Video Card, Session Card, Takeaway Card, Action Card, Topic Resource Card                                  | Cards             | Mental Health Series topic page                           |
| Calendar (Desktop/Mobile), Event List Item, Event Popover                                                  | Calendar & Events | Events page and pop-up                                    |
| Icon/... (Material Outlined, including <code>download</code> , <code>print</code> and <code>vimeo</code> ) | Icons             | <code>src/app/components/icons.tsx</code>                 |

Full screens live in **Layouts – Desktop / Tablet / Mobile** (1280, 768 and 375px). When a prototype screen changes, update its frame on all three pages too.

## 3.8 Checklist for a new screen

1. `pg-cream` background, `max-w-pg-page` container with a `px-6 md:px-10 lg:px-14` gutter.
2. A single `display` (home pages only) or `h1` per page.
3. Sections with `py-14 md:py-20`, alternating the background color.
4. Grid from table 3.4, degrading in steps; fixed widths only from `lg`.
5. Cards with `UnifiedCard`; listings with the standard filter bar.
6. One teal Primary per section; buttons with `<Button>`.
7. Review at **390, 768, 1024 and 1280px**.

# Motion

Design guidelines · Parent Guidance · Updated October 2, 2026

The prototype animates with `motion` (Framer Motion, `motion/react`). Principle: **safe, unhurried** motion, never bouncy, and always respecting reduced-motion.

## 4.1 Tokens

Durations and curves live in `tokens.css`:

| Band   | Duration | CSS variable                 | Tailwind class                          | Use                                     |
|--------|----------|------------------------------|-----------------------------------------|-----------------------------------------|
| Micro  | 0.15s    | <code>--pg-dur-micro</code>  | <code>duration-(--pg-dur-micro)</code>  | Press, color change, sort menus         |
| Fast   | 0.22s    | <code>--pg-dur-fast</code>   | <code>duration-(--pg-dur-fast)</code>   | Hover, icons, pop-ups                   |
| Base   | 0.35s    | <code>--pg-dur-base</code>   | <code>duration-(--pg-dur-base)</code>   | Accordions, menus, modals, view changes |
| Reveal | 0.55s    | <code>--pg-dur-reveal</code> | <code>duration-(--pg-dur-reveal)</code> | Content entrance on scroll              |

| Curve                       | Value                                 | Use                                      |
|-----------------------------|---------------------------------------|------------------------------------------|
| <code>ease-pg-out</code>    | <code>[0.25, 0.46, 0.45, 0.94]</code> | Brand curve: entrances, reveals, pop-ups |
| <code>ease-pg-in-out</code> | <code>[0.65, 0, 0.35, 1]</code>       | Open/close, accordions, tabs             |

In `motion` props, write the numbers ( `transition={{ duration: 0.55, ease: [0.25, 0.46, 0.45, 0.94] }}` ). Stagger between cards in a grid: **0.06s**, for the first 6 items only.

## 4.2 Patterns

### Reveal on scroll

Used gently and **only once**:

```
<motion.div
  initial={{ opacity: 0, y: 16 }}
  whileInView={{ opacity: 1, y: 0 }}
  viewport={{ once: true, margin: "-60px" }}
  transition={{ duration: 0.55, ease: [0.25, 0.46, 0.45, 0.94] }}
/>
```

- Vertical offset of **16–24px**. Horizontal offsets ( `x` ) only in heroes and image + text rows, 32–48px at most, and a page that uses them gets `overflow-x-clip` so it doesn't create horizontal scroll on mobile.
- Always `once: true` : content doesn't hide again when scrolling up.
- Grids: `delay: index * 0.06` , for the first 6 items only.

## Interaction feedback

| Element                                 | Animation                                                                                                       |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Buttons ( <code>&lt;Button&gt;</code> ) | <code>whileTap={{ scale: 0.97 }}</code> + color with <code>transition-colors</code> . Hover changes color only  |
| Clickable cards                         | Hover: <code>card-hover</code> shadow and <code>y: -2</code> . No scaling                                       |
| Featured images                         | Hover: <b>1.02</b> maximum scale (or no animation)                                                              |
| Social icons                            | Hover: <code>y: -2</code> , no scaling                                                                          |
| Accordion / FAQ                         | <code>auto</code> height + opacity, 0.35s; the <code>+</code> icon rotates 45°                                  |
| Pop-ups and modals                      | Backdrop fades; panel <code>opacity 0 → 1</code> , <code>scale 0.97 → 1</code> , <code>y: -6 → 0</code> , 0.22s |
| Confirmations ("✓ Question Submitted")  | <code>opacity 0 → 1</code> , <code>scale 0.9 → 1</code> , 0.35s, <code>ease-pg-out</code>                       |

## What to avoid

- Bouncy `type: "spring"` .
- `whileHover` scaling above 1.02.
- `whileHover` color changes in `motion` : use Tailwind `hover:` classes.
- Infinite or decorative animations. The only exception is the "live" dot (soft pulse), and only while that state is active.
- Entrance animations on the **Get Help** page: crisis content is visible from the very first moment ( `initial={false}` ).
- Animating the hero or the first visible block in a way that makes the page look empty on load.

## 4.3 Scrolling

- Every navigation opens the new page at the top ( `<ScrollRestoration />` in the root layout); back/forward restores the position.
- "Back to top" buttons and page changes use `scrollBehavior()` from `src/app/utils/motion.ts` : `"smooth"` , or `"auto"` when the user asks for reduced motion.

## 4.4 Reduced-motion contract (mandatory)

Implemented. The app is wrapped in `MotionConfig` :

```
// src/app/App.tsx
<MotionConfig reducedMotion="user">{ /* ...app... */ }</MotionConfig>
```

With `reducedMotion="user"`, `motion` turns off movement and scaling for anyone who has the system setting enabled, and keeps opacity changes. CSS transitions are turned off by the `@media (prefers-reduced-motion: reduce)` rule in `accessibility.css`.

Rule: **no content may stay hidden** ( `opacity: 0` ) if the animation doesn't run.

# Prototype audit

Design guidelines · Parent Guidance · Updated October 2, 2026

Record of the review of `src/app` (excluding `components/ui`, the shadcn base components) against these guidelines: what was found, how it was fixed and what is still pending (section 5.7).

## 5.1 Accessibility (high priority)

| Issue                                                                                                                                  | Where                                          | Fix                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ✓ No visible focus styles                                                                                                              | All buttons and links                          | <b>Fixed</b> with a global rule in <code>src/styles/accessibility.css</code>                                                                                                                                                                |
| ✓ Reduced-motion not respected                                                                                                         | Whole app                                      | <b>Fixed:</b> <code>MotionConfig</code> in <code>App.tsx</code> , CSS rule in <code>accessibility.css</code> and non-animated scrolling in <code>utils/motion.ts</code>                                                                     |
| ✓ Home cards not reachable with the keyboard                                                                                           | Home, V1 and V2                                | <b>Fixed:</b> cards are links and FAQs are buttons with <code>aria-expanded</code>                                                                                                                                                          |
| ✓ Sage  #90b3b6 text on light backgrounds           | 41 uses                                        | <b>Fixed:</b> now teal dark  #406064. Sage stays on navy, where it passes (5.9:1)                                                                      |
| ✓ Mist  #acbcbe text                                | 36 texts and 11 placeholders                   | <b>Fixed:</b> text → slate  #435766; all placeholders → teal  #59797d |
| ✓ 9-11px text                                                                                                                          | 75 uses                                        | <b>Fixed:</b> everything at 12px, except uppercase eyebrows, which stay at 11px                                                                                                                                                             |
| ✓  #9aa4ac text (2.5:1)                             | UnifiedCard footer                             | <b>Fixed:</b> slate                                                                                                                                                                                                                         |
| ✓ Small teal  #59797d on cream or tints (3.9-4.3:1) | 39 texts (eyebrows, chips, breadcrumbs, links) | <b>Fixed:</b> teal dark  #406064                                                                                                                       |
| ✓ White text on sage (2.3:1)                                                                                                           | Step numbers, avatars                          | <b>Fixed:</b> navy on sage (5.9:1)                                                                                                                                                                                                          |
| ✓ "Learn More" sage on sage (1:1, invisible)                                                                                           | Home cards                                     | <b>Fixed:</b> navy                                                                                                                                                                                                                          |
| ✓ White "Next Lesson" button on amber (3.0:1)                                                                                          | Lessons                                        | <b>Fixed:</b> now a teal Primary                                                                                                                                                                                                            |
| ✓ Low-contrast "→" separators                                                                                                          | Course detail                                  | <b>Fixed:</b> decorative in <code>pg-mist</code> with <code>aria-hidden</code>                                                                                                                                                              |
| ✓ Testimonials in 3 columns on mobile                                                                                                  | Parent Coaching                                | <b>Fixed:</b> 1 column up to 1024px, 3 columns on desktop                                                                                                                                                                                   |

| Issue                                                       | Where     | Fix                                                                                    |
|-------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------|
| ✓ Navigation doesn't fit on mobile                          | Header    | <b>Fixed:</b> ☰ menu below 1024px (closes with Esc, an outside tap or on navigation)   |
| ✓ Footer overflows on mobile                                | All pages | <b>Fixed:</b> stacked columns on mobile                                                |
| ✓ Home overflows on mobile                                  | Home      | <b>Fixed:</b> wrapping title, 2×2 cards, stacked image + text rows and FAQ             |
| ✓ Horizontal scroll and broken layouts on mobile and tablet | All pages | <b>Fixed:</b> no horizontal scroll at 390/768/1024/1280px (fixed widths only from lg ) |

## 5.2 Off-palette colors ✓

**Fixed.** The ~1,140 hex color classes (90 distinct values) now use the `pg-*` tokens. Off-palette tones were consolidated like this:

| Before                                                                                                                               | Now                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <div>#1b1139</div> <div>#2c3e50</div> <div>#0d1b2a</div> <div>#363049</div> <div>#293a41</div> <div>#1a2838</div> <div>#172c3a</div> | <code>pg-navy</code>                                                                     |
| <div>#58595b</div> <div>#333</div> <div>#6c777f</div> <div>#737373</div>                                                             | <code>pg-slate</code>                                                                    |
| <div>#6f9296</div> <div>#76979a</div> <div>#7da3a6</div> <div>#7a9ea0</div> <div>#6d8c94</div> <div>#4a6b6f</div>                    | <code>pg-teal</code> / <code>pg-teal-dark</code>                                         |
| <div>#97b4b5</div> <div>#a1bfb9</div>                                                                                                | <code>pg-sage</code>                                                                     |
| <div>#e8f1f1</div> <div>#dceced</div> <div>#edf5f5</div>                                                                             | <code>pg-tint</code>                                                                     |
| Neutral grays ( <div>#f5f5f5</div> , <div>#f0f0f0</div> , <div>#fafafa</div> ...) and <div>#eef3f3</div>                             | <code>pg-tint-soft</code>                                                                |
| Gray borders ( <div>#e8ebed</div> , <div>#dde0e0</div> , <div>#e0e0e0</div> ...)                                                     | <code>pg-line</code>                                                                     |
| Warm dividers ( <div>#ebe8e5</div> , <div>#f1eeee</div> ...)                                                                         | <code>pg-cream-dark</code>                                                               |
| <div>#c8893a</div> / <div>#52bd95</div>                                                                                              | new <code>pg-amber</code> / <code>pg-live</code> tokens (decorative only)                |
| <div>#6b5c8d</div> / <div>#f0edf7</div> ("Guide" badge)                                                                              | <code>pg-success</code> icon on <code>pg-success-soft</code> , <code>pg-navy</code> text |

Intentionally kept as hex: colors inside SVG logos (brand art), course and topic category palettes (data colors) and values inside animation props ( `whileHover` ), which already use palette values.

## 5.3 Consistency

| Topic          | Status                                                                                                                                                                                                    |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ✓ Radii        | 27 variants → <code>rounded-pg-sm/md/lg/xl/2xl</code> tokens (4/8/12/16/28px) and <code>rounded-full</code>                                                                                               |
| ✓ Shadows      | 30 recipes (classes and inline) → <code>shadow-pg-card</code> , <code>shadow-pg-card-hover</code> , <code>shadow-pg-overlay</code>                                                                        |
| ✓ Containers   | 1280/1180 → <code>max-w-pg-page</code> ; 1100/1024/1000 → <code>max-w-pg-content</code> ; 680 → <code>max-w-pg-reading</code>                                                                             |
| ✓ Durations    | 16 values → 4 bands (0.15 / 0.22 / 0.35 / 0.55 s); <code>duration-(--pg-dur-*)</code> classes in CSS                                                                                                      |
| ✓ shadow theme | <code>tokens.css</code> maps <code>--primary</code> , <code>--ring</code> , <code>--border</code> ... to the PG palette                                                                                   |
| ✓ Buttons      | ~45 action buttons in 17 files → <code>&lt;Button&gt;</code> , <code>&lt;ButtonLink&gt;</code> and <code>&lt;ButtonAnchor&gt;</code> ( <u>Buttons</u> ): 8px, 36/44/52 heights, no navy or sage, no pills |
| ✓ Typeface     | The 428 <code>font-[ 'Poppins', sans-serif ]</code> classes were removed: Poppins is applied once on <code>body</code> ( <code>tokens.css</code> )                                                        |

## 5.4 Other

- ✓ Removed from `src/imports`: the parentguidance.org screen captures, unused images (`QB_united.png`, `ADD0.png`, `image.png` ...), the unused Figma Make component `CreateLivePrototypeWithTransitions/index.tsx` and `pasted_text`: the folder went from 38 MB to 8.8 MB.
- ✓ The `<title>` and description in `index.html` now talk about Parent Guidance.
- ✓ Icons: the ~55 lucide-react icons moved to **Material Icons Outlined** through `components/icons.tsx`, and lucide-react was removed from the project.
- There are two versions of the home page (`HomePageV1`, `HomePageV2`) in addition to the main one. Still to decide which one stays (5.7).

## 5.5 Migration (completed)

- ✓ Import `tokens.css` (done, in `src/styles/`).
- ✓ `MotionConfig` `reducedMotion="user"` and focus styles (done).
- ✓ Fix contrast: sage, mist and 9–11px sizes (done).
- ✓ Unify buttons into one component (done).
- ✓ Replace loose hex values with `pg-*` classes and consolidate radii, shadows, widths and durations (done).

## 5.6 Final audit ✓

Review of the `src/app` code and the 21 screens in the browser (390, 768, 1024 and 1280px).

| Topic             | Result                                                                                                                                                                                                                                                                            |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Colors            | No hex in classes. Inline shadows and borders use <code>var(--pg-shadow-*)</code> and <code>var(--pg-line)</code> ; black shadows became the system's navy ones and the <code>rgb(34,49,67)</code> gradient became <code>pg-navy</code>                                           |
| Typography        | Every size on the scale: 13 → 14, 15 → 16, 18 → 20 (titles) or 16 (paragraphs), 22 → 24; page and featured-section titles in h1 28/40; <code>display 38/50</code> only on the home pages. <code>font-black</code> → <code>font-bold</code> . 11px text is only uppercase eyebrows |
| Radii and shadows | Only <code>rounded-pg-*</code> / <code>shadow-pg-*</code> tokens (the remaining Tailwind classes belong to <code>components/ui</code> , which no page uses)                                                                                                                       |
| Buttons           | Every action button uses <code>&lt;Button&gt;</code> , <code>&lt;ButtonLink&gt;</code> or <code>&lt;ButtonAnchor&gt;</code>                                                                                                                                                       |
| Motion            | No hover scaling above 1.02 and no bouncy springs; Get Help has no entrance animations ( <code>initial={false}</code> )                                                                                                                                                           |
| Contrast          | 1,685 texts checked; the only alerts are text over photos (which the analysis can't measure) and the "." separators, now <code>aria-hidden</code>                                                                                                                                 |
| Responsive        | No horizontal scroll at 390/768/1024/1280. Footer and "Join Us!" switch to rows from 1024px                                                                                                                                                                                       |

Afterwards, Tailwind's generic grays ( `text-gray-700/400` → `pg-navy` / `pg-slate` ) and loose icon colors ( `#333` , `#acbcb` , `#C0CDD4` , `#8D6B3A` ) were also replaced with `currentColor` or tokens.

Intentionally left as loose values: reading widths ( `max-w-[480px]` ...) in hero text, and the colors of SVG logos and category palettes.

## 5.7 Pending

| Topic                      | Detail                                                                                                   | Owner              |
|----------------------------|----------------------------------------------------------------------------------------------------------|--------------------|
| Buttons without a function | "Help me choose" (Get Help), "Take the Quiz" and "Learn more" (Home V1), "Featured" (Ask a Therapist)    | Design/development |
| Social networks            | Facebook, Instagram, YouTube and LinkedIn URLs are missing (Vimeo is already linked)                     | Content            |
| Sample content             | Sample events and registration links; courses and resources without their own page open sample templates | Content            |
| Repeated copy              | Three home cards repeat "Dive into a wealth of knowledge tailored for parents"                           | Content            |
| Home pages                 | Decide between the main home, V1 and V2                                                                  | Product            |