
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed.

## Source

- 1. ←
- 2. ←
- <u>2</u>. ∖
- 4. <!doctype html>↔
- 5. <html lang="en">↔
- 6. ←
- 7. <head>↔
- 8. ←

```
9
10.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">←
        <meta charset="utf-8">←
11.
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
12.
    to-fit=no">↔
13.
14.
   \leftarrow
15.
        \leftarrow
16.
        پ
17. ←
18.
19.
        <link rel="stylesheet"</pre>
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"↔
20.
             integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">↔
         <link rel="stylesheet" href="https://fonts.googleapis.com/css?</pre>
21.
    family=Old+Standard+TT&display=swap">↔
        <link rel="stylesheet" href="https://fonts.googleapis.com/css?</pre>
22.
    family=Lato&display=swap">↔
23.
        <link href="//cdn-images.mailchimp.com/embedcode/classic-10_7_dtp.css"</pre>
    rel="stylesheet" type="text/css">↔
24.
         <link rel="stylesheet" href="https://pf5-iomha-</pre>
    prints.s3.amazonaws.com/static/css/base.css">↔
25.
26.
27.
         \rightarrow
28.
        \leftarrow
29. ←
30.
31
         <script src="https://kit.fontawesome.com/e9c73d7092.js"</pre>
    crossorigin="anonymous"></script>↔
32.
         <script src="https://code.jquery.com/jquery-3.4.1.min.js"↔
33.
             integrity="sha256-CSXorXvZcTkaix6Yvo6HppcZGetbYMGWSF1Bw8HfCJo="
    crossorigin="anonymous"></script>↔
34.
         <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"

35.
             integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous">↔
36.
        </script>↩
37.
        <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"

38.
             integrity="sha384-
    wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCEx130g8ifwB6"
    crossorigin="anonymous">↔
39.
         </script>↩
40.
         <!-- Stripe -->↔
41.
        <script src="https://js.stripe.com/v3/"></script>↔
42.
43. ←
44.
        پ
45.
         \leftarrow
46. ←
47.
         \hookrightarrow
48.
        k
    href="https://cdnjs.cloudflare.com/ajax/libs/summernote/0.8.9/summernote-
    lite.css" rel="stylesheet">↔
49.
    src="https://cdnjs.cloudflare.com/ajax/libs/summernote/0.8.9/summernote-
    lite.js"></script>↔
50.
51. ←
        <title>Íomhá Prints </title>↔
52.
        <link rel="shortcut icon" href="https://pf5-iomha-</pre>
53.
    prints.s3.amazonaws.com/static/favicon/favicon.ico" />↔
54.
         <meta name="description" content="Online store based in Galway, Ireland
    selling high quality art photography prints">←
  <meta name="keywords" content="Images, prints, photo, wall decor, poster,
55.
    art, inspiration, gift, purchase" \succ \leftarrow
56.
```

```
57. </head>↔
 58. ←
 59. <body>←
 60. ←
 61.
         <header class="container-fluid fixed-top">←
 62.
             <div id="topnav" class="row bg-white pt-lg-2 d-none d-lg-flex">←
 63.
                 <div class="col-12 col-lg-4 my-auto py-1 py-lg-0 text-center text-</pre>
     lg-left">↩
64.
                     <a href="/" class="nav-link main-logo-link" id="title-logo">↔
65.
                         <h2 class="logo-font text-black my-0"><i class="far fa-</pre>
     images"></i><strong>&nbsp; Íomhá↔
 66.
                             </strong> Prints</h2>↔
 67.
                     </a>←
 68.
                 </div>←
 69.
                 <div class="col-12 col-lg-4 my-auto py-1 py-lg-0">←
                     <form method="GET" action="/products/'</pre>
 70.
 71.
                         <div class="input-group w-100">←
                             <input class="form-control border border-black rounded-</pre>
 72.
     0" type="text" name="q"↔
 73.
                                 placeholder="Search our site">↔
 74.
                             <div class="input-group-append">←
                                 <button class="form-control btn btn-black border</pre>
 75.
     border-black rounded-0" type="submit">↔
                                     <span class="icon">←
 76.
 77.
                                         <i class="fas fa-search"></i></i>
 78.
                                     </span>←
 79.
                                 </button>←
 80.
                             </div>←
                         </div>←
 81.
 82.
                     </form>←
 83.
                 </div>←
                 <div class="col-12 col-lg-4 my-auto py-1 py-lg-0">←
 84.
 85.
                     my-0">←
 86.
                         ←
 87.
                             <a class="text-black nav-link" href="#" id="user-</pre>
     options" data-toggle="dropdown"↔
                                 aria-haspopup="true" aria-expanded="false">↔
 88.
 89.
                                 <div class="text-center">↔
 90.
 91.
                                     <div><i class="fas fa-user fa-lg"></i></div>←
 92.
                                     <small>admin</small>↔
 93.
 94.
                                 </div>←
 95.
                             </a>←
 96.
                             <div class="dropdown-menu border-0" aria-</pre>
     labelledby="user-options">↔
 97.
 98.
 99.
                                 <a href="/products/add_print/" class="dropdown-</pre>
     item">Print Management</a>↔
100.
                                 <a href="/artists/add_artist/" class="dropdown-</pre>
     item">Artist Management</a>↔
101.
                                 <a href="/products/edit_printoption/0/"</pre>
     class="dropdown-item">Option Management</a>↔
102.
103.
                                 <a href="/profile/" class="dropdown-item">My
     Profile</a>↔
104.
                                 <a href="/accounts/logout/" class="dropdown-</pre>
     item">Logout</a>↔
105.
                                 \leftarrow
                             </div>↩
106.
107.
                         ↔
108.
                         ←
                             <a class="text-black nav-link"←
    href="/bag/">←
109.
110.
111.
                                 <div class="text-center">←
112.
                                     <div><i class="fas fa-shopping-cart fa-lg"></i></i>
     </div>↩
113.
                                     ↔
114.
                                         \leftarrow
```

```
115.
                                         €0.00↔
116.
117.
                                     ←
118.
                                 </div>←
119.
                             </a>←
120.
                         ↔
121.
                     ↩
                 </div>←
122.
123.
             </div>←
124.
             <div class="row bg-white">←
                 <nav class="navbar navbar-expand-lg navbar-light w-100">←
125.
                     <button class="navbar-toggler" type="button" data-</pre>
126.
     toggle="collapse" data-target="#main-nav"↔
127.
                         aria-controls="main-nav" aria-expanded="false" aria-
     label="Toggle navigation">↔
128.
                         <span class="navbar-toggler-icon"></span>↔
129.
                     </button>←
130.
                     d="mobile-menu">←
131.
         ←
132.
133.
             <a class="text-black nav-link d-block d-lg-none" href="#" id="user-</pre>
     options-m" data-toggle="dropdown"↔
134.
                 aria-haspopup="true" aria-expanded="false">↔
135.
                 <div class="text-center">←
136.
137.
                     <div><i class="fas fa-user fa-lg"></i></div>↔
                     <small>admin</small>
138.
139.
140.
                 </div>←
141.
             </a>←
142.
             <div class="dropdown-menu border-0" aria-labelledby="user-options-m">↔
143.
144.
                 \leftarrow
145.
                 <a href="/products/add_print/" class="dropdown-item">Print
     Management</a>↔
146.
                 <a href="/artists/add artist/" class="dropdown-item">Artist
     Management</a>↔
147.
                 <a href="/products/edit_printoption/0/" class="dropdown-</pre>
     item">Option Management</a>↔
148.
149.
                 <a href="/profile/" class="dropdown-item">My Profile</a>↔
150.
                 <a href="/accounts/logout/" class="dropdown-item">Logout</a>↔
151.
152.
             </div>←
153.
         ←
154.
155.
         class="list-inline-item">←
             <a class="text-black nav-link d-block d-lg-none" href="#" id="mobile-</pre>
156.
     search" data-toggle="dropdown"↔
157.
                 aria-haspopup="true" aria-expanded="false">↔
                 <div class="text-center">↔
158.
159.
                     <div><i class="fas fa-search fa-lg"></i></div>↔
                     Search↔
160.
161.
                 </div>←
162.
163.
             <div class="dropdown-menu border-0 w-100 p-3 rounded-0 my-0" aria-</pre>
     labelledby="mobile-search">↔
                 <form class="form" method="GET" action="/products/">←
164.
165.
                     <div class="input-group w-100">↔
166.
                         <input class="form-control border border-black rounded-0"</pre>
     type="text" name="q"↔
                             placeholder="Search our site">↔
167.
168.
                         <div class="input-group-append">←
169.
                             <button class="form-control form-control btn btn-black</pre>
     border border-black rounded-0"↔
                                 type="submit">↔
170.
                                 <span class="icon">←
171.
                                     <i class="fas fa-search"></i>↔
172.
173.
                                 </span>↔
174.
                             </button>←
                         </div>↔
175.
```

```
176.
                      </div>←
                 </form>↔
177.
178.
             </div>←
179.
         ↔
180. ←
181.
         class="list-inline-item">↔
             <a class="text-black nav-link d-block d-lg-none"↔
182.
                 href="/bag/">↔
<div class="text-center">↔
183.
184.
185.
                      <div><i class="fas fa-shopping-cart fa-lg"></i></div>←
                      ←
186.
187.
188.
                          €0.00←
189.
                          \downarrow
190.
                      ←
191.
                 </div>←
192.
             </a>←
193.
         ←
194. ↔
                      <div class="collapse navbar-collapse" id="main-nav">←
195.
196.
         ↔
197.
198.
             class="nav-item">←
199.
                 <a class="logo-font font-weight-bold nav-link text-black mr-5"</pre>
     href="/products/?wishlist"><i↔
200.
                          class="fas fa-heart fa-lg"></i>&nbsp;&nbsp;Wishlist</a>↔
201.
             ←
202.
             \hookrightarrow
203.
             class="nav-item">←
204.
                  <a class="logo-font font-weight-bold nav-link text-black d-lg-none"</p>
     href="/"><i↔
205.
                          class="fas fa-home fa-lg"></i>&nbsp;&nbsp;Home</a>↔
206.
207.
             ←
208.
                 <a class="logo-font font-weight-bold nav-link text-black mr-5"</pre>
     href="#" id="all-products-link"↔
209.
                     data-toggle="dropdown" aria-haspopup="true" aria-
     expanded="false">←
210.
                     All Prints↔
211.
                 </a>←
212.
                 <div class="dropdown-menu border-0" aria-labelledby="all-products-</pre>
     link">↔
213.
                     <a href="/products/?sort=rating&direction=desc"</pre>
     class="dropdown-item ">By Rating</a>↔
<a href="/products/?sort=category&direction=asc"</a>
214.
     class="dropdown-item ">By Category</a>↔
215.
                      <a href="/products/" class="dropdown-item">All Prints</a>↔
216.
                 </div>←
217.
             ←
218. ←
219.
             class="nav-item dropdown">↔
                 <a class="logo-font font-weight-bold nav-link text-black mr-5"</pre>
220.
     href="#" id="category-link"↔
                     data-toggle="dropdown" aria-haspopup="true" aria-
221.
     expanded="false">←
222.
                     Categories↩
223.
224.
                 <div class="dropdown-menu border-0" aria-labelledby="category-</pre>
     link">↔
225.
                      <a href="/products/?category=Abstract" class="dropdown-</pre>
     item">Abstract</a>↔
226.
                      <a href="/products/?category=Landscape" class="dropdown-</pre>
     item">Landscapes</a>↔
227.
                      <a href="/products/?category=Architecture" class="dropdown-</pre>
     item">Architecture</a>↔
228.
                      <a href="/products/?category=Nature" class="dropdown-</pre>
     item">Nature</a>↔
229.
                      <a href="/products/?category=Space" class="dropdown-</pre>
     item">Space</a>↔
230.
                      <a href="/products/?</pre>
     category=Abstract, Landscape, Architecture, Nature, Space"↔
```

```
231.
                          class="dropdown-item">All Categories</a>↔
232.
                 </div>↔
233.
             ↔
234. ←
235.
             ←
236.
                  <a class="logo-font font-weight-bold nav-link text-black" href="#"</pre>
     id="latest-link" data-toggle="dropdown"↔
237.
                      aria-haspopup="true" aria-expanded="false">↔
238.
                      Latest!←
239.
                 </a>←
240.
                 <div class="dropdown-menu border-0" aria-labelledby="latest-</pre>
     link">↔
241.
                      <a href="/products/?newarrivals" class="dropdown-item">New
     Arrivals</a>↔
242.
                      <a href="/products/?discount" class="dropdown-</pre>
     item">Discounts</a>↔
243.
                  </div>←
244.
             ←
         ↩
245.
246. </div>←
                 </nav>↩
247.
248.
             </div>←
249.
             <div class="row text-center delivery-banner">←
250.
                 <div class="col bg-black text-white">←
251.
                      <h4 class="logo-font my-2 second-font">Free delivery on orders
     over €200!</h4>
252.
                  </div>←
253.
             </div>←
254.
         </header>↩
255. ←
256.
         \leftarrow
257. ←
258.
259. <div class="container header-container">←
260.
         <div class="row">↔
261.
             <div class="col"></div>↔
262.
         </div>←
263. </div>←
264. ←
265. ←
266.
267. <div class="container page-width-limit">↔
268.
         <div class="row">↔
269.
             <div class="col-12">↔
270.
                 <hr>→
271.
                 <h2 class="logo-font mb-4 second-font">Artist Management</h2>↔
                 <h5 class="text-muted">Add an Artist</h5>↔
272.
273.
274.
             </div>←
275.
         </div>↩
276. ←
277.
         <div class="row">↔
278.
             <div class="col-12 col-lg-8">↔
                  <form method="POST" action="/artists/add_artist/" class="form mb-2"</pre>
279.
     enctype="multipart/form-data">↔
280.
                      <input type="hidden" name="csrfmiddlewaretoken"</pre>
     value="SmjEFb3LMwdaaEkaYtg0l0GqV8xE8vlaob20hTnjjzNmSK1lC9UcCjc27im1tnd2">↔
281.
282.
283.
                              \downarrow
284. ←
285. ←
286.
287.
         <div id="div_id_name" class="form-group">↔
288.
289.
             <label for="id name" class=" requiredField">←
290.
291.
                      Name<span class="asteriskField">*</span>↔
292.
                  </label>↩
293.
294. ←
```

```
295.
296. ←
297.
298. ←
299.
300.
                        <div class="">←
301.
302.
                                 <input type="text" name="name" maxlength="254"</pre>
303.
     class="border-black rounded-0 textinput textInput form-control" required
     id="id_name">↔
304.
305.
306. ←
307. ←
308.
309. ←
310. ←
311. ←
312. ←
313.
314. ←
315. ←
316. ←
317.
                        </div>←
318.
319.
320.
          </div>↩
321.
322. ←
323. ←
324.
325.
326.
327.
328. ←
329. ←
330.
          <div id="div_id_nationality" class="form-group">←
331.
332.
333.
334.
               <label for="id_nationality" class=" requiredField">\leftrightarrow
335.
                        Nationality<span class="asteriskField">*</span>↔
336.
                   </label>↩
337.
338. ←
339.
340. ←
341.
               \leftarrow
342. ←
343.
344.
345.
                        <div class="">↔
346.
347.
                                 <input type="text" name="nationality" maxlength="254"</pre>
     class="border-black rounded-0 textinput textInput form-control" required
     id="id_nationality">↔
348.
349.
                             \leftarrow
350. ←
351. ←
352.
353. ←
354.
     \leftarrow
355.
     \leftarrow
356.
357.
358. ←
     \leftarrow
359.
     \leftarrow
360.
361.
                        </div>↔
```

```
362.
363.
364.
            </div>←
365.
366.
367.
368.
369.
370.
371.
372. ←
373. ←
374.
375.
            <div id="div id bio" class="form-group">←
376.
377.
                 <label for="id_bio" class=" requiredField">←
378.
379.
                            Bio<span class="asteriskField">*</span>↔
380.
                       </label>↩
381.
382. ←
383.
384. ←
385.
386. ←
387.
388.
                            <div class="">←
389.
390.
391.
                                       <textarea name="bio" cols="40" rows="10" class="border-
      black rounded-0 summernoteinplacewidget form-control" id="id_bio"
      hidden="true">↩
392. </textarea><script>↔
393. function initSummernote_id_bio() { ↔
394.
            $(document).ready(function($) {
395. ←
396.
                 var origin = window.document.getElementById('id_bio'); ↔
397.
                 var csrftoken = getCookie('csrftoken');↔
                 var settings = {"width": 720, "height": 480, "lang": "en-US",
": [["stvle". ["stvle"]], ["font", ["bold", "italic", "underline",
398.
      "toolbar": [["style", ["style"]], ["font", ["bold", "italic", "underline", "superscript", "subscript", "strikethrough", "clear"]], ["fontname", ["fontname"]], ["fontsize", ["fontsize"]], ["color", ["color"]], ["para", ["ul", "ol", "paragraph"]], ["height", ["height"]], ["table", ["table"]], ["insert", ["link", "picture", "video", "hr"]], ["view", ["fullscreen", "codeview"]], ["help", ["help"]]], "url": {"language": "https://pf5-iomha-prints_s3_amazonaws_com/static/summerpote/lang/summerpote_en_US_min_is"
      prints.s3.amazonaws.com/static/summernote/lang/summernote-en-US.min.js",
       'upload_attachment": "/artists/summernote/upload_attachment/"}};↔
399.
                 var $sn = $(origin);↔
400. ←
401.
                 $sn.html(origin.value); ↔
402.
                 var $nEditor, $nCodable, $nImageInput;↔
403.
                 $(origin).hide();↔
404. ←
405.
                 function recalcHeight(e) {

406.
                      var nEditable = e.find('.note-editable'); ↔
407.
                      var nEditor = $('.note-editor');↔
408.
                      var height = parseInt(↔
409.
                            parseInt(settings.height) // default↔
410.
                            - e.find('.note-toolbar').outerHeight()↔
                            - e.find('.note-status-output').outerHeight()↔
411.
412.
                            - e.find('.note-statusbar').outerHeight()↔
413.
                            - (nEditor.outerHeight() - nEditor.innerHeight()) // editor's
      border↔
414.
                      );←
415.
                      nEditable.outerHeight(height); ↔
416.
                 }←
417.
418.
                 var initEditor = function() {←
419.
                      $sn.summernote($.extend(settings, {
420. ←
421.
                            callbacks: {←
```

```
422.
                          onInit: function() {←
423.
                              $nEditor = $sn.next();
424.
                              $nCodable = $nEditor.find('.note-codable');
425.
                              recalcHeight($nEditor); ↔
426. ←
427. ←
428.
                              // Apply attributes with wrapper div↔
429.
                              var $wrap = $($nEditor).wrap(↔
                                   <div class="summernote-div"></div>'↔
430.
431.
                              ).parent();↔
432.
433.
                              $wrap.attr('cols', '40');
434.
                              $wrap.attr('rows', '10');
435.
436.
437.
                              $wrap.attr('class', 'border-black rounded-0
     summernoteinplacewidget'); ↔
438.
439.
     \leftarrow
440.
    \downarrow
441.
                              // Move dropdown dialog when it exceeds the bound of
     the editor↔
442.
                              $nEditor.find('.note-btn-
     group').on('shown.bs.dropdown', function () {

443.
                                  var nDropdown = $(this).find(".dropdown-menu"); ↔
444.
                                  var offset = nDropdown.offset(); ↔
445.
                                  var width = nDropdown.width(); ←
446. ←
447.
                                  var windowWidth = $(window).width();↔
448.
                                  var margin = 15;↔
449. ←
450.
                                  if( offset.left + width + margin > windowWidth )
     {←
451.
                                       var left = windowWidth - width - offset.left -
     margin; ←
452.
                                       nDropdown.css("left", left + "px"); ↔
                                  }←
453.
                              ب;({
454.
                          },↩
455.
                          onBlur: function() {←
456.
457.
                              origin.value = $sn.summernote('code');↔
458.
                          },↩
459.
                          onBlurCodeview: function() {←
460.
                              origin.value = $sn.summernote('code');↔
461.
                          ٠, {
462.
463.
                          onImageUpload: function(files) { ↔
464.
                              // custom attachment data↔
465.
                              var attachmentData = origin.dataset;↔
466.
                              $nImageInput = $nEditor.find('.note-image-input');
467
                              $nImageInput.fileupload();
468.
                              var jqXHR = $nImageInput.fileupload('send', ↔
469.
                                   {ب
470.
                                       files: files, ↔
471.
                                       formData: $.extend({csrfmiddlewaretoken:
     csrftoken}, attachmentData), ↔
472.
                                       url: settings.url.upload_attachment, ↔
473.
                                   })←
474.
                                   .done(function (data, textStatus, jqXHR) {↔
475.
                                       $.each(data.files, function (index, file) {

476.
                                           $sn.summernote("insertImage", file.url);
477.
                                       });↩
478.
                                   })←
479.
                                   .fail(function (jqXHR, textStatus, errorThrown) { ↔
480.
                                       // if the error message from the server has any
     text in it, show it↔
481.
                                       var msg = jqXHR.responseJSON;↔
482.
                                       if (msg && msg.message) { ↔
483.
                                           alert(msg.message);←
484.
                                       }←
485.
                                       // otherwise, show something generic↔
```

```
486.
                                        else {←
487.
                                             alert('Got an error while uploading
     images.');↔
488.
                                        }←
489.
                                    });←
490.
                               // Summernote will replace ImageInput when next the
     dialog opens.↔
491.
                               // But we have to reset it to prevent additional
     uploading by form itself.↔
492.
     $nImageInput.replaceWith($nImageInput.val('').clone(true));
493.
                           }←
494.
495.
             };←
}));←
},
496.
497.
498.
499.
              // include summernote language pack, synchronously↔
500.
              $.ajax({url: settings.url.language, dataType: "script", complete:
     initEditor})↔
501.
502.
              // For CodeMirror↔
503.
              sn.on('summernote.codeview.toggled', function() {}
504.
                  var cmEditor = $nCodable.data('cmEditor');↔
505.
                  if( cmEditor ) \{ \leftarrow \}
                       cmEditor.on('blur', function() \{ \leftarrow \}
506.
507.
                           origin.value = cmEditor.getValue();↔
508.
                       });↩
                  }←
509.
510.
              });↩
511. ←
512. ←
513.
              // See https://docs.djangoproject.com/en/dev/ref/contrib/csrf/#ajax↔
514.
              function getCookie(name) { ←
515.
                  var cookieValue = null;↔
                  if (document.cookie && document.cookie != '') { ↔
516.
                       var cookies = document.cookie.split(';');
517.
                       for (var i = 0; i < cookies.length; i++) \{ \leftrightarrow \}
518.
519.
                           var cookie = jQuery.trim(cookies[i]);↔
520.
                           // Does this cookie string begin with the name we want?↔
521.
                           if (cookie.substring(0, name.length + 1) == (name + '='))
     {←
522.
                               cookieValue =
     decodeURIComponent(cookie.substring(name.length + 1)); ↔
523.
                               break; ←
                           }←
524.
                      }←
525.
                  }←
526.
527.
                  return cookieValue;↔
528.
              }←
529. ←
530.
         });↩
531. }↩
532. </script>↔
533. ←
534. <script>↔
535. ←
536.
         initSummernote_id_bio(); ↔
537. ←
538. </script>←
539. ←
540.
541.
542. ←
543.
544.
545.
     \leftarrow
546.
     \leftarrow
     \leftarrow
547.
548.
549.
```

```
550. ←
551. ←
552. ←
553.
                       </div>←
554.
                   \leftarrow
555.
556.
          </div>←
557.
558. ←
559. ←
560.
561.
562.
563.
                                <span class="btn btn-black rounded-0 btn-file">←
564.
          Select Image <input type="file" name="image"↔
               accept="image/*" class="border-black rounded-0" id="id image">←
565.
566. </span>↔
567. class="text-danger" id="filename">↔
568.
569.
                       ب
570.
                            \leftarrow
571.
572. ←
573. ←
574.
          <div id="div id dob" class="form-group">←
575.
576.
              \leftarrow
577.
              <label for="id_dob_month" class="">←
578.
579.
                       Date of Birth↔
                   </label>↩
580.
581.
582. ←
583.
584. ←
585.
586. ←
587.
              \downarrow
588.
589.
                       <div class="">←
590.
591.
                                <select name="dob_month" id="id_dob_month"</pre>
     class="border-black rounded-0 customselectdatewidget form-control"><option</pre>
     value="" selected>Choose Month/option><option value="1">January</option>
     <option value="2">February</option><option value="3">March</option><option</pre>
     value="4">April</option><option value="5">May</option><option
value="6">June</option><option value="7">July</option><option</pre>
     value="8">August</option><option value="9">September</option><option</pre>
     value="10">October</option><option value="11">November</option><option</pre>
     value="12">December</option></select><select name="dob_day" id="id_dob_day"</pre>
     class="border-black rounded-0 customselectdatewidget form-control"><option</pre>
     value="" selected>Choose Day</option><option value="1">1</option><option</pre>
     value="2">2</option><option value="3">3</option><option value="4">4</option>
     <option value="5">5</option><option value="6">6</option><option</pre>
     value="7">7</option><option value="8">8</option><option value="9">9</option>
     <option value="10">10</option><option value="11">11</option><option</pre>
     value="12">12</option><option value="13">13</option><option
     value="14">14</option><option value="15">15</option><option</pre>
     value="16">16</option><option value="17">17</option><option</pre>
     value="18">18</option><option value="19">19</option><option
     value="20">20</option><option value="21">21</option><option
     value="22">22</option><option value="23">23</option><option</pre>
     value="24">24</option><option value="25">25</option><option</pre>
     value="26">26</option><option value="27">27</option><option
value="28">28</option><option value="29">29</option><option</pre>
     value="30">30</option><option value="31">31</option></select><select
     name="dob_year" id="id_dob_year" class="border-black rounded-0
     customselectdatewidget form-control"><option value="" selected>Choose
     Year</option><option value="2011">2011</option><option
     value="2010">2010</option><option value="2009">2009</option><option
     value="2008">2008</option><option value="2007">2007</option><option
```

```
value="2006">2006</option><option value="2005">2005</option><option
     value="2004">2004</option><option value="2003">2003</option><option
     value="2002">2002</option><option value="2001">2001</option><option
     value="2000">2000</option><option value="1999">1999</option><option
     value="1998">1998</option><option value="1997">1997</option><option
     value="1996">1996</option><option value="1995">1995</option><option
     value="1994">1994</option><option value="1993">1993</option><option
     value="1992">1992</option><option value="1991">1991</option><option</pre>
     value="1990">1990</option><option value="1989">1989</option><option
     value="1988">1988</option><option value="1987">1987</option><option
     value="1986">1986</option><option value="1985">1985</option><option
     value="1984">1984</option><option value="1983">1983</option><option
     value="1982">1982</option><option value="1981">1981</option><option
     value="1980">1980</option><option value="1979">1979</option><option
     value="1978">1978</option><option value="1977">1977</option><option
     value="1976">1976</option><option value="1975">1975</option><option
     value="1974">1974</option><option value="1973">1973</option><option
     value="1972">1972</option><option value="1971">1971</option><option
     value="1970">1970</option><option value="1969">1969</option><option
     value="1968">1968</option><option value="1967">1967</option><option
     value="1966">1966</option><option value="1965">1965</option><option
     value="1964">1964</option><option value="1963">1963</option><option
     value="1962">1962</option><option value="1961">1961</option><option
     value="1960">1960</option><option value="1959">1959</option><option</pre>
     value="1958">1958</option><option value="1957">1957</option><option
     value="1956">1956</option><option value="1955">1955</option><option
     value="1954">1954</option><option value="1953">1953</option><option
     value="1952">1952</option><option value="1951">1951</option><option</pre>
     value="1950">1950</option><option value="1949">1949</option><option
     value="1948">1948</option><option value="1947">1947</option><option
     value="1946">1946</option><option value="1945">1945</option><option
     value="1944">1944</option><option value="1943">1943</option><option
     value="1942">1942</option><option value="1941">1941</option><option
     value="1940">1940</option><option value="1939">1939</option><option
     value="1938">1938</option><option value="1937">1937</option><option
     value="1936">1936</option><option value="1935">1935</option><option
     value="1934">1934</option><option value="1933">1933</option><option
     value="1932">1932</option><option value="1931">1931</option><option
     value="1930">1930</option><option value="1929">1929</option><option
     value="1928">1928</option><option value="1927">1927</option><option
     value="1926">1926</option><option value="1925">1925</option><option
     value="1924">1924</option><option value="1923">1923</option><option
     value="1922">1922</option><option value="1921">1921</option></select>↔
592.
593.
                         \leftarrow
594.
     \leftarrow
595.
    \leftarrow
596.
597. ←
598. ←
599. ←
600. ←
601.
602.
603. ←
604.
605.
                     </div>←
606.
607.
             \rightarrow
608.
         </div>↩
609.
610. ←
611. ←
612.
613.
614.
                     <div class="text-right">←
615.
                         <a class="btn btn-outline-black rounded-0"</pre>
     href="/products/">Cancel</a>↔
616.
                         <button class="btn btn-black rounded-0" type="submit">Add
     Artist</button>←
617.
                     </div>←
```

```
618.
                 </form>←
             </div>←
619.
620.
         </div>←
621. </div>←
622.
623.
    \leftarrow
624. ←
625. ←
626.
         <!-- Footer -->↔
627. ←
628.
         <footer class="footer mt-auto footer-bg container-fluid bg-white">↔
629.
             <div class="row text-center second-font delivery-banner">←
630.
                 <div class="col bg-black text-white">←
631.
                     <h4 class="logo-font my-2"><i class="fas fa-truck">
     </i>&nbsp;&nbsp; 2 day delivery - order by 8pm↔
632.
                            <i class="fas fa-truck"></i></h4>↔
633.
                 </div>←
634.
             </div>←
635.
             <div class="row">↔
636.
                 <div class="col-md-1 col-lg-2"></div>←
637.
                 <div class="col-12 col-md-5 col-lg-4 mt-4">←
                     <h4 class="second-font">Subscribe!</h4>↔
638.
639.
                     Get exclusive offers and discount codes by subscribing to
     our monthly newsletter↔
                     <!-- Mailchimp signup form here -->↔
640.
641.
                     <div id="mc_embed_signup">↔
642.
                          <form←
643.
                              action="https://herokuapp.us20.list-
     manage.com/subscribe/post?u=e96be4bc7d2052ae09d08dafb&id=f0c52c575c"↔
                              method="post" id="mc-embedded-subscribe-form" name="mc-
644.
     embedded-subscribe-form"↔
645.
                              class="validate" target="_blank" novalidate>↔
646.
                              <div id="mc_embed_signup_scroll">←
647.
                                  </div>←
648.
                                  <div class="mc-field-group">←
649.
                                      <label for="mce-EMAIL">Email Address <span</pre>
     class="asterisk">*</span>↔
650.
                                      </label>←
                                      <input type="email" value="" name="EMAIL"</pre>
651.
     class="required email" id="mce-EMAIL">↔
652.
                                      <div class="indicates-required"><span</pre>
     class="asterisk">*</span> indicates required↔
653.
                                  </div>←
654.
655.
                                  <div id="mce-responses" class="clear foot">←
656.
                                      <div class="response" id="mce-error-response"</pre>
     style="display:none"></div>↔
                                      <div class="response" id="mce-success-response"</pre>
657.
     style="display:none"></div>↔
658.
                                  </div> ←
659.
                                  <!-- real people should not fill this in and expect
     good things - do not remove this or risk form bot signups-->↔
660.
                                  <div style="position: absolute; left: -5000px;"</pre>
     aria-hidden="true"><input↔
661.
                                          type="text"
     name="b e96be4bc7d2052ae09d08dafb f0c52c575c" tabindex="-1"↔
                                          value=""></div>↔
662.
663.
                                  <div class="optionalParent">↔
664.
                                      <div class="clear foot">↔
665.
                                          <input type="submit" value="Subscribe"</pre>
     name="subscribe"↔
666.
                                              id="mc-embedded-subscribe" class="btn
     btn-black rounded-0">←
667.
                                          <a</pre>
     href="http://eepurl.com/hOH4hH" ↔
668.
                                                  title="Mailchimp - email marketing
     made easy and fun"><img↔
669.
                                                       src="https://eep.io/mc-cdn-
     images/template_images/branding_logo_text_dark_dtp.svg" alt="Subscribe to
     newsletter"></a>↔
670.
                                          ←
```

```
671.
                                        </div>←
672.
                                    </div>←
673.
                               </div>←
674.
                           </form>←
675.
                       </div>←
676.
                       <!--End mc embed signup-->↔
677.
                  </div>←
678.
                  <div class="col-md-1 col-lg-1"></div>←
                  <div class="col-12 col-md-4 mt-4">←
679.
680.
                       <h4 class="second-font">Social</h4>↔
681.
                       Keep up to date with all our latest offers↔
                       <a href="https://www.facebook.com/%C3%8Domh%C3%A1-Prints-</pre>
682.
     102662235595682" target="_blank" rel="noopener"><i class="fab fa-facebook-
     square fa-2x"></i> Follow us on Facebook!</a>↔
683.
                       <div class="my-4">↔
                           <a href="/privacy policy/"><i class="fas fa-user-shield">
684.
     </i> Privacy Policy</a>↔
685.
                       </div>←
686.
                  </div>←
              </div>←
687.
688.
         <!-- Disclaimer -->↔
              <div class="row">↔
689.
                  <div class="col-12">↔
690.
691.
                       this website is for educational
     purposes only - data on this site is fictional↔
692.
                       ←
693.
                  </div>←
              </div>←
694.
695.
          </footer> ←
696. ←
697.
          <u>ب</u>
698.
          \leftarrow
699. ←
700.
701. ←
702.
          <script>←
703.
              $('.toast').toast('show'); ↔
704.
          </script>↩
705. ←
706.
         <script src='//s3.amazonaws.com/downloads.mailchimp.com/js/mc-validate.js'>
     </script>↔
707.
         <script >←
708.
              (function (\$) {\leftarrow
709.
                  window.fnames = new Array(); ←
710.
                  window.ftypes = new Array(); ↔
                  fnames[0] = 'EMAIL';↔
ftypes[0] = 'email';↔
fnames[1] = 'FNAME';↔
711.
712.
713.
                  ftypes[1] = 'text';\stackrel{\leftarrow}{\leftarrow}
714.
                  fnames[2] = 'LNAME';↔
715.
                  ftypes[2] = 'text'; ←
716.
                  fnames[3] = 'ADDRESS';
717.
                  ftypes[3] = 'address';↔
718.
                  fnames[4] = 'PHONE';
719.
720.
                  ftypes[4] = 'phone'; ↔
                  fnames[5] = 'BIRTHDAY';
721.
722.
                  ftypes[5] = 'birthday';↔
723.
              }(jQuery));↔
724.
              var $mcj = jQuery.noConflict(true); ↔
725.
         </script>↩
726.
         \leftarrow
727. <script>↔
728.
         ('#new-image').change(function () {}
729.
              var file = $('#new-image')[0].files[0];↔
730.
              $('#filename').text(`Image will be set to: ${file.name}`);
         });←
731.
732. </script>↔
733. ←
734.
735. </body>←
736. ←
```

737. </html>

Used the HTML parser.

Total execution time 45 milliseconds.

About this checker • Report an issue • Version: 21.12.6