## **TorXakis**

## A Tool for MBT with LTS



# **MBT**: Many Tools

- AETG
- Agatha
- Agedis
- Autolink
- Axini Test Manager
- Conformiq
- Cooper
- Cover
- DTM
- fMBT
- G∀st
- Gotcha
- Graphwalker
- JTorX
- MaTeLo

- M-Frame
- MISTA
- NModel
- OSMO
- ParTeG
- Phact/The Kit
- PyModel
- QuickCheck
- Reactis
- Recover
- RT-Tester
- SaMsTaG
- Smartesting CertifyIt
- Spec Explorer
- StateMate

- tedeso
- Temppo
- TestGen (Stirling)
- TestGen (INT)
- TestComposer
- TestOptimal
- TGV
- Tigris
- TorX
- TorXakis
- T-Vec
- Tveda
- Uppaal-Cover
- Uppaal-Tron
- . . . . . . . . . . . .

MBTsuite \_\_\_\_\_

STG

## MBT Tools u/ioco

- **AETG**
- Agatha
- Agedis
- Autolink
- Axini Test Manager
  - Conformiq
  - Cooper
  - Cover
  - DTM
  - **fMBT**
  - G∀st
  - Gotcha
  - Graphwalker
- **JTorX**
- MaTeLo

- M-Frame
- **MISTA**
- **NModel**
- **OSMO**
- **ParTeG**
- Phact/The Kit
- PyModel
- QuickCheck
- Reactis
- Recover
- **RT-Tester**
- SaMsTaG
- **Smartesting CertifyIt**
- Spec Explorer
- StateMate

- tedeso
- Temppo
- TestGen (Stirling)
- TestGen (INT)
- TestComposer
- **TestOptimal**
- **TGV**
- Tiaris
- **TorX**
- **TorXakis** 
  - T-Vec
- Tveda
- Uppaal-Cover
- **Uppaal-Tron**

**MBTsuite** 

STG

## **Yet Another MBT Tool**

- **AETG**
- Agatha
- Agedis
- **Autolink**
- Axini Test Manager
- Conformiq
- Cooper
- Cover
- DTM
- **fMBT**
- G∀st
- Gotcha
- Graphwalker
- **JTorX**
- MaTeLo

- M-Frame
  - MISTA
  - **NModel**
  - **OSMO**
  - **ParTeG**
  - Phact/The Kit
  - PyModel
  - QuickCheck
  - Reactis
  - Recover
  - **RT-Tester**
  - SaMsTaG
  - **Smartesting CertifyIt**
  - Spec Explorer
  - StateMate

- tedeso
- Temppo
- TestGen (Stirling)
- TestGen (INT)
- TestComposer
- **TestOptimal**
- **TGV**
- **Tigris**
- TorX


#### **TorXakis**

- I-VEC
- Tveda
- **Uppaal-Cover**
- **Uppaal-Tron**


**MBTsuite** 

STG

# **MBT**: Next Step Challenges



# **MBT**: Next Step Challenges



#### **TorXakis: Overview**

#### **Models**

- state-based control flow and complex data
- support for parallel, concurrent systems
- composing complex models from simple models
- non-determinism, uncertainty
- abstraction, under-specification

#### **Applications**

- several high-tech systems companies
- experimental level

#### **But ....**

- research prototype
- poor usability

#### Tool

on-line MBT tool

#### **Current Research**

- test selection
- partial models & composition


#### Under the hood

- powerful constraint/SMT solvers (Z3, CVC4)
- well-defined semantics and algorithms
- ioco testing theory for symbolic transition systems
- algebraic data-type definitions


# **TorXakis**

# Online MBT


## **MBT**




## **MBT Tool**





## **MBT Tools: Off-Line = Batch**






# **MBT Tools: On-Line = On-the-Fly**





# TorXakis: An On-the Fly MBT Tool




## **TorXakis**

# A View on Systems

# TorXakis: A Black-Box View on Systems

- Inputs Channels: A; B
- Output Channels: X; Y



# TorXakis: A Black-Box View on Systems

#### **Channels with messages**

Inputs Channels:

A:: Int; B:: Struct


Output Channels:

**X** :: Int; **Y** :: String


real, black-box system
communicating with its
environment
via messages on input- and
output channels




### TorXakis: A View on Models



## TorXakis: An On-Line MBT Tool




## **TorXakis and SUT**



# **Model-Based Testing**

TorXakis - Definitions

#### **TorXakis: Definition of Channels**



#### MODEL

labelled transition system
with parameterized actions on
input- and output channels

**CHANDEF MyChannels** 


::=

Stim :: String

; Resp :: String

**ENDDEF** 

#### **TorXakis: Definition of SUT**



#### SUT

real, black-box system
communicating with its environment
via messages on input- and
output channels

```
CNECTDEF MySut

::=


CLIENTSOCK

CHAN OUT Stim HOST "localhost" PORT 7890
ENCODE Stim ?s -> ! s

CHAN IN Resp HOST "localhost" PORT 7890
DECODE Resp ! s <- ? s

ENDDEF
```

## **TorXakis: Definition of Model**



#### MODEL

labelled transition system
with actions on inputand output channels


```
MODELDEF MyModel
::=
CHAN IN
```


CHAN IN Stim
CHAN OUT Resp

BEHAVIOUR Stim ?s >-> Resp !s ++ "!"

**ENDDEF** 

### **TorXakis: Definitions**






# test architecture channels model connection CHANDEF MODELDEF CNECTDEF

| behaviour /                |          |
|----------------------------|----------|
| labelled transition system |          |
| • process                  | PROCDEF  |
| state automaton            | STAUTDEF |

# TorXakis: Defining Behaviour - LTS

#### basic behaviour


= transition system



#### complex behaviour

- = composition of transition systems
- named behaviour definition
- named behaviour use
- sequence
- choice
- parallel
- communication
- exception
- interrupt
- hiding/abstraction





The next step in Model-Based Testing

# **TorXakis**

# Installation

## **TorXakis: Installation**

Follow: TorXakis: Getting Started

in: Model-Based testing and TorXakis – A Tutorial

or on: <a href="https://torxakis.org">https://torxakis.org</a> → Getting Started