



NAME: EDUARDO MORTENSEN


NRC:3682

BAD.





OK.



GroceryStore - Apache NetBeans IDE 12.3

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl-F)

783.6/12.28

Projects

- GroceryStore
 - Source Packages
 - ec.edu.espe.groceryStore.controller
 - ec.edu.espe.groceryStore.model
 - ec.edu.espe.groceryStore.view
 - FrmAdd.java
 - FrmBuy.java
 - FrmChangePassword.java
 - FrmCostumerData.java
 - FrmCreateUser.java
 - FrmDelete.java
 - FrmGenerate.java
 - FrmProductData.java
 - FrmReview.java
 - GroceryStore.java
 - Test Packages
 - Libraries
 - Test Libraries
 - League

Source

```
53  * Creates new form FrmAdd
54  */
55  public FrmAdd() {
56      initComponents();
57      createConnection();
58  }
59
60
61  /**
62   * This method is called from within the constructor to initialize the form.
63   * WARNING: Do NOT modify this code. The content of this method is always
64   * regenerated by the Form Editor.
65   */
66  @SuppressWarnings("unchecked")
67  Generated Code
184
185  private void btnCancelActionPerformed(java.awt.event.ActionEvent evt) {
186      cancel();
187  }
188
189  private void addActionPerformed(java.awt.event.ActionEvent evt) {
190      add();
191  }
192
193  private void txtPriceActionPerformed(java.awt.event.ActionEvent evt) {
194      // TODO add your handling code here:
195  }
196
197  private void txtTypeActionPerformed(java.awt.event.ActionEvent evt) {
198      // TODO add your handling code here:
199  }
200
201  /**
202   * @param args the command line arguments
203   */
204  public static void main(String args[]) {
```

Output

GroceryStore (run) running... 184:1 100% (14 of 14)

GroceryStore - Apache NetBeans IDE 12.3

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl-F)



195.30/12.28

Projects

- GroceryStore
 - Source Packages
 - ec.edu.espe.groceryStore.controller
 - ec.edu.espe.groceryStore.model
 - ec.edu.espe.groceryStore.view
 - FrmAdd.java
 - FrmBuy.java
 - FrmChangePassword.java
 - FrmCostumerData.java
 - FrmCreateUser.java
 - FrmDelete.java
 - FrmGenerate.java
 - FrmProductData.java
 - FrmReview.java
 - GroceryStore.java
 - Test Packages
 - Libraries
 - Test Libraries
 - League

Source

```
193  private void txtPriceActionPerformed(java.awt.event.ActionEvent evt) {
194      // TODO add your handling code here:
195  }
196
197  private void txtTypeActionPerformed(java.awt.event.ActionEvent evt) {
198      // TODO add your handling code here:
199  }
200
201  /**
202   * @param args the command line arguments
203   */
204  public static void main(String args[]) {
205      /* set the Nimbus look and feel */
206      LookAndFeel.setLookAndFeel(new NimbusLookAndFeel());
207
208      /* Create and display the form */
209      java.awt.EventQueue.invokeLater(new Runnable() {
210          @Override
211          public void run() {
212              new FrmAdd().setVisible(true);
213          }
214      });
215
216      // Variables declaration - do not modify
217      private javax.swing.JButton add;
218      private javax.swing.JButton btnCancel;
219      private javax.swing.JLabel jLabel1;
220      private javax.swing.JLabel jLabel2;
221      private javax.swing.JLabel jLabel3;
222      private javax.swing.JLabel jLabel4;
223      private javax.swing.JLabel jLabel5;
224      private javax.swing.JScrollPane jScrollPane1;
225      private javax.swing.JTextArea txtDescription;
226      private javax.swing.JTextField txtPrice;
227      private javax.swing.JTextField txtType;
```



GOOD.

