

ClassDiagram - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

<default config>

Projects x Files Services

ClassDiagram

- Source Packages
 - ec.edu.espe.theoretical.controller
 - ec.edu.espe.theoretical.model
 - A.java
 - B.java
 - C.java
 - D.java
 - E.java
 - F.java
- ec.edu.espe.theoretical.view
- Test Packages
- Libraries
- Test Libraries

ClassDiagram

- DraftDiagram
- prueba
- Prueba1
- SanamedAccountSystem
- SystemForm

Navigator x easyUML Explorer

Members <empty>

A

- A()
- A(B b, int i)
- getB() : B
- getCs() : ArrayList<C>
- getI() : int
- m() : D
- m(D d) : C
- setB(B b)
- setCs(ArrayList<C> cs)
- setI(int i)
- b : B
- cs : ArrayList<C>
- i : int

Start Page x A.java x B.java x C.java x D.java x E.java x F.java x

Source History

```
1  /*
2  * To change this license header, choose License Headers in Project Properties.
3  * To change this template file, choose Tools | Templates
4  * and open the template in the editor.
5  */
6  package ec.edu.espe.theoretical.model;
7
8  import java.util.ArrayList;
9
10 /**
11  *
12  * @author Lizbeth Cajias EMCL. Java ESPE-DCCO
13  */
14 public class A {
15     private B b;
16     private ArrayList<C> cs = new ArrayList<C>();
17     private int i;
18
19     public A() {
20     }
21
22     public A(B b, int i) {
23         this.b = b;
24         this.i = i;
```

Output - ClassDiagram (run) x

run:

Hello From Display Display

inside method A.m() that return a D object

d-> ec.edu.espe.theoretical.model.D@15db9742

inside method A.m(d) received parameter d --> ec.edu.espe.theoretical.model.D@15db9742

c-> ec.edu.espe.theoretical.model.C@6d06d69c

object a attributes -->

a.i: 10

object e attributes -->

e.s -> Empty

s Hello

BUILD SUCCESSFUL (total time: 3 seconds)