

Apache NetBeans IDE 12.5

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

285,2/442,0MB

Proj... x Services Files

Application of human resour

Source Packages

- ec.edu.espe.model
 - Company.java
 - Employee.java
 - Invoice.java
 - Order.java
 - Payment.java
 - Payrole.java
 - Profile.java
 - Time.java
 - Transportation.
 - Worker.java
- ec.edu.espe.view
 - Humanresource

Navigator x

Members

Profile

- Profile(String name, int
- getAreawork() : String
- getId() : int
- getName() : String
- getPassword() : int
- main(String[] args)
- profile()
- setAreawork(String are
- setId(int id)
- setName(String name)
- setPassword(int passwc

Source

```
4 public abstract class Profile {
5
6     private String name;
7     private int id;
8     private String areawork;
9     private int password;
10    private ArrayList<Profile> profile;
11
12
13    public static void main(String[] args) {
14        Profile profile1 = new Profile("",0,"",0){};
15    }
16
17    @Override
18    public String toString() {
19        return "Profile{" + "name=" + name + ", id=" + id + ", areawork=" + areawork + ", password=" + password + '}';
20    }
21
22    public String getName() {
23        return name;
24    }
25
26    public int getId() {
27        return id;
28    }
29
30    public String getAreawork() {
31        return areawork;
32    }
33
34    public int getPassword() {
35        return password;
```

Activar Windows
Ve a Configuración para activar Windows.

1:1 | INS

Source

```
1 package ec.edu.espe.model;
2
3 import java.util.ArrayList;
4
5 public abstract class Payrole {
6
7     private int salary;
8     private int debts;
9     private ArrayList<Profile> payrole1;
10
11     public static void main(String[] args) {
12         Payrole payrole1 = new Payrole(0,0){};
13     }
14
15     public Payrole(int salary, int debts) {
16         this.salary = salary;
17         this.debts = debts;
18     }
19
20     public void setSalary(int salary) {
21         this.salary = salary;
22     }
23
24     public void setDebts(int debts) {
25         this.debts = debts;
26     }
27
28     public int getSalary() {
29         return salary;
30     }
31
32     public int getDebts() {
```

Activar Windows
Ve a Configuración para activar Windows.

1:1 | INS | Unix (LF)