


# WS28 - CLASS INDIVIDUAL EXERCISE

DATE: 25th january 2022



The top-left screenshot shows the application interface for "EMPLOYEES MATEO LANDÁZURI". It includes input fields for ID (001), AGE (18), NAME (teo Landazuri), PHONE (0987102801), and WORKAREA (system). Buttons for Add, Remove, Load Table, and Exit are present. Below the form is a table with columns ID Cloud, ID, Name, WorkArea, Age, and Phone, containing one record for Mateo Landazuri.

The top-right screenshot shows the MongoDB Atlas interface. The "Query Results" tab displays a single document from the `Empleoyes` collection:

```
{
  "_id": "61f0a9e69f6b1f12c27454d70",
  "id": 1,
  "name": "Mateo Landazuri",
  "age": 18,
  "phone": "0987102801",
  "workArea": "system"
}
```

The bottom-left screenshot shows the same application interface, but with a "Select an Option" dialog box open, asking "Are you sure to delete ID 61f0a9e69f6b1f12c27454d70?". The dialog has Yes, No, and Cancel buttons.

The bottom-right screenshot shows the MongoDB Atlas interface, specifically the "Cluster0" overview. The "Collections" tab is active, showing the `Empleoyes` collection with 1 document and 1 index. The "Indexes" tab shows the `Empleoyes` index.