

UnExercise - NetBeans 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+F)

Project Files Services

Bundle Properties
Important Files
Libraries
UnExercise
Source Packages
ec.edu.espe.unl.controller
ec.edu.espe.unl.model
A.java
B.java
C.java
D.java
E.java
ec.edu.espe.unl.view
UnExercise.java
Test Packages

UnExercise - Navigator

Members
UnExercise
main(String[] args)

Source History

```
20 K *?  
21 int p = 10;  
22 String q = "Hello Katherine";  
23 C ca[] = new C[15];  
24 D[] da = new D[10];  
25  
26 a = new A(p, q);  
27 b = new B(ca);  
28 e = new E(da);
```

Notifications Output - UnExercise (run) X

```
run:  
a -> A(p=10, q=Hello Katherine)  
b -> B(ca=ca[0] -> null  
ca[1] -> null  
ca[2] -> null  
ca[3] -> null  
ca[4] -> null  
ca[5] -> null  
ca[6] -> null  
ca[7] -> null  
ca[8] -> null  
ca[9] -> null  
ca[10] -> null  
ca[11] -> null  
ca[12] -> null  
ca[13] -> null  
ca[14] -> null  
}  
inside class A  
c -> C(da=[ec.edu.espe.unl.model.D: $11db9742])  
d -> D()  
e -> E()  
BUILD SUCCESSFUL (total time: 0 seconds)
```

Activar Windows
Ve a Configuración para activar Windows.

13/4