BankingPlan - Apache NetBeans IDE 12.5 X Q▼ Search (Ctrl+I) File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help TO S → ∰ → ← 217/9/328;0MB/I () <default config> Projects × Start Page X 🔯 Account.java X \leftarrow Files 🖃 🧶 🥦 Banking Plan Source History | 🔀 📮 → 📮 → | 🔼 🖓 🖶 📑 | 🖓 😓 🕞 | 🖆 💇 | ● 🖂 | 🕌 📑 ÷ ^ = ec.edu.espe.bank.controller import java.util.ArrayList; ec.edu.espe.bank.model 4 Account.java 5 🖃 /** Cdt.java 6 · 🚳 Checking.java * @author RocketTeam · 🚳 Guide.java 8 · 🚳 Interest.java 9 public class Account { Management.java 10 Money.java 11 private float balanceInquiry; Profile.java 12 private float withdrawal; - 🚳 Profit.java 13 private float transfer; Saving.java 14 private ArrayList<Saving> savings; i ec.edu.espe.bank.view 15 private ArrayList<Checking> checking; 16 private ArrayList<Cdt> cdt; ± ⊑ Libraries 17 ⊕ ☐ Test Libraries 18 public Account(float balanceInquiry, float withdrawal, float transfer, ArrayList<Saving> savings, ArrayList<Checking> cl 19 this.balanceInquiry = balanceInquiry; 20 this.withdrawal = withdrawal; 21 this.transfer = transfer; 22 this.savings = savings; 23 this.checking = checking; 24 this.cdt = cdt; 25 26 27 @Override □ public String toString() { return "Account{" + "balanceInquiry=" + balanceInquiry + ", withdrawal=" + withdrawal + ", transfer=" + transfer + ' 29 \leftarrow Output X Test Results X 1:1 INS Windows (CRLF)

口 BankingPlan - Apache NetBeans IDE 12.5 File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Search (Ctrl+I) → 309,6/720,0MB, C C <default config> Projects X Files Services Start Page X Account.java X G Cdt.java X \leftarrow Source History | 🔀 🖫 - 🐺 - | 🔼 🐶 🖶 🗐 | 🖓 😓 🥦 | 🖆 💇 | 🌰 🔲 | 😃 📑 package ec.edu.espe.bank.model; ec.edu.espe.bank.controller ec.edu.espe.bank.model 3 = import java.util.ArrayList; ₫ Cdt.java 5 - /** 6 * @author RocketTeam Interest.java Management.java public class Cdt { Money.java 10 Profile.java 11 private float investmentMoney; Profit.java 12 private float interestRate; Saving.java 13 private int timeInDays; in ec.edu.espe.bank.view 14 private ArrayList<Money> money; ⊕ Test Packages 15 ± Libraries 16 public Cdt(float investmentMoney, float interestRate, int timeInDays, ArrayList<Money> money) { ⊕ Test Libraries 17 this.investmentMonev = investmentMonev: 18 this.interestRate = interestRate: 19 this.timeInDays = timeInDays; 20 this.money = money; 21 22 23 @Override public String toString() { return "Cdt{" + "investmentMoney=" + investmentMoney + ", interestRate=" + interestRate + ", timeInDays=" + timeInDay 25 26 27 28 public float calculateCdt() { National Control of the Control of \leftarrow 1:1 INS Windows (CRLF)

П \times BankingPlan - Apache NetBeans IDE 12.5 Q▼ Search (Ctrl+I) File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help <default config> ▼ 🔐 ▼ 🕩 ▼ _526,6/720,0MB/ 💦 🕼 Start Page X | 🔊 Account.java X | 🚳 Cdt.java X | 🚳 Checking.java X \leftarrow Projects X Files Services 🖃 . 🁺 🛮 Banking Plan Source History | [4] | [5] - [5] - | [4] - [5] - | [4] - [5] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] - | [4] ÷ 3 import java.util.ArrayList; ec.edu.espe.bank.controller ec.edu.espe.bank.model 5 🖃 /** Cdt.java 7 * @author RocketTeam */ Guide.java public class Checking { ☑ Interest.java 10 Management.java 11 private String accountNumber; Money.java 12 private ArrayList<Money> money; Profile.java 13 private ArrayList<Profit> profits; Profit.java 14 Saving.java 15 public Checking(String accountNumber, ArrayList<Money> money, ArrayList<Profit> profits) { in ec.edu.espe.bank.view 16 this.accountNumber = accountNumber; 17 this.money = money; i Libraries 18 this.profits = profits; ⊕ 📴 Test Libraries 19 20 21 @Override □ public String toString() { 23 return "Checking {" + "account Number = " + account Number + ", money = " + money + ", profits = " + profits + ' }'; 24 25 26 public float deposit() { 27 return 0.F; 28 29 30 public float advance() { 31 return 0.F; Output X Test Results X \leftarrow

INS Windows (CRLF)

口 BankingPlan - Apache NetBeans IDE 12.5 File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Search (Ctrl+I) - 171,8/726,0MB <default config> ...va | 💰 Cdt.java × | 💰 Checking.java × | 💰 Guide.java × | 💰 Guide.java × | 💰 Interest.java × | 💰 Management.java × | 🔞 Money.java × | 🔞 Profile.java × | 🔞 Profile.java × Projects X Files Services ÷ package ec.edu.espe.bank.model; ec.edu.espe.bank.controller ec.edu.espe.bank.model 3 - import java.util.ArrayList; Account.java 5 - /** * @author RocketTeam Management.java public class Saving { Money.java 10 Profile.java 11 private String accountNumber; Profit.java 12 private ArrayList<Money> money; Saving.java 13 private ArrayList<Profit> profits; i ec.edu.espe.bank.view 14 ⊕ Test Packages 15 public Saving(String accountNumber, ArrayList<Money> money, ArrayList<Profit> profits) { ⊞ Libraries this.accountNumber = accountNumber; ⊕ 📴 Test Libraries this.money = money; 17 18 this.profits = profits; 19 20 21 @Override 0 public String toString() { 23 return "Saving{" + "accountNumber=" + accountNumber + ", money=" + money + ", profits=" + profits + '}'; 24 25 public float deposit() { 26 return 0.F; 28 29 ☐ Output × ☐ Test Results × \leftarrow

INS Windows (CRLF)

 \times BankingPlan - Apache NetBeans IDE 12.5 File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help Search (Ctrl+I) ▼ \$\frac{1}{2} \ ▼ \$\frac{1}{2} \ \$ <default config> ...va | 🗟 Guide.java × | 🗟 Interest.java × | 🗟 Management.java × | 🗟 Money.java × | 🔞 Profile.java × | 🔞 Profit.java × | 🔞 Saving.java × Projects X Files Services \bullet BankingPlan ÷ import ec.edu.espe.bank.model.Saving; ec.edu.espe.bank.controller import java.util.ArrayList; ec.edu.espe.bank.model import java.util.Scanner; 10 11 - /** 12 13 * @author Camila ·

Interest.java 14 Management.java 15 public class BankingPlan { Money.java 16 - 🚳 Profile.java 17 public static void main(String[] args) { Profit.java <u>Q.</u> ArrayList<Saving> savings = new ArrayList<>(); Saving.java <u>@</u> ArrayList<Checking> checking = new ArrayList<>(); i ec.edu.espe.bank.view <u>Q.</u> ArrayList<Cdt> cdt = new ArrayList<>(); BankingPlan.java <u>Q.</u> ArrayList<Money> money = new ArrayList<>(); ArrayList<Profit> profits = new ArrayList<>(); ± □ Libraries 23 ⊞ Test Libraries 24 25 String name = ""; <u>Q</u> int id = 7827252; <u>Q</u> int age = 19; int password = 172; 30 Scanner scanner = new Scanner(System.in); 32 33 System.out.println("data profile"); 34 System.out.println("Name:"); B Output X Pest Results X < → ▼ □ 1:1 INS Windows (CRLF)