SEMESTRE MAYO- AGOSTO

Name: Jefferson David Yépez Morán

NRC: 14575

Activity: WS30 – MongoShellCompass





SEMESTRE MAYO- AGOSTO

```
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\IMG_ACER>mongosh --version
2.1.1

C:\Users\IMG_ACER>mongosh "mongodb+srv://cluster0.6gfeclg.mongodb.net/" --apiVersion 1 --username Jefferson
Enter password: ********
Current Mongosh Log ID: 65a947c0fb9521e479e52105
Connecting to:          mongodb+srv://<credentials>@cluster0.6gfeclg.mongodb.net/?appName=mongosh+2.1.1
Using MongoDB:          6.0.12 (API Version 1)
Using Mongosh:          2.1.1
```

SEMESTRE MAYO- AGOSTO

```
For mongosh info see: https://docs.mongodb.com/mongodb-shell/


To help improve our products, anonymous usage data is collected and sent to MongoDB periodically (https://www.mongodb.com/legal/privacy-policy).
You can opt-out by running the disableTelemetry() command.

Atlas atlas-9kuoqk-shard-0 [primary] test> db
test
Atlas atlas-9kuoqk-shard-0 [primary] test> use Organivent
switched to db Organivent
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> show collections
Employee
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.find({"id":1})
[
  {
    _id: ObjectId('65a946a170a8ea2e84201c67'),
    id: 1,
    name: 'Juan',
    hiringCost: 20
  }
]
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.find()
[
  {
    _id: ObjectId('65a946a170a8ea2e84201c67'),
    id: 1,
    name: 'Juan',
    hiringCost: 20
  },
  {
    _id: ObjectId('65a946fd973c0ff4a207d64a'),
    computer: 'omen hp 15',
    carro: 'jeep nissan'
  },
  {
    _id: ObjectId('65a94731973c0ff4a207d64c'),
    id: 2,
    name: 'Felipe',
    hiringCost: 2
  }
]
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.insert({"id":3,"name":"pepe","hiringCost":21}
... )
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('65a94a00fb9521e479e52106') }
}
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.insert({"id":3,"name":"pepe","hiringCost":21}
... )
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('65a94a00fb9521e479e52106') }
}
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.find()
[
  {
    _id: ObjectId('65a946a170a8ea2e84201c67'),
    id: 1,
    name: 'Juan',
    hiringCost: 20
  },
  {
    _id: ObjectId('65a946fd973c0ff4a207d64a'),
    computer: 'omen hp 15',
    carro: 'jeep nissan'
  },
  {
    _id: ObjectId('65a94731973c0ff4a207d64c'),
    id: 2,
    name: 'Felipe',
    hiringCost: 2
  },
  {
    _id: ObjectId('65a94a00fb9521e479e52106'),
    id: 3,
    name: 'pepe',
    hiringCost: 21
  }
]
Atlas atlas-9kuoqk-shard-0 [primary] Organivent>
```

SEMESTRE MAYO- AGOSTO

```
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.insert({"id":3,"name":"pepe","hiringCost":21}
... )
DeprecationWarning: Collection.insert() is deprecated. Use insertOne, insertMany, or bulkWrite.
{
  acknowledged: true,
  insertedIds: { '0': ObjectId('65a94a00fb9521e479e52106') }
}
Atlas atlas-9kuoqk-shard-0 [primary] Organivent> db.Employee.find()
[
  {
    _id: ObjectId('65a946a170a8ea2e84201c67'),
    id: 1,
    name: 'Juan',
    hiringCost: 20
  },
  {
    _id: ObjectId('65a946fd973c0ff4a207d64a'),
    computer: 'omen hp 15',
    carro: 'jeep nissan'
  },
  {
    _id: ObjectId('65a94731973c0ff4a207d64c'),
    id: 2,
    name: 'Felipe',
    hiringCost: 2
  },
  {
    _id: ObjectId('65a94a00fb9521e479e52106'),
    id: 3,
    name: 'pepe',
    hiringCost: 21
  }
]
Atlas atlas-9kuoqk-shard-0 [primary] Organivent>
```

SEMESTRE MAYO- AGOSTO