

API Endpoints – Minimarket Tatylu

Group#4

Público / Vistas

GET /

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/>

Description: Home page

JSON Response:

```
{'view': 'home', 'featuredProducts': [{ 'id': 1, 'name': 'Leche Vita', 'price': 1.25}]}
```

Status: 200 OK

Json file: root.json

GET /index

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/index>

Description: Página principal

JSON Response:

```
{'view': 'index'}
```

Status: 200 OK

Json file: index.json

GET /product

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/product>

Description: Listado de productos

JSON Response:

```
{'products': [{'id': 1, 'name': 'Leche Vita', 'price': 1.25}, {'id': 2, 'name': 'Arroz 2kg', 'price': 2.1}]}
```

Status: 200 OK

Json file: product.json

GET /product/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/product/{id}>

Description: Detalle de producto

Request Parameters:

- id: integer

JSON Response:

```
{'id': 1, 'name': 'Leche Vita', 'price': 1.25, 'stock': 30}
```

Status: 200 OK

Json file: product_{id}.json

GET /cart

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/cart>

Description: Carrito de compras

JSON Response:

```
{'items': [], 'total': 0}
```

Status: 200 OK

Json file: cart.json

GET /checkout

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/checkout>

Description: Inicio de checkout

JSON Response:

```
{'checkout': 'initialized'}
```

Status: 200 OK

Json file: checkout.json

GET /checkout/confirmation

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/checkout/confirmation>

Description: Confirmación

JSON Response:

```
{'orderStatus': 'confirmed'}
```

Status: 200 OK

Json file: checkout_confirmation.json

GET /about-us

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/about-us>

Description: Acerca de la tienda

JSON Response:

```
{'title': 'Minimarket Tatylu', 'mission': 'Ofrecer productos económicos'}
```

Status: 200 OK

Json file: about-us.json

GET /contact

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/contact>

Description: Página de contacto

JSON Response:

```
{'email': 'contacto@tatyly.com'}
```

Status: 200 OK

Json file: contact.json

GET /loyalty

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/loyalty>

Description: Programa de puntos

JSON Response:

```
{'points': 120}
```

Status: 200 OK

Json file: loyalty.json

GET /profile

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/profile>

Description: Perfil del usuario

JSON Response:

```
{'profile': True}
```

Status: 200 OK

Json file: profile.json

GET /purchases

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/purchases>

Description: Historial de compras

JSON Response:

```
{'purchases': [{'orderId': 11, 'total': 12.5}]}
```

Status: 200 OK

Json file: purchases.json

Autenticación y Usuarios

GET /login

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/login>

Description: Página login

JSON Response:

```
{'view': 'login'}
```

Status: 200 OK

Json file: login.json

POST /login

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/login>

Description: Autenticar usuario

Request Parameters:

- email: string

- password: string

JSON Response:

```
{'token': 'abc123token', 'user': {'id': 5, 'name': 'Carlos'}}
```

Status: 200 OK

Json file: login.json

POST /logout

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/logout>

Description: Cerrar sesión

JSON Response:

```
{'logout': 'success'}
```

Status: 200 OK

Json file: logout.json

GET /signup

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/signup>

Description: Página de registro

JSON Response:

```
{'view': 'signup'}
```

Status: 200 OK

Json file: signup.json

POST /signup

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/signup>

Description: Registrar usuario

Request Parameters:

- name: string

- email: string

- password: string

JSON Response:

```
{'created': True, 'userId': 20}
```

Status: 200 OK

Json file: signup.json

GET /users/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/users/{id}>

Description: Obtener perfil

Request Parameters:

- id: integer

JSON Response:

```
{'id': 5, 'name': 'Carlos', 'email': 'carlos@tatyly.com'}
```

Status: 200 OK

Json file: users_{id}.json

PUT /users/{id}

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/users/{id}>

Description: Actualizar perfil

Request Parameters:

- id: integer

JSON Response:

```
{'updated': True}
```

Status: 200 OK

Json file: users_{id}.json

GET /users/{id}/loyalty

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/users/{id}/loyalty>

Description: Consultar puntos

Request Parameters:

- id: integer

JSON Response:

```
{'userId': 5, 'points': 140}
```

Status: 200 OK

Json file: users_{id}_loyalty.json

Productos y Categorías

GET /api/products

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products>

Description: Listar productos

JSON Response:

```
{'products': [{ 'id': 1, 'name': 'Leche', 'stock': 20}, { 'id': 2, 'name': 'Azúcar', 'stock': 15}]}
```

Status: 200 OK

Json file: api_products.json

GET /api/products/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Producto por ID

Request Parameters:

- id: integer

JSON Response:

```
{'id': 2, 'name': 'Azúcar', 'price': 1.1, 'stock': 15}
```

Status: 200 OK

Json file: api_products_{id}.json

GET /api/products/top-selling

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/top-selling>

Description: Top ventas

JSON Response:

```
{'top': [{'id': 3, 'name': 'Atún', 'sales': 550}]}
```

Status: 200 OK

Json file: api_products_top-selling.json

GET /api/products/search

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/search>

Description: Buscar productos

Request Parameters:

- q: string

JSON Response:

```
{'results': [{'id': 1, 'name': 'Leche Vita'}]}
```

Status: 200 OK

Json file: api_products_search.json

GET /api/categories

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories>

Description: Listar categorías

JSON Response:

```
{'categories': [{ 'id': 1, 'name': 'Lácteos'}, { 'id': 2, 'name': 'Granos'}]}
```

Status: 200 OK

Json file: api_categories.json

GET /api/categories/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories/{id}>

Description: Categoría por ID

Request Parameters:

- id: integer

JSON Response:

```
{ 'id': 1, 'name': 'Lácteos' }
```

Status: 200 OK

Json file: api_categories_{id}.json

GET /api/categories/{id}/products

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories/{id}/products>

Description: Productos de categoría

Request Parameters:

- id: integer

JSON Response:

```
{ 'categoryId': 1, 'products': [{ 'id': 1, 'name': 'Leche' }] }
```

Status: 200 OK

Json file: api_categories_{id}_products.json

POST /api/products

HTTP Method: POST

URI: https://minimarkettatylu.onrender.com/api/products

Description: Crear producto

JSON Response:

```
{'created': True, 'productId': 50}
```

Status: 200 OK

Json file: api_products.json

PUT /api/products/{id}

HTTP Method: PUT

URI: https://minimarkettatylu.onrender.com/api/products/{id}

Description: Editar producto

Request Parameters:

- id: integer

JSON Response:

```
{'updated': True}
```

Status: 200 OK

Json file: api_products_{id}.json

DELETE /api/products/{id}

HTTP Method: DELETE

URI: https://minimarkettatylu.onrender.com/api/products/{id}

Description: Eliminar producto

Request Parameters:

- id: integer

JSON Response:

```
{'deleted': True}
```

Status: 200 OK

Json file: api_products_{id}.json

POST /api/products/{id}/stock-adjust

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/products/{id}/stock-adjust>

Description: Ajustar stock

Request Parameters:

- id: integer

- change: integer

JSON Response:

```
{'adjusted': True, 'newStock': 55}
```

Status: 200 OK

Json file: api_products_{id}_stock-adjust.json

GET /api/products/{id}/price-history

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/{id}/price-history>

Description: Historial de precios

Request Parameters:

- id: integer

JSON Response:

```
{'history': [{'date': '2025-01-01', 'price': 1.2}]}
```

Status: 200 OK

Json file: api_products_{id}_price-history.json

Carrito y Checkout

GET /api/cart

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/cart>

Description: Obtener carrito

JSON Response:

```
{'items': [{'productId': 1, 'qty': 2}], 'total': 2.5}
```

Status: 200 OK

Json file: api_cart.json

POST /api/cart/items

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/cart/items>

Description: Agregar ítem

Request Parameters:

- productId: integer

- qty: integer

JSON Response:

```
{'added': True}
```

Status: 200 OK

Json file: api_cart_items.json

PUT /api/cart/items/{itemId}

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/api/cart/items/{itemId}>

Description: Actualizar ítem

Request Parameters:

- itemId: integer

JSON Response:

{'updated': True}

Status: 200 OK

Json file: api_cart_items_{itemId}.json

DELETE /api/cart/items/{itemId}

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/cart/items/{itemId}>

Description: Eliminar ítem

Request Parameters:

- itemId: integer

JSON Response:

{'removed': True}

Status: 200 OK

Json file: api_cart_items_{itemId}.json

DELETE /api/cart

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/cart>

Description: Vaciar carrito

JSON Response:

{'cleared': True}

Status: 200 OK

Json file: api_cart.json

POST /api/checkout

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/checkout>

Description: Iniciar checkout

JSON Response:

```
{'checkout': 'started'}
```

Status: 200 OK

Json file: api_checkout.json

GET /api/checkout/summary

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/checkout/summary>

Description: Obtener resumen

JSON Response:

```
{'summary': {'subtotal': 10.5, 'tax': 1.2, 'total': 11.7}}
```

Status: 200 OK

Json file: api_checkout_summary.json

POST /api/checkout/payment

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/checkout/payment>

Description: Procesar pago

Request Parameters:

- method: string

- amount: number

JSON Response:

```
{'payment': 'approved'}
```

Status: 200 OK

Json file: api_checkout_payment.json

POST /api/orders

HTTP Method: POST

URI: https://minimarkettatylu.onrender.com/api/orders

Description: Crear orden

JSON Response:

```
{'orderId': 123, 'status': 'created'}
```

Status: 200 OK

Json file: api_orders.json

GET /api/orders/{orderId}

HTTP Method: GET

URI: https://minimarkettatylu.onrender.com/api/orders/{orderId}

Description: Obtener orden

Request Parameters:

- orderId: integer

JSON Response:

```
{'orderId': 123, 'total': 12.5}
```

Status: 200 OK

Json file: api_orders_{orderId}.json

Administración

GET /admin

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/admin>

Description: Dashboard admin

JSON Response:

```
{'admin': True}
```

Status: 200 OK

Json file: admin.json

GET /api/purchases

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/purchases>

Description: Lista de compras

JSON Response:

```
{'purchases': [{'id': 1, 'provider': 'Distribuidor Quito', 'total': 120}]}
```

Status: 200 OK

Json file: api_purchases.json

POST /api/purchases

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/purchases>

Description: Registrar compra

JSON Response:

```
{'created': True, 'purchaseId': 10}
```

Status: 200 OK

Json file: api_purchases.json

GET /api/purchases/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/purchases/{id}>

Description: Compra por ID

Request Parameters:

- id: integer

JSON Response:

```
{'purchaseId': 10, 'provider': 'Quito', 'total': 120}
```

Status: 200 OK

Json file: api_purchases_{id}.json

POST /api/init-admin-data

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/init-admin-data>

Description: Inicializar datos

JSON Response:

```
{'initialized': True}
```

Status: 200 OK

Json file: api_init-admin-data.json