

API Endpoints – Minimarket Tatylu

Público / Vistas

GET /

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/>

Description: Home page

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: .json

GET /index

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/index>

Description: Landing page

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: index.json

GET /product

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/product>

Description: Lista de productos

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: product.json

[GET /product/{id}](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/product/{id}>

Description: Vista detalle de producto

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: product_{id}.json

[GET /cart](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/cart>

Description: Vista del carrito

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: cart.json

[GET /checkout](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/checkout>

Description: Inicia checkout

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: checkout.json

[GET /checkout/confirmation](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/checkout/confirmation>

Description: Página de confirmación

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: checkout_confirmation.json

[GET /about-us](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/about-us>

Description: Acerca del minimarket

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: about-us.json

[GET /contact](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/contact>

Description: Página de contacto

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: contact.json

[GET /loyalty](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/loyalty>

Description: Página de fidelización

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: loyalty.json

[GET /profile](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/profile>

Description: Perfil del usuario

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: profile.json

[GET /purchases](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/purchases>

Description: Historial de compras

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: purchases.json

Autenticación y Usuarios

[GET /login](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/login>

Description: Página de login

JSON Response:

```
{
```

```
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: login.json

POST /login

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/login>

Description: Autentica usuario

Request Parameters:

- email: string

- password: string

JSON Response:

```
{
```

```
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: login.json

POST /logout

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/logout>

Description: Cerrar sesión

JSON Response:

```
{
```

```
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: logout.json

GET /signup

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/signup>

Description: Página de registro

JSON Response:

```
{
```

"status": "ok"

}

Status: 200 OK

Json file: signup.json

POST /signup

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/signup>

Description: Registrar usuario

Request Parameters:

- name: string
- email: string
- password: string

JSON Response:

{

"status": "ok"

}

Status: 200 OK

Json file: signup.json

GET /users/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/users/{id}>

Description: Obtener perfil

Request Parameters:

- id: integer

JSON Response:

{

"status": "ok"

}

Status: 200 OK

Json file: users_{id}.json

PUT /users/{id}

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/users/{id}>

Description: Actualizar perfil

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: users_{id}.json

[GET /users/{id}/loyalty](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/users/{id}/loyalty>

Description: Puntos del programa de lealtad

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: users_{id}_loyalty.json

Productos y Categorías

[GET /api/products](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products>

Description: Listar productos

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_products.json

[GET /api/products/{id}](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Producto por ID

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_products_{id}.json

[GET /api/products/top-selling](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/top-selling>

Description: Top ventas

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_products_top-selling.json

[GET /api/products/search](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/search>

Description: Buscar productos

Request Parameters:

- q: string

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_products_search.json

[GET /api/categories](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories>

Description: Listar categorías

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_categories.json

[GET /api/categories/{id}](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories/{id}>

Description: Categoría por ID

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_categories_{id}.json

[GET /api/categories/{id}/products](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/categories/{id}/products>

Description: Productos por categoría

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_categories_{id}_products.json

[POST /api/products](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/products>

Description: Crear producto

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_products.json

[PUT /api/products/{id}](#)

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Editar producto

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_products_{id}.json

[DELETE /api/products/{id}](#)

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/products/{id}>

Description: Eliminar producto

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_products_{id}.json

[POST /api/products/{id}/stock-adjust](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/products/{id}/stock-adjust>

Description: Ajustar stock

Request Parameters:

- id: integer
- change: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_products_{id}_stock-adjust.json

[GET /api/products/{id}/price-history](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/products/{id}/price-history>

Description: Historial de precios

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_products_{id}_price-history.json

[Carrito y Checkout](#)

[GET /api/cart](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/cart>

Description: Obtener carrito

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_cart.json

[POST /api/cart/items](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/cart/items>

Description: Agregar ítem

Request Parameters:

- productId: integer

- qty: integer

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_cart_items.json

[PUT /api/cart/items/{itemId}](#)

HTTP Method: PUT

URI: <https://minimarkettatylu.onrender.com/api/cart/items/{itemId}>

Description: Actualizar cantidad

Request Parameters:

- itemId: integer

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_cart_items_{itemId}.json

[DELETE /api/cart/items/{itemId}](#)

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/cart/items/{itemId}>

Description: Eliminar ítem

Request Parameters:

- itemId: integer

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_cart_items_{itemId}.json

[DELETE /api/cart](#)

HTTP Method: DELETE

URI: <https://minimarkettatylu.onrender.com/api/cart>

Description: Vaciar carrito

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_cart.json

[POST /api/checkout](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/checkout>

Description: Iniciar checkout

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_checkout.json

[GET /api/checkout/summary](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/checkout/summary>

Description: Resumen de checkout

JSON Response:

```
{  
  
  "status": "ok"
```

```
}
```

Status: 200 OK

Json file: api_checkout_summary.json

[POST /api/checkout/payment](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/checkout/payment>

Description: Procesar pago

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_checkout_payment.json

[POST /api/orders](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/orders>

Description: Crear orden

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_orders.json

[GET /api/orders/{orderId}](#)

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/orders/{orderId}>

Description: Obtener orden

Request Parameters:

- orderId: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_orders_{orderId}.json

[Administración](#)

GET /admin

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/admin>

Description: Panel admin

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: admin.json

GET /api/purchases

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/purchases>

Description: Lista compras proveedor

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_purchases.json

POST /api/purchases

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/purchases>

Description: Registrar compra

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_purchases.json

GET /api/purchases/{id}

HTTP Method: GET

URI: <https://minimarkettatylu.onrender.com/api/purchases/{id}>

Description: Compra por ID

Request Parameters:

- id: integer

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_purchases_{id}.json

[POST /api/init-admin-data](#)

HTTP Method: POST

URI: <https://minimarkettatylu.onrender.com/api/init-admin-data>

Description: Inicializar datos admin

JSON Response:

```
{  
  
  "status": "ok"  
  
}
```

Status: 200 OK

Json file: api_init-admin-data.json