



## Advanced Web Development

### Members:

- Lainez Ricardo
- Llumiquinga Ariel
- Santi Jeancarlo

**NRC:** 27819

**Date:** 27/11/2025

**Base URL:** <http://bocattovalley.com/bocatto>

### CRUD OPERATIONS (37 endpoints)

#### PRODUCTS - CRUD (7 endpoints/uris)

##### 1. Get All Products

**Method:** GET

**Purpose:** Retrieve all products from the menu

**URI:** <http://bocattovalley.com/bocatto/products>

**Response:**

json

```
{
  "success": true,
  "count": 25,
  "data": [
    {
      "_id": "691516412c0d15baf812f93a",
      "name": "Alitas BBQ Clásicas",
      "description": "8 delicious BBQ chicken wings with homemade BBQ sauce",
      "price": 8.5,
```

```
"img": "../images/plates/entradas2.0/alitas_entrada.jpg",
"available": true,
"category": "Entradas y Snacks",
"subcategory": "Alitas",
"currentStock": 25
}
]
}
```

## 2. Get Product by ID

**Method:** GET

**Purpose:** Retrieve a single product by its ID

**URI:** <http://bocattovalley.com/bocatto/products/{id}>

**Response:**

```
json
{
  "success": true,
  "data": {
    "_id": "691516412c0d15baf812f93a",
    "name": "Alitas BBQ Clásicas",
    "description": "8 delicious BBQ chicken wings",
    "price": 8.5,
    "category": "Entradas y Snacks",
    "available": true
  }
}
```

## 3. Get Products by Category

**Method:** GET

**Purpose:** Filter products by category

**URI:** <http://bocattovalley.com/bocatto/products/category/{category}>

**Response:**

json

```
{
  "success": true,
  "category": "Entradas y Snacks",
  "count": 12,
  "data": [
    {
      "_id": "691516412c0d15baf812f93a",
      "name": "Alitas BBQ Clásicas",
      "price": 8.5,
      "subcategory": "Alitas"
    }
  ]
}
```

#### 4. Get Products by Subcategory

**Method:** GET

**Purpose:** Filter products by subcategory

**URI:** <http://bocattovalley.com/bocatto/products/subcategory/{subcategory}>

**Response:**

json

```
{
  "success": true,
  "subcategory": "Alitas",
  "count": 5,
  "data": [
```

```
{
  "_id": "691516412c0d15baf812f93a",
  "name": "Alitas BBQ Clásicas",
  "price": 8.5
}
]
```

## 5. Create New Product

**Method:** POST

**Purpose:** Add a new product to the menu

**URI:** <http://bocattovalley.com/bocatto/products>

**Request:**

json

```
{
  "name": "Nachos Supreme",
  "description": "Crispy nachos with cheese, guacamole, and jalapeños",
  "price": 9.99,
  "category": "Entradas y Snacks",
  "subcategory": "Nachos",
  "currentStock": 50,
  "ingredients": ["tortilla chips", "cheese", "jalapeños", "guacamole"],
  "spiceLevel": "medium",
  "preparationTime": 10,
  "available": true
}
```

**Response:**

json

```
{
```

```
"success": true,  
"message": "Product created successfully",  
"data": {  
  "_id": "691516412c0d15baf812f93b",  
  "name": "Nachos Supreme",  
  "price": 9.99,  
  "available": true  
}  
}
```

## 6. Update Product

**Method:** PUT

**Purpose:** Update product information

**URI:** <http://bocattovalley.com/bocatto/products/{id}>

**Request:**

json

```
{  
  "price": 10.99,  
  "available": false,  
  "currentStock": 0  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Product updated successfully",  
  "data": {  
    "_id": "691516412c0d15baf812f93a",  
    "name": "Alitas BBQ Clásicas",
```

```
"price": 10.99,  
"available": false,  
"currentStock": 0  
}  
}
```

## 7. Delete Product

**Method:** DELETE

**Purpose:** Remove a product from the menu

**URI:** <http://bocattovalley.com/bocatto/products/{id}>

**Response:**

```
json  
  
{  
  "success": true,  
  "message": "Product deleted successfully"  
}
```

## CATEGORIES - CRUD (4 endpoints)

### 8. Get All Categories

**Method:** GET

**Purpose:** Retrieve all product categories

**URI:** <http://bocattovalley.com/bocatto/categories>

**Response:**

```
json  
  
{  
  "success": true,  
  "count": 8,  
  "data": [  
    {  
      "_id": "691516412c0d15baf812f950",
```

```
"name": "Entradas y Snacks",
"description": "Appetizers and snacks to start your meal",
"image": "images/categories/entradas.jpg",
"order": 1,
"isActive": true,
"productCount": 15
}
]
}
```

## 9. Create New Category

**Method:** POST

**Purpose:** Add a new product category

**URI:** <http://bocattovalley.com/bocatto/categories>

**Request:**

json

```
{
  "name": "Bebidas",
  "description": "Refreshing drinks and beverages",
  "image": "images/categories/bebidas.jpg",
  "order": 5,
  "isActive": true
}
```

**Response:**

json

```
{
  "success": true,
  "message": "Category created successfully",
  "data": {
```

```
"_id": "691516412c0d15baf812f951",  
"name": "Bebidas",  
"isActive": true  
}  
}
```

## 10. Update Category

**Method:** PUT

**Purpose:** Update category information

**URI:** <http://bocattovalley.com/bocatto/categories/{id}>

**Request:**

json

```
{  
  "name": "Bebidas Especiales",  
  "isActive": false  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Category updated successfully",  
  "data": {  
    "_id": "691516412c0d15baf812f950",  
    "name": "Bebidas Especiales",  
    "isActive": false  
  }  
}
```

## 11. Delete Category



**Method:** DELETE

**Purpose:** Remove a category

**URI:** <http://bocattovalley.com/bocatto/categories/{id}>

**Response:**

json

```
{  
  "success": true,  
  "message": "Category deleted successfully"  
}
```

## **AMBIENTS - CRUD (5 endpoints)**

### **12. Get All Ambients**

**Method:** GET

**Purpose:** Retrieve all available restaurant ambients/rooms

**URI:** <http://bocattovalley.com/bocatto/ambients>

**Response:**

json

```
{  
  "success": true,  
  "count": 4,  
  "data": [  
    {  
      "_id": "6913d88fc4a933fcc4dac0dd",  
      "nombre": "Salón Principal",  
      "descripcion": "Elegant and spacious room perfect for large celebrations",  
      "capacidadMin": 20,  
      "capacidadMax": 50,  
      "caracteristicas": ["air conditioning", "sound system", "dance floor", "bar"],  
      "imagenUrl": "images/promociones/salon-principal.jpg",  
      "activo": true
```

```
}  
]  
}
```

### 13. Get Ambient by ID

**Method:** GET

**Purpose:** Retrieve details of a specific ambient

**URI:** <http://bocattovalley.com/bocatto/ambients/{id}>

**Response:**

json

```
{  
  "success": true,  
  "data": {  
    "_id": "6913d88fc4a933fcc4dac0dd",  
    "nombre": "Salón Principal",  
    "capacidadMax": 50,  
    "caracteristicas": ["air conditioning", "sound system"]  
  }  
}
```

### 14. Create New Ambient

**Method:** POST

**Purpose:** Add a new ambient/room to the restaurant

**URI:** <http://bocattovalley.com/bocatto/ambients>

**Request:**

json

```
{  
  "nombre": "Terraza VIP",  
  "descripcion": "Outdoor terrace with city view",  
  "capacidadMin": 10,
```

```
"capacidadMax": 30,
"caracteristicas": ["outdoor", "view", "heaters"],
"imagenUrl": "images/terrazza-vip.jpg",
"activo": true
}
```

### **Response:**

```
json
{
  "success": true,
  "message": "Ambient created successfully",
  "data": {
    "_id": "6913d88fc4a933fcc4dac0de",
    "nombre": "Terraza VIP",
    "capacidadMax": 30,
    "activo": true
  }
}
```

## **15. Update Ambient**

**Method:** PUT

**Purpose:** Update ambient information

**URI:** <http://bocattovalley.com/bocatto/ambients/{id}>

### **Request:**

```
json
{
  "capacidadMax": 60,
  "activo": false,
  "caracteristicas": ["air conditioning", "projector", "bar"]
}
```

**Response:**

```
json
{
  "success": true,
  "message": "Ambient updated successfully",
  "data": {
    "_id": "6913d88fc4a933fcc4dac0dd",
    "nombre": "Salón Principal",
    "capacidadMax": 60,
    "activo": false
  }
}
```

**16. Delete Ambient****Method:** DELETE**Purpose:** Remove an ambient from the system**URI:** <http://bocattovalley.com/bocatto/ambients/{id}>**Response:**

```
json
{
  "success": true,
  "message": "Ambient deleted successfully"
}
```

**MENUS - CRUD (5 endpoints)****17. Get All Menus****Method:** GET**Purpose:** Retrieve all menu configurations**URI:** <http://bocattovalley.com/bocatto/menus>**Response:**

json

```
{
  "success": true,
  "count": 3,
  "data": [
    {
      "_id": "691516412c0d15baf812f93b",
      "name": "Weekend Special Menu",
      "description": "Special menu available on weekends",
      "active": true,
      "products": ["691516412c0d15baf812f93a", "691516412c0d15baf812f93c"],
      "validFrom": "2025-11-01",
      "validUntil": "2025-12-31"
    }
  ]
}
```

## 18. Get Menu by ID

**Method:** GET

**Purpose:** Retrieve a specific menu configuration

**URI:** <http://bocattovalley.com/bocatto/menus/{id}>

**Response:**

json

```
{
  "success": true,
  "data": {
    "_id": "691516412c0d15baf812f93b",
    "name": "Weekend Special Menu",
    "active": true,
```

```
"products": []
}
}
```

## 19. Create New Menu

**Method:** POST

**Purpose:** Create a new menu configuration

**URI:** <http://bocattovalley.com/bocatto/menus>

**Request:**

```
json
{
  "name": "Holiday Menu 2025",
  "description": "Special menu for Christmas and New Year",
  "active": true,
  "products": ["691516412c0d15baf812f93a"],
  "validFrom": "2025-12-20",
  "validUntil": "2026-01-05"
}
```

**Response:**

```
json
{
  "success": true,
  "message": "Menu created successfully",
  "data": {
    "_id": "691516412c0d15baf812f93c",
    "name": "Holiday Menu 2025",
    "active": true
  }
}
```

## 20. Update Menu

**Method:** PUT

**Purpose:** Update menu configuration

**URI:** <http://bocattovalley.com/bocatto/menus/{id}>

**Request:**

json

```
{  
  "active": false,  
  "validUntil": "2025-11-30"  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Menu updated successfully",  
  "data": {  
    "_id": "691516412c0d15baf812f93b",  
    "name": "Weekend Special Menu",  
    "active": false,  
    "validUntil": "2025-11-30"  
  }  
}
```

## 21. Delete Menu

**Method:** DELETE

**Purpose:** Remove a menu configuration

**URI:** <http://bocattovalley.com/bocatto/menus/{id}>

**Response:**

json

```
{
  "success": true,
  "message": "Menu deleted successfully"
}
```

## RESERVATIONS - CRUD (5 endpoints)

### 22. Get All Reservations

**Method:** GET

**Purpose:** Retrieve all reservations

**URI:** <http://bocattovalley.com/bocatto/reservations>

**Response:**

json

```
{
  "success": true,
  "count": 15,
  "data": [
    {
      "_id": "6915164abc0d15baf812f940",
      "customerName": "Juan Pérez",
      "email": "juan@example.com",
      "phone": "0999999999",
      "date": "2025-12-25",
      "time": "19:00",
      "guests": 6,
      "ambientId": "6913d88fc4a933fcc4dac0dd",
      "status": "confirmed",
      "notes": "Birthday celebration"
    }
  ]
}
```



```
}
```

### 23. Get Reservation by ID

**Method:** GET

**Purpose:** Retrieve details of a specific reservation

**URI:** <http://bocattovalley.com/bocatto/reservations/{id}>

**Response:**

json

```
{  
  "success": true,  
  "data": {  
    "_id": "6915164abc0d15baf812f940",  
    "customerName": "Juan Pérez",  
    "date": "2025-12-25",  
    "guests": 6,  
    "status": "confirmed"  
  }  
}
```

### 24. Create New Reservation

**Method:** POST

**Purpose:** Create a new table/ambient reservation

**URI:** <http://bocattovalley.com/bocatto/reservations>

**Request:**

json

```
{  
  "customerName": "María García",  
  "email": "maria@example.com",  
  "phone": "0987654321",  
  "date": "2025-12-30",
```

```
"time": "20:00",
"guests": 4,
"ambientId": "6913d88fc4a933fcc4dac0dd",
"notes": "Vegetarian preferences"
}
```

### **Response:**

json

```
{
  "success": true,
  "message": "Reservation created successfully",
  "data": {
    "_id": "6915164abc0d15baf812f941",
    "customerName": "María García",
    "date": "2025-12-30",
    "time": "20:00",
    "guests": 4,
    "status": "pending"
  }
}
```

## **25. Update Reservation**

**Method:** PUT

**Purpose:** Update reservation details

**URI:** <http://bocattovalley.com/bocatto/reservations/{id}>

**Request:**

json

```
{
  "guests": 8,
  "time": "18:30",
```

```
"status": "confirmed"
}
```

**Response:**

```
json
{
  "success": true,
  "message": "Reservation updated successfully",
  "data": {
    "_id": "6915164abc0d15baf812f940",
    "customerName": "Juan Pérez",
    "guests": 8,
    "time": "18:30",
    "status": "confirmed"
  }
}
```

## 26. Cancel Reservation

**Method:** DELETE

**Purpose:** Cancel/delete a reservation

**URI:** <http://bocattovalley.com/bocatto/reservations/{id}>

**Response:**

```
json
{
  "success": true,
  "message": "Reservation cancelled successfully"
}
```

## USERS - CRUD (4 endpoints)

### 27. Get User Profile

**Method:** GET

**Purpose:** Retrieve authenticated user's profile

**URI:** <http://bocattovalley.com/bocatto/users/profile>

**Response:**

json

```
{
  "success": true,
  "data": {
    "_id": "6904d9703a86dfdd14a5c90",
    "firstName": "Admin",
    "lastName": "Bocatto",
    "email": "admin@adminbocatto.com",
    "phone": "0999999999",
    "address": "Quito, Ecuador",
    "role": "administrator",
    "loyaltyPoints": 0
  }
}
```

## 28. Update User Profile

**Method:** PUT

**Purpose:** Update user information

**URI:** <http://bocattovalley.com/bocatto/users/profile>

**Request:**

json

```
{
  "phone": "0998765432",
  "address": "Guayaquil, Ecuador"
}
```

**Response:**

```
json
{
  "success": true,
  "message": "Profile updated successfully",
  "data": {
    "_id": "6904d9703a86dfdd14a5c90",
    "firstName": "Admin",
    "phone": "0998765432",
    "address": "Guayaquil, Ecuador"
  }
}
```

## 29. Get All Users (Admin)

**Method:** GET

**Purpose:** Retrieve all users (admin only)

**URI:** <http://bocattovalley.com/bocatto/users>

**Response:**

```
json
{
  "success": true,
  "count": 150,
  "data": [
    {
      "_id": "6904d9703a86dfdd14a5c90",
      "firstName": "Admin",
      "email": "admin@adminbocatto.com",
      "role": "administrator",
      "isActive": true
    }
  ]
}
```

```
]
}
```

### 30. Delete User

**Method:** DELETE

**Purpose:** Delete a user account

**URI:** <http://bocattovalley.com/bocatto/users/{id}>

**Response:**

json

```
{
  "success": true,
  "message": "User deleted successfully"
}
```

### OFFERS - CRUD (2 endpoints)

#### 31. Get All Offers

**Method:** GET

**Purpose:** Retrieve all offers/discounts

**URI:** <http://bocattovalley.com/bocatto/offers>

**Response:**

json

```
{
  "success": true,
  "count": 5,
  "data": [
    {
      "_id": "691516412c0d15baf812f970",
      "name": "Black Friday Special",
      "description": "30% discount on all orders",
      "discount": 30,
```

```
    "discountType": "percentage",
    "isActive": true,
    "startDate": "2025-11-29",
    "endDate": "2025-12-01"
  }
]
}
```

### 32. Update Offer

**Method:** PUT

**Purpose:** Update offer details

**URI:** <http://bocattovalley.com/bocatto/offers/{id}>

**Request:**

json

```
{
  "isActive": false,
  "endDate": "2025-11-30"
}
```

**Response:**

json

```
{
  "success": true,
  "message": "Offer updated successfully",
  "data": {
    "_id": "691516412c0d15baf812f970",
    "name": "Black Friday Special",
    "isActive": false,
    "endDate": "2025-11-30"
  }
}
```

```
}
```

## COMMENTS - CRUD (1 endpoint)

### 33. Get Product Reviews

**Method:** GET

**Purpose:** Retrieve all approved reviews for a product

**URI:** <http://bocattovalley.com/bocatto/comments/product/{productId}>

**Response:**

json

```
{
  "success": true,
  "productId": "691516412c0d15baf812f93a",
  "count": 15,
  "averageRating": 4.7,
  "data": [
    {
      "_id": "691516412c0d15baf812f960",
      "clientId": "6904d9703a86dfdd14a5c90",
      "text": "Excellent wings!",
      "rating": 5,
      "commentDate": "2025-11-25T16:00:00.000Z"
    }
  ]
}
```

## REPORTS - CRUD (1 endpoint)

### 34. Get Report by ID

**Method:** GET

**Purpose:** Retrieve a previously generated report



**URI:** http://bocattovalley.com/bocatto/reports/{reportId}

**Response:**

json

```
{
  "success": true,
  "data": {
    "reportId": "RPT-2025-001",
    "type": "sales",
    "period": "November 2025",
    "totalSales": 15234.50,
    "totalOrders": 345,
    "generatedAt": "2025-11-25T16:00:00.000Z"
  }
}
```

---

## **BUSINESS LOGIC / REGLAS DE NEGOCIO (26 endpoints)**

---

### **PRODUCTS - Business Logic (1 endpoint)**

#### **35. Search Products**

**Method:** GET

**Purpose:** Search products by name or description

**URI:** http://bocattovalley.com/bocatto/products/search/{query}

**Response:**

json

```
{
  "success": true,
  "query": "alitas",
  "count": 3,
  "data": [
```

```
{
  "_id": "691516412c0d15baf812f93a",
  "name": "Alitas BBQ Clásicas",
  "price": 8.5,
  "category": "Entradas y Snacks"
}
]
```

## **AMBIENTS - Business Logic (1 endpoint)**

### **36. Get Available Ambients by Date**

**Method:** GET

**Purpose:** Check ambient availability for a specific date

**URI:** <http://bocattovalley.com/bocatto/ambients/availability/{date}>

**Response:**

json

```
{
  "success": true,
  "date": "2025-12-25",
  "available": [
    {
      "_id": "6913d88fc4a933fcc4dac0dd",
      "nombre": "Salón Principal",
      "capacidadMax": 50,
      "availableSlots": ["12:00", "14:00", "18:00", "20:00"]
    }
  ]
}
```

## RESERVATIONS - Business Logic (3 endpoints)

### 37. Confirm Reservation

**Method:** PATCH

**Purpose:** Change reservation status to confirmed

**URI:** <http://bocattovalley.com/bocatto/reservations/{id}/confirm>

**Response:**

json

```
{
  "success": true,
  "message": "Reservation confirmed",
  "data": {
    "_id": "6915164abc0d15baf812f940",
    "customerName": "Juan Pérez",
    "status": "confirmed",
    "confirmedAt": "2025-11-25T16:00:00.000Z"
  }
}
```

### 38. Check Availability

**Method:** POST

**Purpose:** Check if a time slot is available for reservation

**URI:** <http://bocattovalley.com/bocatto/reservations/check-availability>

**Request:**

json

```
{
  "date": "2025-12-25",
  "time": "19:00",
  "guests": 6,
  "ambientId": "6913d88fc4a933fcc4dac0dd"
}
```

**Response:**

```
json
{
  "success": true,
  "available": true,
  "message": "Time slot is available",
  "alternativeTimes": ["18:00", "20:00", "21:00"]
}
```

**39. Get Upcoming Reservations****Method:** GET**Purpose:** Get all future reservations**URI:** <http://bocattovalley.com/bocatto/reservations/upcoming>**Response:**

```
json
{
  "success": true,
  "count": 12,
  "data": [
    {
      "_id": "6915164abc0d15baf812f940",
      "customerName": "Juan Pérez",
      "date": "2025-12-25",
      "time": "19:00",
      "guests": 6,
      "status": "confirmed"
    }
  ]
}
```

## USERS - Business Logic (3 endpoints)

### 40. Register New User

**Method:** POST

**Purpose:** Create a new user account

**URI:** <http://bocattovalley.com/bocatto/users/register>

**Request:**

json

```
{
  "firstName": "Carlos",
  "lastName": "Rodríguez",
  "email": "carlos@example.com",
  "password": "SecurePass123!",
  "phone": "0991234567",
  "address": "Quito, Ecuador"
}
```

**Response:**

json

```
{
  "success": true,
  "message": "User registered successfully",
  "data": {
    "_id": "6904d9703a86dfdd14a5c91",
    "email": "carlos@example.com",
    "firstName": "Carlos",
    "role": "customer"
  }
}
```

## 41. User Login

**Method:** POST

**Purpose:** Authenticate user and get access token

**URI:** <http://bocattovalley.com/bocatto/users/login>

**Request:**

json

```
{  
  "email": "admin@adminbocatto.com",  
  "password": "AdminPassword123!"  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Login successful",  
  "data": {  
    "user": {  
      "_id": "6904d9703a86dfdd14a5c90",  
      "email": "admin@adminbocatto.com",  
      "role": "administrator",  
      "firstName": "Admin"  
    },  
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."  
  }  
}
```

## 42. Reset Password

**Method:** POST

**Purpose:** Send password reset email

**URI:** <http://bocattovalley.com/bocatto/users/reset-password>

**Request:**

json

```
{  
  "email": "user@example.com"  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Password reset email sent"  
}
```

## **CART - Business Logic (5 endpoints)**

### **43. Add Product to Cart**

**Method:** POST

**Purpose:** Add a product to user's shopping cart

**URI:** <http://bocattovalley.com/bocatto/cart/add>

**Request:**

json

```
{  
  "userId": "6904d9703a86dfdd14a5c90",  
  "productId": "691516412c0d15baf812f93a",  
  "quantity": 2,  
  "notes": "Extra spicy please"  
}
```

**Response:**

json

```
{
```

```
"success": true,
"message": "Product added to cart",
"cart": {
  "items": [
    {
      "productId": "691516412c0d15baf812f93a",
      "name": "Alitas BBQ Clásicas",
      "quantity": 2,
      "price": 8.5,
      "subtotal": 17.0
    }
  ],
  "total": 17.0
}
```

#### 44. Get User Cart

**Method:** GET

**Purpose:** Retrieve current user's shopping cart

**URI:** <http://bocattovalley.com/bocatto/cart/{userId}>

**Response:**

json

```
{
  "success": true,
  "data": {
    "userId": "6904d9703a86dfdd14a5c90",
    "items": [
      {
        "productId": "691516412c0d15baf812f93a",
```



```
    "name": "Alitas BBQ Clásicas",
    "quantity": 2,
    "price": 8.5,
    "subtotal": 17.0
  }
],
"itemCount": 2,
"total": 17.0
}
}
```

#### 45. Update Cart Item

**Method:** PUT

**Purpose:** Update quantity of a cart item

**URI:** <http://bocattovalley.com/bocatto/cart/update>

**Request:**

json

```
{
  "userId": "6904d9703a86dfdd14a5c90",
  "productId": "691516412c0d15baf812f93a",
  "quantity": 5
}
```

**Response:**

json

```
{
  "success": true,
  "message": "Cart item updated",
  "cart": {
    "items": [
```

```
{
  "productId": "691516412c0d15baf812f93a",
  "name": "Alitas BBQ Clásicas",
  "quantity": 5,
  "price": 8.5,
  "subtotal": 42.5
},
{
  "total": 42.5
}
```

#### 46. Remove Item from Cart

**Method:** DELETE

**Purpose:** Remove a product from cart

**URI:** <http://bocattovalley.com/bocatto/cart/remove>

**Request:**

json

```
{
  "userId": "6904d9703a86dfdd14a5c90",
  "productId": "691516412c0d15baf812f93a"
}
```

**Response:**

json

```
{
  "success": true,
  "message": "Item removed from cart",
  "cart": {
    "items": [],
  }
}
```

```
"total": 0
}
}
```

#### 47. Clear Cart

**Method:** DELETE

**Purpose:** Empty the entire shopping cart

**URI:** <http://bocattovalley.com/bocatto/cart/clear/{userId}>

**Response:**

```
json
{
  "success": true,
  "message": "Cart cleared successfully"
}
```

### ORDERS - Business Logic (5 endpoints)

#### 48. Create Order from Cart

**Method:** POST

**Purpose:** Convert cart items into an order

**URI:** <http://bocattovalley.com/bocatto/orders/create>

**Request:**

```
json
{
  "userId": "6904d9703a86dfdd14a5c90",
  "deliveryAddress": "Av. 10 de Agosto, Quito",
  "paymentMethod": "credit_card",
  "notes": "Ring doorbell twice"
}
```

**Response:**

```
json
```

```
{
  "success": true,
  "message": "Order created successfully",
  "data": {
    "orderId": "ORD-2025-001234",
    "total": 17.0,
    "status": "pending",
    "estimatedDelivery": "30-45 minutes",
    "createdAt": "2025-11-25T16:00:00.000Z"
  }
}
```

## 49. Get User Orders

**Method:** GET

**Purpose:** Retrieve all orders made by a user

**URI:** <http://bocattovalley.com/bocatto/orders/user/{userId}>

**Response:**

json

```
{
  "success": true,
  "count": 5,
  "data": [
    {
      "orderId": "ORD-2025-001234",
      "date": "2025-11-25T15:30:00.000Z",
      "total": 17.0,
      "status": "delivered",
      "items": [
        {
```

```
    "name": "Alitas BBQ Clásicas",
    "quantity": 2,
    "price": 8.5
  }
]
}
]
```

## 50. Update Order Status

**Method:** PATCH

**Purpose:** Update the status of an order (admin/kitchen)

**URI:** <http://bocattovalley.com/bocatto/orders/{orderId}/status>

**Request:**

```
json
{
  "status": "in_preparation"
}
```

**Response:**

```
json
{
  "success": true,
  "message": "Order status updated",
  "data": {
    "orderId": "ORD-2025-001234",
    "status": "in_preparation",
    "updatedAt": "2025-11-25T16:00:00.000Z"
  }
}
```

## 51. Get Order by ID

**Method:** GET

**Purpose:** Retrieve details of a specific order

**URI:** <http://bocattovalley.com/bocatto/orders/{orderId}>

**Response:**

json

```
{
  "success": true,
  "data": {
    "orderId": "ORD-2025-001234",
    "customerId": "6904d9703a86dfdd14a5c90",
    "date": "2025-11-25T15:30:00.000Z",
    "total": 17.0,
    "status": "delivered",
    "deliveryAddress": "Av. 10 de Agosto, Quito",
    "items": [
      {
        "productId": "691516412c0d15baf812f93a",
        "name": "Alitas BBQ Clásicas",
        "quantity": 2,
        "price": 8.5,
        "subtotal": 17.0
      }
    ]
  }
}
```

## 52. Cancel Order

**Method:** DELETE

**Purpose:** Cancel an order (if status allows)

**URI:** <http://bocattovalley.com/bocatto/orders/{orderId}>

**Response:**

json

```
{  
  "success": true,  
  "message": "Order cancelled successfully"  
}
```

## COMMENTS - Business Logic (2 endpoints)

### 53. Create Product Review

**Method:** POST

**Purpose:** Add a comment/review for a product

**URI:** <http://bocattovalley.com/bocatto/comments>

**Request:**

json

```
{  
  "productId": "691516412c0d15baf812f93a",  
  "clientId": "6904d9703a86dfdd14a5c90",  
  "text": "Excellent wings! Very crispy and flavorful",  
  "rating": 5,  
  "commentType": "product"  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Review submitted successfully",  
  "data": {
```

```
"_id": "691516412c0d15baf812f960",
"productId": "691516412c0d15baf812f93a",
"text": "Excellent wings! Very crispy and flavorful",
"rating": 5,
"isApproved": false,
"commentDate": "2025-11-25T16:00:00.000Z"
}
}
```

#### 54. Approve/Reject Review (Admin)

**Method:** PATCH

**Purpose:** Moderate user reviews

**URI:** <http://bocattovalley.com/bocatto/comments/{id}/approve>

**Request:**

```
json
{
  "isApproved": true
}
```

**Response:**

```
json
{
  "success": true,
  "message": "Review approved successfully",
  "data": {
    "_id": "691516412c0d15baf812f960",
    "isApproved": true,
    "approvedAt": "2025-11-25T16:30:00.000Z"
  }
}
```



## OFFERS - Business Logic (2 endpoints)

### 55. Create New Offer

**Method:** POST

**Purpose:** Add a new offer/discount

**URI:** <http://bocattovalley.com/bocatto/offers>

**Request:**

json

```
{  
  "name": "Happy Hour",  
  "description": "Buy 2 get 1 free",  
  "discount": 33,  
  "discountType": "percentage",  
  "startDate": "2025-12-01",  
  "endDate": "2025-12-31",  
  "weekDays": ["monday", "tuesday", "wednesday"],  
  "isActive": true  
}
```

**Response:**

json

```
{  
  "success": true,  
  "message": "Offer created successfully",  
  "data": {  
    "_id": "691516412c0d15baf812f971",  
    "name": "Happy Hour",  
    "discount": 33,  
    "isActive": true  
  }  
}
```

```
}
```

## 56. Get Active Offers

**Method:** GET

**Purpose:** Retrieve only currently active offers

**URI:** <http://bocattovalley.com/bocatto/offers/active>

**Response:**

json

```
{
  "success": true,
  "count": 2,
  "data": [
    {
      "_id": "691516412c0d15baf812f970",
      "name": "Black Friday Special",
      "discount": 30,
      "discountType": "percentage",
      "endDate": "2025-12-01"
    }
  ]
}
```

## NOTIFICATIONS - Business Logic (3 endpoints)

### 57. Get User Notifications

**Method:** GET

**Purpose:** Retrieve all notifications for a user

**URI:** <http://bocattovalley.com/bocatto/notifications/user/{userId}>

**Response:**

json

```
{
```

```
"success": true,
"count": 5,
"unreadCount": 2,
"data": [
  {
    "_id": "691516412c0d15baf812f980",
    "title": "Order Confirmed",
    "message": "Your order #ORD-2025-001234 has been confirmed",
    "time": "2025-11-25T15:30:00.000Z",
    "isRead": false
  }
]
}
```

## 58. Mark Notification as Read

**Method:** PATCH

**Purpose:** Mark a notification as read

**URI:** <http://bocattovalley.com/bocatto/notifications/{id}/read>

**Response:**

```
json
{
  "success": true,
  "message": "Notification marked as read"
}
```

## 59. Get Unread Notifications

**Method:** GET

**Purpose:** Retrieve only unread notifications

**URI:** <http://bocattovalley.com/bocatto/notifications/user/{userId}/unread>

**Response:**

```
json
```

```
{
  "success": true,
  "count": 2,
  "data": [
    {
      "_id": "691516412c0d15baf812f980",
      "title": "Order Confirmed",
      "message": "Your order #ORD-2025-001234 has been confirmed",
      "time": "2025-11-25T15:30:00.000Z"
    }
  ]
}
```

## **REPORTS - Business Logic (1 endpoint)**

### **60. Generate Sales Report**

**Method:** POST

**Purpose:** Generate sales report for a date range

**URI:** <http://bocattovalley.com/bocatto/reports/sales>

**Request:**

json

```
{
  "startDate": "2025-11-01",
  "endDate": "2025-11-30",
  "type": "monthly"
}
```

**Response:**

json

```
{
  "success": true,
```

```
"reportId": "RPT-2025-001",
"data": {
  "period": "November 2025",
  "totalSales": 15234.50,
  "totalOrders": 345,
  "averageOrderValue": 44.15,
  "topProducts": [
    {
      "productId": "691516412c0d15baf812f93a",
      "name": "Alitas BBQ Clásicas",
      "unitsSold": 150,
      "revenue": 1275.00
    }
  ],
  "generatedAt": "2025-11-25T16:00:00.000Z",
  "generatedBy": "admin@adminbocatto.com"
}
```