



ESPE

UNIVERSIDAD DE LAS FUERZAS ARMADAS

INNOVACIÓN PARA LA EXCELENCIA

Advanced Web Development 27819

Workshops #22 Unit 2

Inspection Project

Feature	
URI	Design
	Functionality

Evidence:

Requirement/Feature

URI Design (Method, URI, JSON, Description, Reques/Response)

Postman screenshot

TEAM 1

1. ALTAMIRANO PINEDA RICARDO XAVIER
2. ANDRADE LUCIO DANNA VALENTINA
3. AYUQUINA NAVAS DANNY MATEO

8, 8, 8

WS Score

Evidence: 10

Inspection made for Team6: 10

URI: 10

Feature	F
URI	Design
	Functionality

Evidence:

Requirement/Feature

3.2 Attendance Management

	Requirement	Description
FR-5	Automatic Time Capture	The system shall automatically record the exact arrival and departure times of each child.
FR-6	Late Detection	The system shall automatically detect late arrivals and send alerts to parents.
FR-7	Daily Attendance Reports	The system shall automatically generate daily attendance reports.
FR-8	Periodic Attendance Summaries	The system shall provide weekly or monthly attendance summaries accessible to the principal.

URI Design (Method, URI, JSON, Description, Reques/Response)

- METHOD: POST /api/attendance - create attendance record

URI: <https://nicekidscenter.onrender.com/api/attendance>

Request JSON:

```
{
  "StudentID": 2,
  "Date": "2024-01-12",
  "CheckInTime": "08:05:00",
  "Status": "Present",
  "IsLate": 1,
  "LateMinutes": 5
}
```

Response:

```
{
  "AttendanceID": 8,
  "StudentID": 2,
  "Date": "2024-01-12",
  "CheckInTime": "08:05:00",
  "CheckOutTime": null,
  "Status": "Present",
  "IsLate": 1,
  "LateMinutes": 5,
  "Notes": null,
  "CheckedInBy": null,
  "CheckedOutBy": null,
  "CreatedAt": "2025-12-12T13:40:14.189265",
  "UpdatedAt": null
}
```

}

- METHOD: GET /api/attendance/late?date=YYYY-MM-DD&thresholdMinutes=15 - list late arrivals for a specific date (or all marked late if date omitted)

URI:

<https://nicekidscenter.onrender.com/api/attendance/late?date=2024-01-12&thresholdMinutes=15>

Response

```
[
  {
    "AttendanceID": 8,
    "StudentID": 2,
    "Date": "2024-01-12",
    "CheckInTime": "08:05:00",
    "CheckOutTime": null,
    "Status": "Present",
    "IsLate": 1,
    "LateMinutes": 5,
    "Notes": null,
    "CheckedInBy": null,
    "CheckedOutBy": null,
    "CreatedAt": "2025-12-12T13:40:14.189265",
    "UpdatedAt": null
  }
]
```

•

Postman screenshot

POST

https://nicekidscenter.onrender.com/api/atteni...

Send

Docs

Params

Auth

Headers (8)

Body

Scripts

Settings

Cookies

raw

JSON

Beautify

```
1 {
2   "StudentID": 2,
3   "Date": "2024-01-12",
4   "CheckInTime": "08:05:00",
5   "Status": "Present",
6   "IsLate": 1,
7   "LateMinutes": 5
8 }
```

Body

201 Created

466 ms


666 B

{ } JSON

Preview

Visualize

```
1 {
2   "AttendanceID": 8,
3   "StudentID": 2,
4   "Date": "2024-01-12",
5   "CheckInTime": "08:05:00",
6   "CheckOutTime": null,
7   "Status": "Present",
8   "IsLate": 1,
9   "LateMinutes": 5,
```



TEAM 2

4. BAEZ JARAMILLO GABRIEL ALEJANDRO

5. BLACIO MACHUCA JULIO CESAR

6. CÁCERES VILLAGOMEZ GERMAN PATRICIO

8, 8, 8

Ws Score


Evidence: 7

Inspection made for Team1: 7

URI: 7

GitHub Link Team 2: <https://github.com/SrJCBM/ESPE-AWD27819-ODII.git>

link proyecto: <https://travelbrain-3tfv.onrender.com/>

Feature	F Register Destination					
	ID	Requirement	Description	Priority	Source	Verification
	F0-1	Register Destination	Allows registering tourist destination	High	Backlog	Manual test
URI	Design https://travelbrain-3tfv.onrender.com/api/destinations <pre>{ "name": "Bosque petrificado Puyango", "country": "Ecuador", "description": "Yacimiento paleontológico en el que abundan los fósiles de árboles.", "lat": -0.2201641, "lng": -78.5123274 }</pre>					
	Functionality 					

BODY

Team 3

7. CAÑARTE GALARZA SARAY ADRIANA

8. CEDEÑO CUENCA ANDRES ISAIAS
9. CHIRIBOGA CABRERA KERLLY ALEXANDRA
8, 8, 8

WS Score

Evidence: 10

Inspection made for Team2: 10

URI: 10

Git Hub Link Team 3::

https://github.com/k0c0h/T3_AWD_RECIPE_MANAGEMENT_SYSTEM.git

Evidence:

Requirement/Feature

URI Design (Method, URI, JSON, Description, Reques/Response)


Method: GET [dishdash/ingredients](#) - Show ingredients

URI: <https://recipemanagement-caj9.onrender.com/dishdash/ingredients>

```
[
  {
    "isActive": true,
    "deletedAt": null,
    "_id": "68fe8f18656fe7ed262998cb",
    "productId": "PROD001",
    "name": "Hielo",
    "category": "Insumos",
    "product": "Hielo en cubos",
    "brand": "Producción propia",
    "size": 1000,
    "sizeUnit": "g",
    "price": 1,
    "availableUnits": 75,
    "supplier": "Producción interna"
  },
]
```

Response: 200

Postman screenshot



Feature	Ingredients Feature 1: Recipe Management (CRUD for Recipes) Description: Enables users to create, view, edit, and delete recipes with complete details, photos, and categorized organization. Detail: • The system must allow creating and editing recipes with a name, description, and yield (i.e., the number of servings). • The user can add a detailed list of ingredients with quantities in different units (grams, ounces, cups, tablespoons, etc.). • The system must calculate cost per serving and price per serving based on the ingredients added. • The system must allow adding step-by-step instructions with estimated cooking times. • Users can upload representative photos of the recipe and the final dish. • The system must categorize recipes by type (starter, main course, dessert, beverage, etc.). • The system must allow users to search and filter recipes by ingredient or category. Management
URI	Design
	Functionality Obtain prices of an ingredient from different suppliers

Team 4

10. CORDERO VITERI MARTIN ALEJANDRO

11. EGAS JACOME STEVEN DAVID

12. GUAYASAMIN HEREDIA JOSUE DANIEL

10, 10, 10

WS Score

Evidence: 10


Inspection made for Team3: 10

URI: 10

URI: <https://supermarkettatylu.onrender.com/user>

Github Link: <https://github.com/StevenEgasJ/MarketTatylu>

Feature	Create User https://github.com/StevenEgasJ/MarketTatylu/tree/main/Documentation/1.-%20Requirements%20and%20overview <table><tr><td>Feature 1: Admin Settings & Security Logs</td><td>RF- A.14</td><td>Manage User Roles and Security</td><td>This task involves creating a UI for the super-administrator to define different access levels (e.g., "Administrator," "Delivery"). It includes managing what parts of the system each role can see or modify and configuring password reset policies.</td></tr><tr><td></td><td>RF- A.15</td><td>Monitor System Activity Log</td><td>This involves implementing a logging system that automatically records important events, such as logins (successful and failed), price changes, or user deletions. This is crucial for auditing and tracing security issues.</td></tr></table>	Feature 1: Admin Settings & Security Logs	RF- A.14	Manage User Roles and Security	This task involves creating a UI for the super-administrator to define different access levels (e.g., "Administrator," "Delivery"). It includes managing what parts of the system each role can see or modify and configuring password reset policies.		RF- A.15	Monitor System Activity Log	This involves implementing a logging system that automatically records important events, such as logins (successful and failed), price changes, or user deletions. This is crucial for auditing and tracing security issues.
Feature 1: Admin Settings & Security Logs	RF- A.14	Manage User Roles and Security	This task involves creating a UI for the super-administrator to define different access levels (e.g., "Administrator," "Delivery"). It includes managing what parts of the system each role can see or modify and configuring password reset policies.						
	RF- A.15	Monitor System Activity Log	This involves implementing a logging system that automatically records important events, such as logins (successful and failed), price changes, or user deletions. This is crucial for auditing and tracing security issues.						
URI	Design https://docs.google.com/document/d/18hFhl3Obi0L6moE92cY39hmPdPa4JSpCPf0ghdTMh_E/edit?usp=sharing Post: https://supermarkettatylu.onrender.com/user <pre>{ "id": 31, "nombre": "Saray", "publicId": "07", "isAdmin": true, "apellido": "Galarza", "password": "saray", "email": "sa@gmail.com", "emailVerified": false, "cedula": "1316848223", "telefono": "0981165084", "photo": null }</pre> Functionality Create user								



Team5

13. LAINEZ SUAREZ RICARDO ANDRES

14. LLUMIQUINGA ÑACATO ARIEL JOSE

15. SANTI CRUZ JEANCARLO JAVIER

10, 8, 10

github: <https://github.com/Jeancarlospp/Bocatto.git>

link: <https://bocatto-nu.vercel.app/menu>

WS Score

Evidence: 10

Inspection made for Team4: 10


URI: 10

URI: <https://bocatto.onrender.com/api/menu>

Feature 1 Digital Menu Catalog Display the complete food and drinks catalog with images, prices, and filters.	Feature	Objective	Key User Stories	Acceptance Criteria	Main APIs / Data
	1. Digital Menu Catalog	Display the complete food and drinks catalog with images, prices, and filters.	- As a customer, I want to view the full menu with images and prices to decide what to order. - As a customer, I want to filter by category or tags such as vegan or spicy.	- When visiting '/menu', the page shows product cards with name, price, and photo. - Filters correctly display selected categories.	GET /api/products GET /api/products?category= DB: products(id, name, description, price, image_url, category, tags[])

URI:
https://bocatto.onrender.com/api/menu


METHOD: GET



```
{
  "success": true,
  "count": 40,
  "data": [
    {
      "_id": "691516412c0d15baf812f93a",
      "name": "Alitas BBQ Clásicas",
      "description": "8 deliciosas alitas de pollo bañadas en salsa BBQ casera, servidas con papas fritas y salsa ranch",
      "price": 8.5,
      "img": "https://res.cloudinary.com/dmfzszhxo/image/upload/v1765158921/bocatto/products/aracjtlbyuy6pwzhhdqx.jpg",
      "available": true,
      "category": "Entradas y Snacks",
      "subcategory": "Alitas",
      "currentStock": 20,
      "creationDate": "2025-11-12T10:00:00.000Z",
      "ingredients": [
        "alitas de pollo",
        "salsa BBQ",
        "papas fritas",
        "salsa ranch"
      ],
      "nutritionalInfo": {
        "calories": 300,
        "protein": "35g",
        "carbs": "25g",
        "fat": "15g"
      },
      "allergens": [
        "gluten"
      ],
      "spiceLevel": "suave",
      "preparationTime": 15,
      "tags": [
        "popular",
        "crispy",
        "baq"
      ],
      "productId": 1,
      "updatedAt": "2025-12-12T12:24:42.694Z"
    }
  ]
}
```

Functionality
Obtain products of the menu

Postman:



GET https://bocatto.onrender.com/api/menu Send

Docs Params Authorization Headers (6) Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify


1 Ctrl+Alt+P to Ask AI

Body Cookies Headers (16) Test Results 200 OK • 4.34 s • 5.7 KB Save Response

{ } JSON Preview Visualize

```
1 {
2   "success": true,
3   "count": 40,
4   "data": [
5     {
6       "_id": "691516412c0d15baf812f93a",
7       "name": "Alitas BBQ Clásicas",
8       "description": "8 deliciosas alitas de pollo bañadas en salsa BBQ casera, servidas con papas fritas y
9         salsa ranch",
10      "price": 8.5,
11      "img": "https://res.cloudinary.com/dmfzszhxo/image/upload/v1765158921/bocatto/products/
12        aracjtlbyuy6pwzhhdqx.jpg",
```

Postman:



Evidence:

Requirement/Feature

URI Design (Method, URI, JSON, Description, Reques/Response)

Postman screenshot

Team 6

16. SIMBAÑA RIVADENEIRA MICHAEL STEVEN

17. TUFIÑO ORTIZ ERICK ALEJANDRO

18. VILLAGÓMEZ FREIRE DOMENICA NICOLE

10, 8, 10

WS Score

Evidence: 7

Inspection made for Team5: 7

URI: 7

Github:

<https://github.com/Stevven23/T6-AWD-Medical-Appointment-Web-System-404NF/tree/main>

link: <https://t6-awd-medical-appointment-web-syst.vercel.app/>

Method: POST

Token:

<https://medical-appointment-backend-2xx0.onrender.com/api/auth/login>

Request:

```
{  
  "email": "paciente@clinica.com",  
  "password": "admin123"  
}
```

Response:

GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/appointments/doctors/%7BdoctorId%7D/available-slots?date=2025-02-15>

Feature	Feature 1: Appointment Management and Notifications <table><tr><th>Req. ID</th><th>Grouped Requirement Description</th><th>Roles Involved</th><th>Type</th></tr><tr><td>RF-P.3, RF-P.4</td><td>Appointment Search by Doctor/Specialty/Date and Dynamic Available Slot Calculation.</td><td>Patient</td><td>Functional (Query/Calculation)</td></tr><tr><td>RF-P.5</td><td>Booking a New Appointment by the Patient.</td><td>Patient</td><td>Functional (Create Appointment)</td></tr><tr><td>RF-P.6</td><td>Modification or Cancellation of an Existing Appointment by the Patient.</td><td>Patient</td><td>Functional (Update/Delete Appointment)</td></tr><tr><td>RF-D.1 , RF-D.2</td><td>Work Schedule Configuration and Display of the Doctor's Consolidated Calendar.</td><td>Doctor</td><td>Functional (Schedule CRUD/View)</td></tr><tr><td>RF-P.7</td><td>Automated Appointment Reminder Sending (Email/SMS).</td><td>Patient/Administrator</td><td>Functional (Communication)</td></tr><tr><td>RNF-P.1</td><td>Fast response time for slot search and booking.</td><td>All</td><td>Non-Functional (Performance)</td></tr><tr><td>RNF-C.1</td><td>Usability of the Patient Interface.</td><td>Patient</td><td>Non-Functional (Usability)</td></tr></table>	Req. ID	Grouped Requirement Description	Roles Involved	Type	RF-P.3, RF-P.4	Appointment Search by Doctor/Specialty/Date and Dynamic Available Slot Calculation.	Patient	Functional (Query/Calculation)	RF-P.5	Booking a New Appointment by the Patient.	Patient	Functional (Create Appointment)	RF-P.6	Modification or Cancellation of an Existing Appointment by the Patient.	Patient	Functional (Update/Delete Appointment)	RF-D.1 , RF-D.2	Work Schedule Configuration and Display of the Doctor's Consolidated Calendar.	Doctor	Functional (Schedule CRUD/View)	RF-P.7	Automated Appointment Reminder Sending (Email/SMS).	Patient/Administrator	Functional (Communication)	RNF-P.1	Fast response time for slot search and booking.	All	Non-Functional (Performance)	RNF-C.1	Usability of the Patient Interface.	Patient	Non-Functional (Usability)
Req. ID	Grouped Requirement Description	Roles Involved	Type																														
RF-P.3, RF-P.4	Appointment Search by Doctor/Specialty/Date and Dynamic Available Slot Calculation.	Patient	Functional (Query/Calculation)																														
RF-P.5	Booking a New Appointment by the Patient.	Patient	Functional (Create Appointment)																														
RF-P.6	Modification or Cancellation of an Existing Appointment by the Patient.	Patient	Functional (Update/Delete Appointment)																														
RF-D.1 , RF-D.2	Work Schedule Configuration and Display of the Doctor's Consolidated Calendar.	Doctor	Functional (Schedule CRUD/View)																														
RF-P.7	Automated Appointment Reminder Sending (Email/SMS).	Patient/Administrator	Functional (Communication)																														
RNF-P.1	Fast response time for slot search and booking.	All	Non-Functional (Performance)																														
RNF-C.1	Usability of the Patient Interface.	Patient	Non-Functional (Usability)																														
URI https://medical-appointment-backend-2xx0.onrender.com/api/appointments/doctor	Design																																

oauth:
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VyS
WQiOiIzNDE3MGFiZi05YjgxLTQ0NDgtYWY5NC0zOT
M2YjA1YTU0MmEiLCJlbWFpbCI6ImFkbWluQGNsa
W5pY2EuY29tliwicz9sZSI6ImFkbWluWlulwWF0ljo
NzY1NTQ1NjU3LCJleHAiOi05Y29tZW50LWNTd9.eyJp
MN8W2_k23J_E08J5YSjZd1YK4i7Vghi-u7sgbnk

GEThttps://medical-appointment-backend-2xv0.onrender.com/api/appointments/doctor/7f78bdoctor/7f78bavailable-slots?date=2025-02-15Send

Auth Type

Bearer Token

Token

231_E08J5YSjZd1YK4i7Vghi-u7sgbnk

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body

JSON

123

200 OK670 ms557 B

231_E08J5YSjZd1YK4i7Vghi-u7sgbnk

Functionality