



Advanced Web Development

Members:

- Simbaña Michael
- Tufiño Erick
- Villagómez Doménica

NRC: 27819

Date: 23/11/2025

Medical Appointment Web System - URIs

Tabla Completa de Endpoints Actuales

URI/Endpoint	Método	Ubicación	Uso/Consumo	Propósito	Tipo Actual
/api/uth/login	POST	backend/server.js:24	panels/login.html:95	Autenticar usuario con email/password	Lógica de Negocio
/api/uth/login	POST	backend/routes/uth.js:98	panels/login.html:95	Autenticar usuario (ruta duplicada)	Lógica de Negocio
/api/uth/register	POST	backend/routes/uth.js:141	panels/register.html:166	Registro de pacientes nuevos	Lógica de Negocio
/api/uth/google	GET	backend/routes/uth.js:12	(OAuth redirect)	Inicio de autenticación Google OAuth	Lógica de Negocio
/api/uth/google/callback	GET	backend/routes/uth.js:17	(OAuth callback)	Callback de autenticación Google	Lógica de Negocio
/api/patients/profile	GET	backend/routes/patient.js:10	js/patient/patientProfile.js	Obtener perfil completo del paciente	CRUD Básico
/api/patients/profile	PUT	backend/routes/patient.js:11	js/patient/patientProfile.js	Actualizar perfil del paciente	CRUD Básico
/api/patients/complete-profile	PUT	backend/routes/patient.js:12	panels/completeProfile.html:203	Completar perfil después de OAuth	Lógica de Negocio
/api/patients/change-password	POST	backend/routes/patient.js:13	js/api.js:48	Cambiar contraseña del paciente	Lógica de Negocio
/api/doctors	GET	backend/routes/doctor.js:33	js/api.js:83	Obtener lista de doctores	CRUD Básico
/api/doctors	POST	backend/routes/doctor.js:30	panels/Admin/GestionDoctores.html:220	Crear nuevo doctor	CRUD Básico

/api/doctors/patients	GET	backend/routes/doctor.js:10	js/doctorPatients.js:14	Lista pacientes para doctor	CRUD Básico
/api/doctors/patients	POST	backend/routes/doctor.js:11	doctorPatients.js	Crear paciente desde doctor	CRUD Básico
/api/doctors/patients/:userId/record	GET	backend/routes/doctor.js:12	doctorPatients.js	Historial clínico de paciente	CRUD Básico
/api/patients	GET	backend/routes/patientRoutes.js:14	No usado	Lista pacientes (duplicado)	CRUD Básico
/api/patients	POST	backend/routes/patientRoutes.js:17	No usado	Crear paciente (duplicado)	CRUD Básico
/api/patients/:id	GET	backend/routes/patientRoutes.js:20	No usado	Obtener paciente por ID	CRUD Básico
/api/patients/:id	PUT	backend/routes/patientRoutes.js:23	No usado	Actualizar paciente	CRUD Básico
/api/patients/:id	DELETE	backend/routes/patientRoutes.js:26	No usado	Eliminar paciente	CRUD Básico
/api/appointments/doctors/:doctorId/available-slots	GET	backend/routes/appointments.js:9	js/api.js:93 , js/patient/newAppointment.js	Slots disponibles de doctor	Lógica de Negocio
/api/appointments	POST	backend/routes/appointments.js:12	js/api.js:120	Crear cita	Lógica de Negocio
/api/appointments/patient	GET	backend/routes/appointments.js:13	js/api.js:106 , js/patient/patientAppointments.js:36	Citas del paciente logueado	CRUD Básico
/api/appointments/:id	GET	backend/routes/appointments.js:14	js/api.js:113	Detalle de cita	CRUD Básico
/api/appointments/:id	DELETE	backend/routes/appointments.js:15	js/api.js:132	Cancelar cita	Lógica de Negocio
/api/appointments/:id/reschedule	PUT	backend/routes/appointments.js:16	js/api.js:138	Reagendar cita	Lógica de Negocio
/api/appointments/doctor	GET	backend/routes/appointments.js:19	No usado	Citas del doctor logueado	CRUD Básico
/api/appointments/:id/status	PATCH	backend/routes/appointments.js:20	No usado	Actualizar estado de cita	Lógica de Negocio
/api/medical-records/lab-reports	GET	backend/routes/medicalRecord.js:14	js/api.js:177 , js/patient/patientLab.js:16	Reportes de laboratorio	CRUD Básico
/api/specialties	GET	backend/routes/specialty.js:14	GestionEspecialidad.html	Lista de especialidades	CRUD Básico
/api/specialties	POST	backend/routes/specialty.js:6	GestionEspecialidad.html	Crear especialidad	CRUD Básico
/api/specialties/stats	GET	backend/routes/specialty.js:9	panels/Admin/GestionEspecialidad.html:173	Estadísticas especialidades	Lógica de Negocio
/api/specialties/filter	GET	backend/routes/specialty.js:10	No usado	Filtrar especialidades	Lógica de Negocio
/api/specialties/active	GET	backend/routes/specialty.js:11	No usado	Especialidades activas	CRUD Básico
/api/specialties/:id	GET	backend/routes/specialty.js:18	No usado	Especialidad por ID	CRUD Básico
/api/specialties/:id	PUT	backend/routes/specialty.js:19	GestionEspecialidad.html	Actualizar especialidad	CRUD Básico
/api/specialties/:id	DELETE	backend/routes/specialty.js:20	GestionEspecialidad.html	Eliminar especialidad	CRUD Básico
/api/specialties/:id/status	PATCH	backend/routes/specialty.js:21	No usado	Cambiar estado especialidad	Lógica de Negocio
/api/specialties/:id/doctors	GET	backend/routes/specialty.js:17	No usado	Doctores de especialidad	CRUD Básico
/api/test	GET	backend/server.js:125	js/api.js:189	Prueba de conexión	Lógica de Negocio

Authentication

POST /auth/login

Purpose: Authenticate a user and obtain JWT token

Method: POST

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/auth/login>

Request:

json

```
{  
  
  "email": "user@email.com",  
  
  "password": "password123"  
}
```

POST /auth/register

Purpose: Register a new user (doctor or patient)

Method: POST

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/auth/register>

Request:

json

```
{  
  
  "email": "newuser@email.com",  
  
  "password": "password123",  
  
  "role": "patient|doctor"  
}
```

Patients

GET /patients/profile

Purpose: Get complete patient profile

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/patients/profile`

Response:

json

```
{  
  
  "id": "uuid",  
  
  "email": "patient@email.com",  
  
  "first_name": "John",  
  
  "last_name": "Doe",  
  
  "phone_number": "+593912345678",  
  
  "cedula": "1234567890",  
  
  "date_of_birth": "1990-05-15",  
  
  "gender": "M",  
  
  "address": "Main Street 123",  
  
  "city": "Quito",  
}
```

```
"blood_type": "O+",  
  
"height": 180,  
  
"weight": 75,  
  
"allergies": "Penicillin",  
  
"medical_conditions": "Type 2 Diabetes",  
  
"current_medications": "Metformin 500mg"  
  
}
```

PUT /patients/profile

Purpose: Update patient profile

Method: PUT

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/patients/profile>

Request:

json

```
{  
  
  "first_name": "John",  
  
  "last_name": "Smith",  
  
  "phone_number": "+593987654321",  
  
}
```

```
"address": "New Street 456",  
  
"city": "Guayaquil",  
  
"blood_type": "AB-",  
  
"height": 182,  
  
"weight": 78,  
  
"allergies": "Penicillin, Ibuprofen",  
  
"medical_conditions": "Type 2 Diabetes, Hypertension",  
  
"current_medications": "Metformin 500mg, Enalapril 10mg"  
  
}
```

Response:

json

```
{  
  
  "message": "Profile updated successfully",  
  
  "profile": {  
  
    "id": "uuid",  
  
    "email": "patient@email.com",  
  
    "first_name": "John",  
  
    "last_name": "Smith",  
  
    "updated_at": "2025-01-20T14:25:00Z"
```

```
}
```

```
}
```

POST /patients/change-password

Purpose: Change patient password

Method: POST

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/patients/change-password`

Request:

json

```
{
```

```
  "current_password": "current_password",
```

```
  "new_password": "new_password123"
```

```
}
```

Doctors

POST /doctors

Purpose: Create new doctor

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/api/doctors>

Request:

json

```
{  
  
  "email": "doctor@email.com",  
  
  "password": "password123",  
  
  "first_name": "Juan",  
  
  "last_name": "Rodriguez",  
  
  "phone_number": "+593912345678",  
  
  "cedula": "1234567890",  
  
  "professional_id": "MED-12345",  
  
  "specialty_id": "uuid-specialty",  
  
  "bio": "General physician with 10 years experience"  
}
```

GET /doctors

Purpose: Get all doctors

Method: GET

URI: <https://medical-appointment-backend-2xx0.onrender.com/api/doctors>

Response:

json

```
[
  {
    "id": "uuid",
    "user_id": "uuid",
    "professional_id": "MED-12345",
    "specialty_id": "uuid-specialty",
    "bio": "General physician with 10 years experience",
    "active": true,
    "users": {
      "id": "uuid",
      "email": "doctor@email.com",
      "first_name": "Juan",
      "last_name": "Rodriguez",
      "phone_number": "+593912345678"
    },
    "specialties": {
      "id": "uuid-specialty",
```

```
      "name": "General Medicine"
    }
  }
]
```

GET /doctors/:id

Purpose: Get doctor by ID

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/doctors/{doctor_id}
```

Response:

json

```
{
  "id": "uuid",
  "user_id": "uuid",
  "professional_id": "MED-12345",
  "specialty_id": "uuid-specialty",
  "bio": "General physician with 10 years experience",
  "active": true,
```

```
"users": {  
  
  "id": "uuid",  
  
  "email": "doctor@email.com",  
  
  "first_name": "Juan",  
  
  "last_name": "Rodriguez"  
  
},  
  
"specialties": {  
  
  "id": "uuid-specialty",  
  
  "name": "General Medicine"  
  
},  
  
"doctor_schedules": [  
  
  {  
  
    "id": "uuid",  
  
    "day_of_week": "Monday",  
  
    "start_time": "08:00:00",  
  
    "end_time": "17:00:00"  
  
  }  
  
]  
  
}
```

PUT /doctors/:id

Purpose: Update doctor

Method: PUT

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/doctors/{doctor_id}`

Request:

json

```
{  
  
  "email": "newemail@email.com",  
  
  "first_name": "Juan Carlos",  
  
  "last_name": "Rodriguez Lopez",  
  
  "phone_number": "+593987654321",  
  
  "professional_id": "MED-54321",  
  
  "specialty_id": "uuid-new-specialty",  
  
  "bio": "General physician with 15 years experience",  
  
  "active": true  
}
```

Response:

json

```
{  
  
  "message": "Doctor updated successfully",  
  
  "doctor": {  
  
    "id": "uuid",  
  
    "user_id": "uuid",  
  
    "professional_id": "MED-54321",  
  
    "bio": "General physician with 15 years experience",  
  
    "updated_at": "2025-01-21T08:00:00Z"  
  
  }  
  
}
```

DELETE /doctors/:id

Purpose: Delete doctor

Method: DELETE

URI:

https://medical-appointment-backend-2xx0.onrender.com/api/doctors/{doctor_id}

GET /doctors/specialties

Purpose: Get all available specialties

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/doctors/specialties>

Response:

json

```
[
  {
    "id": "uuid",
    "name": "General Medicine",
    "description": "General medical care"
  },
  {
    "id": "uuid",
    "name": "Cardiology",
    "description": "Heart specialty"
  }
]
```

GET /doctors/stats

Purpose: Get doctor statistics

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/doctors/stats>

Response:

json

```
{  
  
  "total_doctors": 15,  
  
  "active_doctors": 13,  
  
  "inactive_doctors": 2,  
  
  "by_specialty": {  
  
    "General Medicine": 5,  
  
    "Cardiology": 3,  
  
    "Pediatrics": 7  
  
  }  
}
```

GET /doctors/filter

Purpose: Filter doctors by specialty, status or search term

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/doctors/filter?specialty_id={specialty_id}&active=true&search=Juan
```

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "user_id": "uuid",  
  
    "professional_id": "MED-12345",  
  
    "specialty_id": "uuid-specialty",  
  
    "bio": "General physician with 10 years experience",  
  
    "active": true  
  
  }  
  
]
```

GET /doctors/specialty/:specialty_id

Purpose: Get all doctors by specialty

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/doctors/specialty/{specialty_id}
```

Response:

json

```
[
  {
    "id": "uuid",
    "user_id": "uuid",
    "professional_id": "MED-12345",
    "specialty_id": "uuid-specialty",
    "bio": "General physician",
    "active": true
  }
]
```

GET /doctors/:id/schedules

Purpose: Get doctor schedules

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/doctors/{doctor_id}/schedules`

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "doctor_id": "uuid",  
  
    "day_of_week": "Monday",  
  
    "start_time": "08:00:00",  
  
    "end_time": "17:00:00",  
  
    "is_working_day": true,  
  
    "break_start_time": "12:00:00",  
  
    "break_end_time": "13:00:00"  
  
  }  
  
]
```

PATCH /doctors/:id/status

Purpose: Update doctor active status

Method: PATCH

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/doctors/{doctor_id}/status
```

Request:

json

```
{  
  
  "active": false  
}
```

Response:

json

```
{  
  
  "message": "Doctor status updated successfully",  
  
  "active": false  
}
```

Specialties

POST /specialties

Purpose: Create new specialty

Method: POST

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/specialties>

Request:

json

```
{  
  
  "name": "Cardiology",  
  
  "description": "Medical specialty dedicated to heart and  
circulatory system diseases"  
}
```

GET /specialties

Purpose: Get all specialties

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/specialties>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",
```

```
    "name": "Cardiology",

    "description": "Heart specialty",

    "created_at": "2025-01-10T08:00:00Z"

  },

  {

    "id": "uuid",

    "name": "General Medicine",

    "description": "General medical care",

    "created_at": "2025-01-05T10:00:00Z"

  }

]
```

GET /specialties/:id

Purpose: Get specific specialty

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/specialties/{
specialty_id}
```

Response:

json

```
{  
  
  "id": "uuid",  
  
  "name": "Cardiology",  
  
  "description": "Heart specialty",  
  
  "created_at": "2025-01-10T08:00:00Z"  
  
}
```

GET /specialties/:id/doctors

Purpose: Get specialty with associated doctors

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/specialties/{  
specialty_id}/doctors
```

Response:

json

```
{  
  
  "id": "uuid",  
  
  "name": "Cardiology",  
  
  "description": "Heart specialty",  
  
  "doctorCount": 5,  
  
}
```

```
"doctors": [  
  
  {  
  
    "id": "uuid",  
  
    "user_id": "uuid",  
  
    "professional_id": "MED-12345",  
  
    "bio": "Cardiologist with 15 years experience",  
  
    "active": true  
  
  }  
  
]  
  
}
```

PUT /specialties/:id

Purpose: Update specialty

Method: PUT

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/specialties/{specialty_id}`

Request:

json

```
{
```

```
    "name": "Clinical Cardiology",

    "description": "Medical specialty dedicated to heart and
circulatory system"

}
```

Response:

json

```
{

  "id": "uuid",

  "name": "Clinical Cardiology",

  "description": "Medical specialty dedicated to heart and
circulatory system",

  "created_at": "2025-01-10T08:00:00Z"

}
```

DELETE /specialties/:id

Purpose: Delete specialty

Method: DELETE

URI:

https://medical-appointment-backend-2xx0.onrender.com/api/specialties/{specialty_id}

GET /specialties/stats

Purpose: Get specialty statistics

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/specialties/stats`

Response:

json

```
{
  "total_specialties": 8,
  "specialties_with_doctors": [
    {
      "id": "uuid",
      "name": "Cardiology",
      "doctor_count": 5
    }
  ]
}
```

GET /specialties/active

Purpose: Get active specialties

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/specialties/active`

Response:

`json`

```
[  
  
  {  
  
    "id": "uuid",  
  
    "name": "Cardiology",  
  
    "description": "Heart specialty"  
  
  }  
  
]
```

GET /specialties/filter

Purpose: Filter specialties

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/specialties/filter?name=Cardiology
```

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "name": "Cardiology",  
  
    "description": "Heart specialty"  
  
  }  
  
]
```

PATCH /specialties/:id/status

Purpose: Update specialty status

Method: PATCH

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/specialties/{specialty_id}/status
```

Request:

json

```
{  
  
  "active": true  
  
}
```

Response:

json

```
{  
  
  "message": "Specialty status updated",  
  
  "active": true  
  
}
```

Appointments

GET /appointments/doctors/:doctorId/available-slots

Purpose: Get available appointment slots for a doctor

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/appointments/doctors/{doctorId}/available-slots?date=2025-02-15>

Response:

json

```
{  
  
  "slots": [  
  
    "08:00",  
  
    "08:30",  
  
    "09:00",  
  
    "09:30",  
  
    "10:00"  
  
  ]  
  
}
```

POST /appointments

Purpose: Create new appointment

Method: POST

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/appointments>

Request:

json

```
{  
  
  "doctor_id": "uuid-doctor",  
  
  "scheduled_start": "2025-02-15T14:30:00Z",  
  
}
```

```
"reason": "General checkup",  
  
"duration_minutes": 30  
  
}
```

GET /appointments/patient

Purpose: Get patient appointments

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/appointments/  
patient?status=confirmed&upcoming=true
```

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "scheduled_start": "2025-02-15T14:30:00Z",  
  
    "scheduled_end": "2025-02-15T15:00:00Z",  
  
    "reason": "General checkup",  
  
    "created_at": "2025-01-20T10:15:00Z",  
  
    "status_code": "confirmed",  
  
  },  
  
]
```

```
    "status_label": "Confirmed",

    "doctor_first_name": "Juan",

    "doctor_last_name": "Rodriguez",

    "specialty_name": "General Medicine",

    "room_number": "101"

  }

]
```

GET /appointments/:id

Purpose: Get appointment details

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/appointments/
{appointment_id}
```

Response:

json

```
{

  "id": "uuid",

  "scheduled_start": "2025-02-15T14:30:00Z",

  "scheduled_end": "2025-02-15T15:00:00Z",
```

```
"reason": "General checkup",

"created_at": "2025-01-20T10:15:00Z",

"status_code": "confirmed",

"status_label": "Confirmed",

"doctor_first_name": "Juan",

"doctor_last_name": "Rodriguez",

"doctor_email": "doctor@email.com",

"specialty_name": "General Medicine",

"room_name": "Consultation A",

"room_number": "101"

}
```

DELETE /appointments/:id

Purpose: Cancel appointment

Method: DELETE

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/appointments/
{appointment_id}
```

PUT /appointments/:id/reschedule

Purpose: Reschedule appointment

Method: PUT

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/appointments/  
{appointment_id}/reschedule
```

Request:

json

```
{  
  
  "new_scheduled_start": "2025-02-20T15:00:00Z",  
  
  "duration_minutes": 30  
}
```

Response:

json

```
{  
  
  "message": "Appointment rescheduled successfully",  
  
  "appointment": {  
  
    "id": "uuid",  
  
    "scheduled_start": "2025-02-20T15:00:00Z",  
  
    "scheduled_end": "2025-02-20T15:30:00Z",  
  
    "status_code": "confirmed"  
  }  
}
```

```
}
```

GET /appointments/doctor

Purpose: Get doctor appointments

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/appointments/doctor`

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "scheduled_start": "2025-02-15T14:30:00Z",  
  
    "scheduled_end": "2025-02-15T15:00:00Z",  
  
    "patient_name": "John Doe",  
  
    "reason": "General checkup",  
  
    "status_label": "Confirmed"  
  
  }  
  
]
```

PATCH /appointments/:id/status

Purpose: Update appointment status

Method: PATCH

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/appointments/{appointment_id}/status`

Request:

json

```
{  
  
  "status_id": 3  
  
}
```

Response:

json

```
{  
  
  "message": "Appointment status updated",  
  
  "status_id": 3  
  
}
```

Schedules

GET /schedules

Purpose: Get all schedules

Method: GET

URI: <https://medical-appointment-backend-2xx0.onrender.com/api/schedules>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "doctor_id": "uuid",  
  
    "day_of_week": "Monday",  
  
    "start_time": "08:00:00",  
  
    "end_time": "17:00:00",  
  
    "is_working_day": true,  
  
    "break_start_time": "12:00:00",  
  
    "break_end_time": "13:00:00"  
  
  }  
  
]
```

GET /schedules/:id

Purpose: Get specific schedule

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/schedules/{schedule_id}
```

Response:

json

```
{  
  
  "id": "uuid",  
  
  "doctor_id": "uuid",  
  
  "day_of_week": "Monday",  
  
  "start_time": "08:00:00",  
  
  "end_time": "17:00:00",  
  
  "is_working_day": true,  
  
  "break_start_time": "12:00:00",  
  
  "break_end_time": "13:00:00"  
}
```

POST /schedules

Purpose: Create new schedule

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/api/schedules>

Request:

json

```
{  
  
  "doctor_id": "uuid-doctor",  
  
  "day_of_week": "Monday",  
  
  "start_time": "08:00:00",  
  
  "end_time": "17:00:00",  
  
  "is_working_day": true,  
  
  "break_start_time": "12:00:00",  
  
  "break_end_time": "13:00:00"  
}
```

PUT /schedules/:id

Purpose: Update schedule

Method: PUT

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/schedules/{schedule_id}
```

Request:

json

```
{  
  
  "day_of_week": "Monday",  
  
  "start_time": "09:00:00",  
  
  "end_time": "18:00:00",  
  
  "is_working_day": true,  
  
  "break_start_time": "12:30:00",  
  
  "break_end_time": "13:30:00"  
}
```

Response:

json

```
{  
  
  "id": "uuid",  
  
  "day_of_week": "Monday",  
  
  "start_time": "09:00:00",  
  
  "end_time": "18:00:00",  
  
}
```

```
"is_working_day": true,  
  
"break_start_time": "12:30:00",  
  
"break_end_time": "13:30:00"  
  
}
```

DELETE /schedules/:id

Purpose: Delete schedule

Method: DELETE

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/schedules/{schedule_id}
```

GET /schedules/by-contract/:contractType

Purpose: Get schedules by contract type

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/api/schedules/by-contract/{contractType}
```

Response:

json

[

```
{  
  
  "id": "uuid",  
  
  "doctor_id": "uuid",  
  
  "day_of_week": "Monday",  
  
  "start_time": "08:00:00",  
  
  "end_time": "17:00:00",  
  
  "hours_per_week": 40  
  
}  
]
```

GET /schedules/:id/doctors

Purpose: Get doctors by schedule

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/api/schedules/{schedule_id}/doctors

Response:

json

```
[  
  
  {
```

```
"id": "uuid",

"schedule_id": "uuid",

"doctors": {

  "id": "uuid",

  "user_id": "uuid",

  "first_name": "Juan",

  "last_name": "Rodriguez"

}

}

]
```

Medical Records

GET /medical-records

Purpose: Get patient medical record

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/medical-records>

Response:

json

```
{  
  
  "id": "uuid",  
  
  "patient_id": "uuid",  
  
  "blood_type": "O+",  
  
  "allergies": "Penicillin",  
  
  "medical_conditions": "Type 2 Diabetes",  
  
  "current_medications": "Metformin 500mg",  
  
  "height": 180,  
  
  "weight": 75,  
  
  "last_updated": "2025-01-20T14:25:00Z"  
  
}
```

GET /medical-records/consultation-notes

Purpose: Get patient consultation notes

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/medical-records/consultation-notes>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "appointment_id": "uuid",  
  
    "doctor_name": "Juan Rodriguez",  
  
    "specialty": "General Medicine",  
  
    "consultation_date": "2025-01-18T14:30:00Z",  
  
    "notes": "Patient presents flu symptoms",  
  
    "diagnosis": "Viral flu",  
  
    "treatment": "Rest and hydration",  
  
    "follow_up": "Return in one week if symptoms persist"  
  
  }  
  
]
```

GET /medical-records/consultation-notes/:appointmentId

Purpose: Get specific consultation note

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/medical-records/consultation-notes/{appointmentId}>

Response:

json

```
{  
  
  "id": "uuid",  
  
  "appointment_id": "uuid",  
  
  "doctor_name": "Juan Rodriguez",  
  
  "specialty": "General Medicine",  
  
  "consultation_date": "2025-01-18T14:30:00Z",  
  
  "notes": "Patient presents flu symptoms",  
  
  "diagnosis": "Viral flu",  
  
  "treatment": "Rest and hydration",  
  
  "follow_up": "Return in one week if symptoms persist"  
}
```

GET /medical-records/summary

Purpose: Get medical history summary

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/api/medical-records/summary>

Response:

json

```
{  
  
  "patient_name": "John Doe",  
  
  "total_appointments": 15,  
  
  "appointments_this_year": 8,  
  
  "last_appointment": "2025-01-18T14:30:00Z",  
  
  "blood_type": "O+",  
  
  "allergies": "Penicillin",  
  
  "active_conditions": [  
  
    "Type 2 Diabetes",  
  
    "Hypertension"  
  
  ],  
  
  "current_medications": "Metformin 500mg, Enalapril 10mg"  
  
}
```

GET /medical-records/lab-reports

Purpose: Get patient lab reports

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/api/medical-records/lab-reports`

Response:

`json`

```
[
  {
    "id": "uuid",
    "test_date": "2025-01-15T09:00:00Z",
    "test_name": "Glucose Test",
    "result": "95 mg/dL",
    "normal_range": "70-100 mg/dL",
    "status": "normal"
  },
  {
    "id": "uuid",
    "test_date": "2025-01-15T09:00:00Z",
    "test_name": "Total Cholesterol",
    "result": "210 mg/dL",
    "normal_range": "<200 mg/dL",
    "status": "high"
  }
]
```

```
}  
]
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/users>

Response

```
[  
  
  {  
  
    "id": "uuid",  
  
    "email": "user@email.com",  
  
    "role": "patient",  
  
    "active": true,  
  
    "created_at": "2025-01-15T10:00:00Z"  
  
  }  
  
]
```

Method: POST

URI: <https://medical-appointment.onrender.com/admin/users>

Request

```
{
```

```
"email": "newadmin@email.com",  
  
"password": "password123",  
  
"role": "admin"  
  
}
```

Response

```
{  
  
  "message": "User created successfully",  
  
  "id": "uuid"  
  
}
```

Method: PUT

URI: <https://medical-appointment.onrender.com/admin/users/:id>

Request

```
{  
  
  "email": "updated@email.com",  
  
  "role": "doctor",  
  
  "active": true  
  
}
```

Response

```
{  
  
  "message": "User updated successfully",  
  
  "updated_id": "uuid"  
  
}
```

Method: PATCH

URI: <https://medical-appointment.onrender.com/admin/users-status/:id>

Request

```
{  
  
  "active": false  
  
}
```

Response

```
{  
  
  "message": "User status updated",  
  
  "active": false  
  
}
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/activity-logs>

Response

```
[
```

```
{  
  "id": "uuid",  
  "user_email": "admin@example.com",  
  "action": "Created new doctor",  
  "timestamp": "2025-02-01T14:11:00Z"  
}  
]
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/appointment-reports>

Response

```
{  
  "total": 520,  
  "completed": 480,  
  "canceled": 40,  
  "daily_average": 17  
}
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/revenue-reports>

Response

```
{
```

```
{
  "month": "February",
  "year": 2025,
  "total_revenue": 15400.75,
  "currency": "USD"
}
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/doctor-performance>

Response

```
[
  {
    "doctor_id": "uuid",
    "doctor_name": "Juan Rodriguez",
    "appointments_completed": 120,
    "patient_rating": 4.8
  }
]
```

Method: POST

URI: <https://medical-appointment.onrender.com/admin/announcements>

Request

```
{
```

```
"title": "System Maintenance",  
  
"content": "Maintenance scheduled for March 5th at 2:00 AM",  
  
"audience": "all"  
  
}
```

Response

```
{  
  
  "message": "Announcement published",  
  
  "announcement_id": "uuid"  
  
}
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/announcements>

Response

```
[  
  
  {  
  
    "id": "uuid",  
  
    "title": "System Maintenance",  
  
    "audience": "all",  
  
    "published_at": "2025-01-28T09:00:00Z"  
  
  }  
  
]
```

```
]
```

Method: POST

URI: <https://medical-appointment.onrender.com/admin/clinic-rooms>

Request

```
{  
  
  "room_number": "105",  
  
  "name": "Ultrasound Room"  
}
```

Response

```
{  
  
  "message": "Clinic room created",  
  
  "room_id": "uuid"  
}
```

Method: DELETE

URI: <https://medical-appointment.onrender.com/admin/clinic-rooms/:id>

Response

```
{  
  
  "message": "Clinic room deleted",  
  
  "deleted_id": "uuid"  
}
```

```
}
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/system-settings>

Response

```
{  
  
  "default_appointment_duration": 30,  
  
  "max_daily_appointments": 40,  
  
  "timezone": "UTC-5"  
}
```

Method: PUT

URI: <https://medical-appointment.onrender.com/admin/system-settings>

Request

```
{  
  
  "max_daily_appointments": 45,  
  
  "default_appointment_duration": 20  
}
```

Response

```
{  
  
  "message": "System settings updated",  
}
```

```
    "updated_at": "2025-02-03T16:30:00Z"
  }
}
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/feedback>

Response

```
[
  {
    "doctor_id": "uuid",
    "patient_name": "John Doe",
    "rating": 5,
    "comment": "Excellent service",
    "date": "2025-02-01T12:00:00Z"
  }
]
```

Method: GET

URI: <https://medical-appointment.onrender.com/admin/dashboard-metrics>

Response

```
{
  "total_patients": 3200,
  "total_doctors": 48,
```

```
"appointments_today": 95,  
"system_uptime": "99.97%"  
}
```