



Advanced Web Development

Members:

- Santi Jeancarlo
- Lainez Ricardo
- Llumiquinga Ariel

NRC: 27819

Date: 23/11/2025

Bocatto Valley

Crud operation

PRODUCTS (CRUD + Business Logic) - 8 endpoints

1. Get All Products

****Method:**** `GET`

****Purpose:**** Retrieve all products from the menu

****URI:**** `/api/products`

****Response:****

``json

{

 "success": true,

 "count": 25,

 "data": [

 {

 "_id": "691516412c0d15baf812f93a",

 "name": "Alitas BBQ Clásicas",

 "description": "8 delicious BBQ chicken wings with homemade BBQ sauce",

 "price": 8.5,

 "img": "../images/plates/entradas2.0/alitas_entrada.jpg",

 "available": true,

```

    "category": "Entradas y Snacks",
    "subcategory": "Alitas",
    "currentStock": 25,
    "ingredients": ["chicken", "BBQ sauce", "spices", "honey"],
    "nutritionalInfo": {
      "calories": 450,
      "protein": 35,
      "carbs": 12,
      "fat": 28
    },
    "allergens": ["gluten"],
    "spiceLevel": "mild",
    "preparationTime": 15,
    "tags": ["popular", "spicy", "protein"],
    "productId": 1,
    "createdAt": "2025-11-14T08:09:32.616Z",
    "updatedAt": "2025-11-14T08:09:32.616Z"
  }
]
}
'''

```

2. Get Product by ID

```

**Method:** `GET`

**Purpose:** Retrieve a single product by its ID

**URI:** `/api/products/:id`

**Response:**

'''json
{
  "success": true,
  "data": {
    "_id": "691516412c0d15baf812f93a",
    "name": "Alitas BBQ Clásicas",
    "description": "8 delicious BBQ chicken wings",

```

```
"price": 8.5,  
"category": "Entradas y Snacks",  
"available": true  
}  
}  
...
```

3. Get Products by Category

```
**Method:** `GET`  
**Purpose:** Filter products by category  
**URI:** `/api/products/category/:category`  
**Response:**  
``json  
{  
  "success": true,  
  "category": "Entradas y Snacks",  
  "count": 12,  
  "data": [  
    {  
      "_id": "691516412c0d15baf812f93a",  
      "name": "Alitas BBQ Clásicas",  
      "price": 8.5,  
      "subcategory": "Alitas"  
    }  
  ]  
}  
...
```

4. Get Products by Subcategory

```
**Method:** `GET`  
**Purpose:** Filter products by subcategory  
**URI:** `/api/products/subcategory/:subcategory`  
**Response:**  
``json
```

```
{
  "success": true,
  "subcategory": "Alitas",
  "count": 5,
  "data": [
    {
      "_id": "691516412c0d15baf812f93a",
      "name": "Alitas BBQ Clásicas",
      "price": 8.5
    }
  ]
}
```

5. Create New Product

****Method:**** `POST`

****Purpose:**** Add a new product to the menu

****URI:**** `/api/products`

****Request:****

``json

```
{
  "name": "Nachos Supreme",
  "description": "Crispy nachos with cheese, guacamole, and jalapeños",
  "price": 9.99,
  "category": "Entradas y Snacks",
  "subcategory": "Nachos",
  "currentStock": 50,
  "ingredients": ["tortilla chips", "cheese", "jalapeños", "guacamole"],
  "spiceLevel": "medium",
  "preparationTime": 10,
  "available": true
}
```

6. Update Product

****Method:**** `PUT`

****Purpose:**** Update product information

****URI:**** `/api/products/:id`

****Request:****

``json

{

 "price": 10.99,

 "available": false,

 "currentStock": 0

}

``

7. Delete Product

****Method:**** `DELETE`

****Purpose:**** Remove a product from the menu

****URI:**** `/api/products/:id`

****Response:****

``json

{

 "success": true,

 "message": "Product deleted successfully"

}

``

8. Search Products

****Method:**** `GET`

****Purpose:**** Search products by name or description

****URI:**** `/api/products/search?q=alitas`

****Response:****

``json

{

 "success": true,

 "query": "alitas",

```
"count": 3,  
"data": [  
  {  
    "_id": "691516412c0d15baf812f93a",  
    "name": "Alitas BBQ Clásicas",  
    "price": 8.5  
  }  
]  
}  
```
```

---

## **CATEGORIES (CRUD) - 4 endpoints**

### **9. Get All Categories**

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve all product categories

**\*\*URI:\*\*** `/api/categories`

**\*\*Response:\*\***

```
```json  
{  
  "success": true,  
  "count": 8,  
  "data": [  
    {  
      "_id": "691516412c0d15baf812f950",  
      "name": "Entradas y Snacks",  
      "description": "Appetizers and snacks to start your meal",  
      "image": "images/categories/entradas.jpg",  
      "order": 1,  
      "isActive": true,  
      "productCount": 15  
    },  
  ],  
}
```

```
{
  "_id": "691516412c0d15baf812f951",
  "name": "Platos Fuertes",
  "description": "Main dishes",
  "order": 2,
  "isActive": true,
  "productCount": 25
}
]
}
```

10. Create New Category

```
**Method:** `POST`
**Purpose:** Add a new product category
**URI:** `/api/categories`
**Request:**
```json
{
 "name": "Bebidas",
 "description": "Refreshing drinks and beverages",
 "image": "images/categories/bebidas.jpg",
 "order": 5,
 "isActive": true
}
```
```

11. Update Category

```
**Method:** `PUT`
**Purpose:** Update category information
**URI:** `/api/categories/:id`
**Request:**
```json
{
```

```
"name": "Bebidas Especiales",
"isActive": false
}
```
```

12. Delete Category

```
**Method:** `DELETE`
**Purpose:** Remove a category
**URI:** `/api/categories/:id`
**Response:**
```json
{
 "success": true,
 "message": "Category deleted successfully"
}
```
```

AMBIENTS (CRUD) - 6 endpoints

13. Get All Ambients

```
**Method:** `GET`
**Purpose:** Retrieve all available restaurant ambients/rooms
**URI:** `/api/ambients`
**Response:**
```json
{
 "success": true,
 "count": 4,
 "data": [
 {
 "_id": "6913d88fc4a933fcc4dac0dd",
 "nombre": "Salón Principal",

```



```

 "descripcion": "Elegant and spacious room perfect for large celebrations",
 "capacidadMin": 20,
 "capacidadMax": 50,
 "caracteristicas": ["air conditioning", "sound system", "dance floor", "bar"],
 "imagenUrl": "images/promociones/salon-principal.jpg",
 "badge": {
 "text": "Popular",
 "color": "blue"
 },
 "rating": {
 "average": 4.8,
 "count": 45
 },
 "activo": true,
 "orden": 1
 }
]
}
'''

```

#### 14. Get Ambient by ID

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve details of a specific ambient

**\*\*URI:\*\*** `/api/ambients/:id`

**\*\*Response:\*\***

```

'''json
{
 "success": true,
 "data": {
 "_id": "6913d88fc4a933fcc4dac0dd",
 "nombre": "Salón Principal",
 "capacidadMax": 50,
 "caracteristicas": ["air conditioning", "sound system"]
 }
}

```

```
}
```
```

15. Create New Ambient

```
**Method:** `POST`  
**Purpose:** Add a new ambient/room to the restaurant  
**URI:** `/api/ambients`  
**Request:**  
``json  
{  
  "nombre": "Terraza VIP",  
  "descripcion": "Outdoor terrace with city view",  
  "capacidadMin": 10,  
  "capacidadMax": 30,  
  "caracteristicas": ["outdoor", "view", "heaters"],  
  "imagenUrl": "images/terrazza-vip.jpg",  
  "activo": true  
}  
```
```

## 16. Update Ambient

```
Method: `PUT`
Purpose: Update ambient information
URI: `/api/ambients/:id`
Request:
``json
{
 "capacidadMax": 60,
 "activo": false,
 "caracteristicas": ["air conditioning", "projector", "bar"]
}
```
```

17. Delete Ambient

****Method:** `DELETE`**

****Purpose:** Remove an ambient from the system**

****URI:** `/api/ambients/:id`**

****Response:****

```
```json
{
 "success": true,
 "message": "Ambient deleted successfully"
}
```
```

18. Get Available Ambients by Date

****Method:** `GET`**

****Purpose:** Check ambient availability for a specific date**

****URI:** `/api/ambients/availability?date=2025-12-25`**

****Response:****

```
```json
{
 "success": true,
 "date": "2025-12-25",
 "available": [
 {
 "_id": "6913d88fc4a933fcc4dac0dd",
 "nombre": "Salón Principal",
 "capacidadMax": 50,
 "availableSlots": ["12:00", "14:00", "18:00", "20:00"]
 }
]
}
```
```

MENUS (CRUD) - 5 endpoints

19. Get All Menus

****Method:**** `GET`

****Purpose:**** Retrieve all menu configurations

****URI:**** `/api/menus`

****Response:****

```
```json
{
 "success": true,
 "count": 3,
 "data": [
 {
 "_id": "691516412c0d15baf812f93b",
 "name": "Weekend Special Menu",
 "description": "Special menu available on weekends",
 "active": true,
 "products": ["691516412c0d15baf812f93a", "691516412c0d15baf812f93c"],
 "validFrom": "2025-11-01",
 "validUntil": "2025-12-31"
 }
]
}
```
```

20. Get Menu by ID

****Method:**** `GET`

****Purpose:**** Retrieve a specific menu configuration

****URI:**** `/api/menus/:id`

****Response:****

```
```json
{
 "success": true,
 "data": {
 "_id": "691516412c0d15baf812f93b",
```

```
 "name": "Weekend Special Menu",
 "active": true,
 "products": []
 }
}
...

```

## 21. Create New Menu

```
Method: `POST`
Purpose: Create a new menu configuration
URI: `/api/menus`
Request:
```json
{
  "name": "Holiday Menu 2025",
  "description": "Special menu for Christmas and New Year",
  "active": true,
  "products": ["691516412c0d15baf812f93a"],
  "validFrom": "2025-12-20",
  "validUntil": "2026-01-05"
}
...

```

22. Update Menu

```
**Method:** `PUT`
**Purpose:** Update menu configuration
**URI:** `/api/menus/:id`
**Request:**
```json
{
 "active": false,
 "validUntil": "2025-11-30"
}
...

```

### 23. Delete Menu

**\*\*Method:\*\*** `DELETE`

**\*\*Purpose:\*\*** Remove a menu configuration

**\*\*URI:\*\*** `/api/menus/:id`

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "message": "Menu deleted successfully"
}
```
```

---

## RESERVATIONS (CRUD + Business Logic) - 8 endpoints

### 24. Get All Reservations

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve all reservations

**\*\*URI:\*\*** `/api/reservations`

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "count": 15,
  "data": [
    {
      "_id": "6915164abc0d15baf812f940",
      "customerName": "Juan Pérez",
      "email": "juan@example.com",
      "phone": "0999999999",
      "date": "2025-12-25",
      "time": "19:00",

```

```
    "guests": 6,
    "ambientId": "6913d88fc4a933fcc4dac0dd",
    "status": "confirmed",
    "notes": "Birthday celebration",
    "createdAt": "2025-11-20T10:30:00.000Z"
  }
]
}
```

25. Get Reservation by ID

```
**Method:** `GET`
**Purpose:** Retrieve details of a specific reservation
**URI:** `/api/reservations/:id`
**Response:**
```json
{
 "success": true,
 "data": {
 "_id": "6915164abc0d15baf812f940",
 "customerName": "Juan Pérez",
 "date": "2025-12-25",
 "guests": 6,
 "status": "confirmed"
 }
}
```

## 26. Create New Reservation

```
Method: `POST`
Purpose: Create a new table/ambient reservation
URI: `/api/reservations`
Request:
```json
```

```
{
  "customerName": "María García",
  "email": "maria@example.com",
  "phone": "0987654321",
  "date": "2025-12-30",
  "time": "20:00",
  "guests": 4,
  "ambientId": "6913d88fc4a933fcc4dac0dd",
  "notes": "Vegetarian preferences"
}
````
```

## 27. Update Reservation

```
Method: `PUT`
Purpose: Update reservation details
URI: `/api/reservations/:id`
Request:
``json
{
 "guests": 8,
 "time": "18:30",
 "status": "confirmed"
}
````
```

28. Cancel Reservation

```
**Method:** `DELETE`
**Purpose:** Cancel/delete a reservation
**URI:** `/api/reservations/:id`
**Response:**
``json
{
  "success": true,
  "message": "Reservation cancelled successfully"
}
```



```
}  
```
```

## 29. Confirm Reservation

**\*\*Method:\*\*** `PATCH`

**\*\*Purpose:\*\*** Change reservation status to confirmed

**\*\*URI:\*\*** `/api/reservations/:id/confirm`

**\*\*Response:\*\***

```
``json
{
 "success": true,
 "message": "Reservation confirmed",
 "data": {
 "_id": "6915164abc0d15baf812f940",
 "status": "confirmed"
 }
}
```
```

30. Check Availability

****Method:**** `POST`

****Purpose:**** Check if a time slot is available for reservation

****URI:**** `/api/reservations/check-availability`

****Request:****

```
``json  
{  
  "date": "2025-12-25",  
  "time": "19:00",  
  "guests": 6,  
  "ambientId": "6913d88fc4a933fcc4dac0dd"  
}  
```
```

**\*\*Response:\*\***

```
``json
```

```
{
 "success": true,
 "available": true,
 "message": "Time slot is available",
 "alternativeTimes": ["18:00", "20:00", "21:00"]
}
```
```

31. Get Upcoming Reservations

****Method:**** `GET`

****Purpose:**** Get all future reservations

****URI:**** `/api/reservations/upcoming`

****Response:****

```
```json
{
 "success": true,
 "count": 12,
 "data": [
 {
 "_id": "6915164abc0d15baf812f940",
 "customerName": "Juan Pérez",
 "date": "2025-12-25",
 "time": "19:00"
 }
]
}
```
```

USERS (CRUD + Auth) - 7 endpoints

32. Register New User

****Response:****

```
```json
{
 "success": true,
 "date": "2025-12-25",
 "count": 8,
 "data": [
 {
 "_id": "6915164abc0d15baf812f940",
 "customerName": "Juan Pérez",
 "time": "19:00",
 "guests": 6
 }
]
}
```
```

****Method:**** `POST`

****Purpose:**** Create a new user account

****URI:**** `/api/users/register`

****Request:****

```
```json
{
 "firstName": "Carlos",
 "lastName": "Rodríguez",
 "email": "carlos@example.com",
 "password": "SecurePass123!",
 "phone": "0991234567",
 "address": "Quito, Ecuador"
}
```
```

****Response:****

```
```json
{
```

```
"success": true,
"message": "User registered successfully",
"data": {
 "_id": "6904d9703a86dfdd14a5c90",
 "email": "carlos@example.com",
 "role": "customer"
}
}
```

### 33. User Login

**\*\*Method:\*\*** `POST`

**\*\*Purpose:\*\*** Authenticate user and get access token

**\*\*URI:\*\*** `/api/users/login`

**\*\*Request:\*\***

```
```json
{
  "email": "admin@adminbocatto.com",
  "password": "AdminPassword123!"
}
```
```

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "message": "Login successful",
  "data": {
    "user": {
      "_id": "6904d9703a86dfdd14a5c90",
      "email": "admin@adminbocatto.com",
      "role": "administrator",
      "firstName": "Admin"
    },
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."
  }
}
```

```
}  
}  
...
```

34. Get User Profile

****Method:**** `GET`
****Purpose:**** Retrieve authenticated user's profile
****URI:**** `/api/users/profile`

****Response:****

```
```json  
{
 "success": true,
 "data": {
 "_id": "6904d9703a86dfdd14a5c90",
 "firstName": "Admin",
 "lastName": "Bocatto",
 "email": "admin@adminbocatto.com",
 "phone": "0999999999",
 "address": "Quito, Ecuador",
 "role": "administrator",
 "loyaltyPoints": 0,
 "acceso": "FULL_ACCESS",
 "adminAcceso": "SUPER_ADMIN"
 }
}
...
```

### 35. Update User Profile

**\*\*Method:\*\*** `PUT`  
**\*\*Purpose:\*\*** Update user information  
**\*\*URI:\*\*** `/api/users/profile`

**\*\*Request:\*\***

```
```json  
{
```

```
"phone": "0998765432",
"address": "Guayaquil, Ecuador"
}
```
```

### 36. Get All Users (Admin)

```
Method: `GET`
Purpose: Retrieve all users (admin only)
URI: `/api/users`
Response:
```json
{
  "success": true,
  "count": 150,
  "data": [
    {
      "_id": "6904d9703a86dfdd14a5c90",
      "firstName": "Admin",
      "email": "admin@adminbocatto.com",
      "role": "administrator",
      "isActive": true
    }
  ]
}
```
```

### ### 37. Delete User

```
Method: `DELETE`
Purpose: Delete a user account
URI: `/api/users/:id`
Response:
```json
{
  "success": true,
```

```
    "message": "User deleted successfully"
  }
  ...

```

38. Reset Password

```
**Method:** `POST`
**Purpose:** Send password reset email
**URI:** `/api/users/reset-password`
**Request:**
```json
{
 "email": "user@example.com"
}
...

Response:
```json
{
  "success": true,
  "message": "Password reset email sent"
}
...

```

CART (Business Logic) - 5 endpoints

39. Add Product to Cart

```
**Method:** `POST`
**Purpose:** Add a product to user's shopping cart
**URI:** `/api/cart/add`
**Request:**
```json

```

```

{
 "userId": "6904d9703a86dfdd14a5c90",
 "productId": "691516412c0d15baf812f93a",
 "quantity": 2,
 "notes": "Extra spicy please"
}
...

Response:

```json
{
  "success": true,
  "message": "Product added to cart",
  "cart": {
    "items": [
      {
        "productId": "691516412c0d15baf812f93a",
        "name": "Alitas BBQ Clásicas",
        "quantity": 2,
        "price": 8.5,
        "subtotal": 17.0
      }
    ],
    "total": 17.0
  }
}
...

```

40. Get User Cart

```

**Method:** `GET`

**Purpose:** Retrieve current user's shopping cart

**URI:** `/api/cart/:userId`

**Response:**

```json
{

```



```
"success": true,
"data": {
 "userId": "6904d9703a86dfdd14a5c90",
 "items": [
 {
 "productId": "691516412c0d15baf812f93a",
 "name": "Alitas BBQ Clásicas",
 "quantity": 2,
 "price": 8.5,
 "subtotal": 17.0
 }
],
 "itemCount": 2,
 "total": 17.0
}
}
```

#### 41. Update Cart Item

```
Method: `PUT`
Purpose: Update quantity of a cart item
URI: `/api/cart/update`
Request:
``json
{
 "userId": "6904d9703a86dfdd14a5c90",
 "productId": "691516412c0d15baf812f93a",
 "quantity": 5
}
``
```

#### 42. Remove Item from Cart

```
Method: `DELETE`
Purpose: Remove a product from cart
```

```
URI: `/api/cart/remove`
Request:
``json
{
 "userId": "6904d9703a86dfdd14a5c90",
 "productId": "691516412c0d15baf812f93a"
}
``
```

#### 43. Clear Cart

```
Method: `DELETE`
Purpose: Empty the entire shopping cart
URI: `/api/cart/clear/:userId`
Response:
``json
{
 "success": true,
 "message": "Cart cleared successfully"
}
``
```

---

### ORDERS (CRUD + Business Logic) - 5 endpoints

#### 44. Create Order from Cart

```
Method: `POST`
Purpose: Convert cart items into an order
URI: `/api/orders/create`
Request:
``json
{
 "userId": "6904d9703a86dfdd14a5c90",
 "deliveryAddress": "Av. 10 de Agosto, Quito",
```

```
"paymentMethod": "credit_card",
"notes": "Ring doorbell twice"
}
...

Response:
```json
{
  "success": true,
  "message": "Order created successfully",
  "data": {
    "orderId": "ORD-2025-001234",
    "total": 17.0,
    "status": "pending",
    "estimatedDelivery": "30-45 minutes"
  }
}
...

```

45. Get User Orders

```
**Method:** `GET`
**Purpose:** Retrieve all orders made by a user
**URI:** `/api/orders/user/:userId`
**Response:**
```json
{
 "success": true,
 "count": 5,
 "data": [
 {
 "orderId": "ORD-2025-001234",
 "date": "2025-11-25T15:30:00.000Z",
 "total": 17.0,
 "status": "delivered",
 "items": [

```

```
{
 "name": "Alitas BBQ Clásicas",
 "quantity": 2,
 "price": 8.5
}
]
}
]
}
'''
```

#### 46. Update Order Status

**\*\*Method:\*\*** `PATCH`

**\*\*Purpose:\*\*** Update the status of an order (admin/kitchen)

**\*\*URI:\*\*** `/api/orders/:orderId/status`

**\*\*Request:\*\***

```json

```
{
  "status": "in_preparation"
}
'''
```

****Response:****

```json

```
{
 "success": true,
 "message": "Order status updated",
 "data": {
 "orderId": "ORD-2025-001234",
 "status": "in_preparation",
 "updatedAt": "2025-11-25T16:00:00.000Z"
 }
}
'''
```

#### 47. Get Order by ID

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve details of a specific order

**\*\*URI:\*\*** `/api/orders/:orderId`

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "data": {
    "orderId": "ORD-2025-001234",
    "customerId": "6904d9703a86dfdd14a5c90",
    "date": "2025-11-25T15:30:00.000Z",
    "total": 17.0,
    "status": "delivered",
    "items": []
  }
}
```
```

#### 48. Cancel Order

**\*\*Method:\*\*** `DELETE`

**\*\*Purpose:\*\*** Cancel an order (if status allows)

**\*\*URI:\*\*** `/api/orders/:orderId`

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "message": "Order cancelled successfully"
}
```
```

---

**COMMENTS / REVIEWS (Business Logic) - 3 endpoints**

#### 49. Create Product Review

**\*\*Method:\*\*** `POST`

**\*\*Purpose:\*\*** Add a comment/review for a product

**\*\*URI:\*\*** `/api/comments`

**\*\*Request:\*\***

```
```json
{
  "productId": "691516412c0d15baf812f93a",
  "clientId": "6904d9703a86dfdd14a5c90",
  "text": "Excellent wings! Very crispy and flavorful",
  "rating": 5,
  "commentType": "product"
}
```
```

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "message": "Review submitted successfully",
  "data": {
    "_id": "691516412c0d15baf812f960",
    "productId": "691516412c0d15baf812f93a",
    "text": "Excellent wings! Very crispy and flavorful",
    "rating": 5,
    "isApproved": false,
    "commentDate": "2025-11-25T16:00:00.000Z"
  }
}
```
```

#### 50. Get Product Reviews

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve all approved reviews for a product

```
URI: `/api/comments/product/:productId`
Response:
```json
{
  "success": true,
  "productId": "691516412c0d15baf812f93a",
  "count": 15,
  "averageRating": 4.7,
  "data": [
    {
      "_id": "691516412c0d15baf812f960",
      "clientId": "6904d9703a86dfdd14a5c90",
      "text": "Excellent wings!",
      "rating": 5,
      "commentDate": "2025-11-25T16:00:00.000Z"
    }
  ]
}
```
```

### **51. Approve/Reject Review (Admin)**

```
Method: `PATCH`
Purpose: Moderate user reviews
URI: `/api/comments/:id/approve`
Request:
```json
{
  "isApproved": true
}
```
```

---

**OFFERS / DISCOUNTS (CRUD + Business Logic) - 4 endpoints**

## 52. Get All Offers

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve all offers/discounts

**\*\*URI:\*\*** `/api/offers`

**\*\*Response:\*\***

```
```json
{
  "success": true,
  "count": 5,
  "data": [
    {
      "_id": "691516412c0d15baf812f970",
      "name": "Black Friday Special",
      "description": "30% discount on all orders",
      "discount": 30,
      "discountType": "percentage",
      "isActive": true,
      "startDate": "2025-11-29",
      "endDate": "2025-12-01",
      "weekDays": ["friday", "saturday", "sunday"],
      "productId": null
    }
  ]
}
```
```

## 53. Get Active Offers

**\*\*Method:\*\*** `GET`

**\*\*Purpose:\*\*** Retrieve only currently active offers

**\*\*URI:\*\*** `/api/offers/active`

**\*\*Response:\*\***

```
```json
{
```



```
"success": true,
"count": 2,
"data": [
  {
    "_id": "691516412c0d15baf812f970",
    "name": "Black Friday Special",
    "discount": 30,
    "discountType": "percentage"
  }
]
}
```

54. Create New Offer

****Method:**** `POST`

****Purpose:**** Add a new offer/discount

****URI:**** `/api/offers`

****Request:****

```
``json
{
  "name": "Happy Hour",
  "description": "Buy 2 get 1 free",
  "discount": 33,
  "discountType": "percentage",
  "startDate": "2025-12-01",
  "endDate": "2025-12-31",
  "weekDays": ["monday", "tuesday", "wednesday"],
  "isActive": true
}
```

55. Update Offer

****Method:**** `PUT`

****Purpose:**** Update offer details

```
**URI:** `/api/offers/:id`  
**Request:**  
``json  
{  
  "isActive": false,  
  "endDate": "2025-11-30"  
}  
``  
  
---
```

NOTIFICATIONS (Business Logic) - 3 endpoints

56. Get User Notifications

```
**Method:** `GET`  
**Purpose:** Retrieve all notifications for a user  
**URI:** `/api/notifications/user/:userId`  
**Response:**  
``json  
{  
  "success": true,  
  "count": 5,  
  "unreadCount": 2,  
  "data": [  
    {  
      "_id": "691516412c0d15baf812f980",  
      "title": "Order Confirmed",  
      "message": "Your order #ORD-2025-001234 has been confirmed",  
      "time": "2025-11-25T15:30:00.000Z",  
      "isRead": false  
    }  
  ]  
}  
``
```

57. Mark Notification as Read

****Method:**** `PATCH`

****Purpose:**** Mark a notification as read

****URI:**** `/api/notifications/:id/read`

****Response:****

```
```json
{
 "success": true,
 "message": "Notification marked as read"
}
```
```

58. Get Unread Notifications

****Method:**** `GET`

****Purpose:**** Retrieve only unread notifications

****URI:**** `/api/notifications/user/:userId/unread`

****Response:****

```
```json
{
 "success": true,
 "count": 2,
 "data": [
 {
 "_id": "691516412c0d15baf812f980",
 "title": "Order Confirmed",
 "message": "Your order #ORD-2025-001234 has been confirmed"
 }
]
}
```
```

REPORTS (Business Logic) - 2 endpoints

59. Generate Sales Report

****Method:**** `POST`

****Purpose:**** Generate sales report for a date range

****URI:**** `/api/reports/sales`

****Request:****

``json

```
{  
  "startDate": "2025-11-01",  
  "endDate": "2025-11-30",  
  "type": "monthly"  
}
```

``

****Response:****

``json

```
{  
  "success": true,  
  "reportId": "RPT-2025-001",  
  "data": {  
    "period": "November 2025",  
    "totalSales": 15234.50,  
    "totalOrders": 345,  
    "averageOrderValue": 44.15,  
    "topProducts": [  
      {  
        "productId": "691516412c0d15baf812f93a",  
        "name": "Alitas BBQ Clásicas",  
        "unitsSold": 150,  
        "revenue": 1275.00  
      }  
    ],  
    "generatedAt": "2025-11-25T16:00:00.000Z",  
    "generatedBy": "admin@adminbocatto.com"
```

```
}  
}  
``
```

60. Get Report by ID

****Method:**** `GET`

****Purpose:**** Retrieve a previously generated report

****URI:**** `/api/reports/:reportId`

****Response:****

``json

```
{  
  "success": true,  
  "data": {  
    "reportId": "RPT-2025-001",  
    "type": "sales",  
    "content": {},  
    "generatedAt": "2025-11-25T16:00:00.000Z"  
  }  
}
```

Business rules