

URI's

Group: CodeSync

Names: Xavier Altamirano, Danna Andrade, Danny Ayuquina

1.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/2>

response:

```
{
  "id": 2,
  "firstName": "Fabricio",
  "lastName": "Roman",
  "birthDate": "2022-12-16",
  "gender": "Male",
  "documentNumber": "1754896475",
  "address": "dirección...",
  "email": "estudiante@gmail.com",
  "phoneNumber": "0987456987",
  "gradeId": 1,
  "profilePicture": "img",
  "emergencyContact": "Father",
  "emergencyPhone": "0987456987",
  "enrollmentDate": "2023-12-16",
  "isActive": 1
}
```

2.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/grade/1>

response:

```
[
  {
    "id": 2,
    "firstName": "Fabricio",
    "lastName": "Roman",
    "gradeId": 1
  }
]
```

3.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/students>

request:

```
{
```

```
"firstName": "Carlos",
"lastName": "Benitez",
"birthDate": "2020-05-20",
"gender": "Male",
"documentNumber": "1754896321",
"address": "Av. Siempre Viva",
"email": "carlos@gmail.com",
"phoneNumber": "0992211445",
"gradeId": 3,
"emergencyContact": "Mother",
"emergencyPhone": "0911223344",
"enrollmentDate": "2024-01-10"
}
```

4.

Method: PUT

uri: <https://nicekidscenter.onrender.com/api/students/5>

request:

```
{
  "address": "Nueva dirección",
  "email": "nuevoemail@gmail.com",
  "phoneNumber": "0998877665"
}
```

5.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/by-document/1754896100>

response:

```
{
  "id": 7,
  "firstName": "Luis",
  "lastName": "Chavez",
  "documentNumber": "1754896100"
}
```

6.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/2/guardians>

response:

```
[
  {
    "guardianId": 4,
    "firstName": "Maria",
    "lastName": "Roman",

```

```
    "relationship": "Mother",
    "phoneNumber": "098556677"
  }
]
```

7.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/students/2/guardians>

request:

```
{
  "firstName": "José",
  "lastName": "Roman",
  "documentNumber": "1745699800",
  "relationship": "Father",
  "phoneNumber": "097885664",
  "email": "jroman@gmail.com",
  "address": "Dirección del padre"
}
```

8.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/status/active>

response:

```
[
  { "id": 2, "firstName": "Fabricio", "isActive": 1 }
]
```

9.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/students/2/profile-picture>

request:

```
{
  "imageBase64": "..."
}
```

10.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/2/attendance>

response:

```
[
  {
    "attendanceId": 15,
    "date": "2024-01-09",
    "checkInTime": "08:00:00",
  }
]
```

```
"checkOutTime": "12:30:00",
"status": "Present",
"isLate": 0
}
]
```

11.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/attendance>

request:

```
{
  "studentId": 2,
  "date": "2024-01-12",
  "checkInTime": "08:05:00",
  "status": "Present",
  "isLate": 1,
  "lateMinutes": 5
}
```

12.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/2/payments>

response:

```
[
  {
    "paymentId": 3,
    "totalAmount": 45.00,
    "paidAmount": 45.00,
    "status": "Paid",
    "paymentDate": "2024-01-05"
  }
]
```

13.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/payments>

request:

```
{
  "studentId": 2,
  "serviceType": "Monthly",
  "monthlyFee": 50.00,
  "totalAmount": 50.00,
  "paymentMethod": "Cash",
  "paymentDate": "2024-02-01"
}
```

```
}
```

14.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/invoices/student/2>

response:

```
[  
  {  
    "invoiceId": 10,  
    "invoiceNumber": "INV-0021",  
    "issueDate": "2024-01-03",  
    "finalAmount": 50.00,  
    "status": "Paid"  
  }  
]
```

15.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/invoices>

request:

```
{  
  "invoiceNumber": "INV-0040",  
  "invoiceType": "Student",  
  "referenceId": 2,  
  "issueDate": "2024-02-01",  
  "totalAmount": 50.00,  
  "finalAmount": 50.00,  
  "description": "Monthly fee"  
}
```

16.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/grades/1/activities>

response:

```
[  
  {  
    "activityId": 5,  
    "name": "Pintura",  
    "scheduledDate": "2024-01-20"  
  }  
]
```

17.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/activities>

request:

```
{
  "name": "Día del Color",
  "description": "Los niños traerán ropa de colores.",
  "gradeId": 1,
  "scheduledDate": "2024-01-22",
  "startTime": "09:00:00",
  "endTime": "11:00:00",
  "location": "Aula 3",
  "category": "Evento",
  "status": "Planned"
}
```

response:

```
{
  "activityId": 21,
  "message": "Actividad creada con éxito"
}
```

18.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/activities/5/media>

request:

```
{
  "mediaType": "Image",
  "fileBase64": "...",
  "caption": "Niños pintando"
}
```

19.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/students/2/observations>

response:

```
[
  {
    "observationId": 8,
    "observationDate": "2024-01-11",
    "category": "Conducta",
    "observation": "Muy participativo",
    "isPositive": 1
  }
]
```

20.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/students/2/observations>

request:

```
{
  "empId": 3,
  "observationDate": "2024-01-20",
  "category": "Actitud",
  "observation": "Ayudó a sus compañeros",
  "isPositive": 1,
  "requiresAction": 0
}
```

21.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/employees>

response:

```
[
  {
    "empId": 1,
    "firstName": "Ana",
    "lastName": "Gomez",
    "position": "Teacher",
    "email": "ana@mail.com"
  },
  {
    "empId": 2,
    "firstName": "Carlos",
    "lastName": "Mendez",
    "position": "Staff",
    "email": "carlos@mail.com"
  }
]
```

22.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/employees/1>

response:

```
{
  "empId": 1,
  "firstName": "Ana",
  "lastName": "Gomez",
```

```
"position": "Teacher",
"email": "ana@mail.com",
"phoneNumber": "0999888777",
"address": "123 Main St",
"hireDate": "2023-01-12",
"salary": 1200
}
```

23.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/employees>

request:

```
{
  "firstName": "Luis",
  "lastName": "Perez",
  "position": "Staff",
  "email": "luis@mail.com",
  "phoneNumber": "099112233",
  "address": "Calle Falsa 123",
  "hireDate": "2024-02-02",
  "salary": 900
}
```

24.

Method: PUT

uri: <https://nicekidscenter.onrender.com/api/employees/3>

request:

```
{
  "position": "Senior Teacher",
  "salary": 1500
}
```

25.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/employees/1/tasks>

response:

```
[
  {
    "taskId": 10,
    "taskName": "Prepare Math lesson",
    "description": "Prepare curriculum for Grade 3 math",
    "dueDate": "2024-05-10",
    "status": "Pending"
  }
]
```

```
}  
]
```

26.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/employees/1/tasks>

request:

```
{  
  "taskName": "Grade assignments",  
  "description": "Grade homework for Grade 3",  
  "dueDate": "2024-05-15",  
  "status": "Pending"  
}
```

27.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/roles>

response:

```
[  
  {  
    "roleId": 1,  
    "roleName": "Admin",  
    "description": "Administrador con todos los permisos"  
  },  
  {  
    "roleId": 2,  
    "roleName": "Staff",  
    "description": "Personal del centro"  
  }  
]
```

28.

Method: POST

uri: <https://nicekidscenter.onrender.com/api/users/5/roles>

request:

```
{  
  "roleId": 2  
}
```

29.

Method: GET

uri: <https://nicekidscenter.onrender.com/api/users/5/notifications>

response:

```
[
  {
    "notificationId": 20,
    "type": "Message",
    "subject": "Reunión de padres",
    "message": "La reunión será el 10 de mayo",
    "isRead": 0
  }
]
```

30.

Method: PUT

uri: <https://nicekidscenter.onrender.com/api/notifications/20/read>

request:

```
{
  "isRead": 1,
  "readAt": "2025-11-23T22:59:00"
}
```

GET /roles

URI: <https://nicekidscenter.onrender.com/roles>

Response:

```
[
  {"RoleID": 1, "RoleName": "Admin", "Description": "Rol administrador con todos los permisos"},
  {"RoleID": 2, "RoleName": "Staff", "Description": "Rol para empleados"},
  {"RoleID": 3, "RoleName": "Guardian", "Description": "Rol para representantes"}
]
```

GET /roles/{id}

URI: <https://nicekidscenter.onrender.com/roles/1>

Response:

```
{
  "RoleID": 1,
  "RoleName": "Admin",
  "Description": "Rol administrador con todos los permisos"
}
```

POST /roles

URI: <https://nicekidscenter.onrender.com/roles>

request:

```
{
```

```
"status": "ok",
"message": "Role created"
}
```

PUT /roles/{id}

URI: <https://nicekidscenter.onrender.com/roles/1>

request:

```
{
  "status": "ok",
  "message": "Role updated"
}
```

DELETE /roles/{id}

URI: <https://nicekidscenter.onrender.com/roles/1>

Response:

```
{
  "status": "ok",
  "message": "Role deleted"
}
```

GET /permissions

URI: <https://nicekidscenter.onrender.com/permissions>

Response:

```
[
  {"PermissionID": 1, "PermissionName": "Dashboard View", "Module": "Dashboard",
  "Action": "view", "Link": "/html/welcome.html"},
  {"PermissionID": 2, "PermissionName": "Users & Roles View", "Module": "Usuarios y
  Roles", "Action": "view", "Link": "/html/users/users-roles.html"},
  {"PermissionID": 3, "PermissionName": "Users & Roles Edit", "Module": "Usuarios y
  Roles", "Action": "edit", "Link": null},
  {"PermissionID": 4, "PermissionName": "Students View", "Module": "Estudiantes",
  "Action": "view", "Link": "/html/students.html"}
]
```

GET /permissions/{id}

URI: <https://nicekidscenter.onrender.com/permissions/1>

Response:

```
{
  "PermissionID": 1,
  "PermissionName": "Dashboard View",
  "Module": "Dashboard",
  "Action": "view",
```

```
"Description": "Panel de Control"
}
```

GET /roles/{id}/permissions

URI: <https://nicekidscenter.onrender.com/roles/1/permissions>

Response:

```
[
  {"PermissionID": 1, "Module": "Dashboard", "Action": "view"},
  {"PermissionID": 2, "Module": "Usuarios y Roles", "Action": "view"},
  {"PermissionID": 3, "Module": "Usuarios y Roles", "Action": "edit"}
]
```

POST /roles/{id}/permissions

URI: <https://nicekidscenter.onrender.com/roles/1/permissions>

Request:

```
{
  "status": "ok",
  "message": "Permission assigned"
}
```

DELETE /roles/{id}/permissions/{permId}

URI: <https://nicekidscenter.onrender.com/roles/1/permissions/1>

Response:

```
{
  "status": "ok",
  "message": "Permission removed"
}
```