



Advanced Web Development

Members:

- Simbaña Michael
- Tufiño Erick
- Villagómez Doménica

NRC: 27819

Date: 27/11/2025

Medical Appointment Web System - URIs Correction

Authentication

POST /auth/sessions

Purpose: Authenticate a user and obtain JWT token

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/auth/sessions>

Request:

json

{

 "email": "user@email.com",

```
"password": "password123"
}
```

Response:

```
{
  "token": "jwt-token",
  "user_id": "uuid"
}
```

POST /auth/users

Purpose: Register a new user (doctor or patient)

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/auth/users>

Request:

```
json
{
  "email": "newuser@email.com",
  "password": "password123",
}
```

```
    "role": "patient|doctor"
  }
```

Response

```
{
  "message": "User created",
  "id": "uuid"
}
```

Patients

GET /patients/profile

Purpose: Get complete patient profile

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/patients/profile>

Response:

json

```
{
  "id": "uuid",
  "email": "patient@email.com",
  "first_name": "John",
```

```
"last_name": "Doe",  
  
"phone_number": "+593912345678",  
  
"cedula": "1234567890",  
  
"date_of_birth": "1990-05-15",  
  
"gender": "M",  
  
"address": "Main Street 123",  
  
"city": "Quito",  
  
"blood_type": "O+",  
  
"height": 180,  
  
"weight": 75,  
  
"allergies": "Penicillin",  
  
"medical_conditions": "Type 2 Diabetes",  
  
"current_medications": "Metformin 500mg"  
}
```

PUT /patients/profile

Purpose: Update patient profile

Method: PUT

URI:

<https://medical-appointment-backend-2xx0.onrender.com/patients/profile>

Request:

json

```
{  
  
  "first_name": "John",  
  
  "last_name": "Smith",  
  
  "phone_number": "+593987654321",  
  
  "address": "New Street 456",  
  
  "city": "Guayaquil",  
  
  "blood_type": "AB-",  
  
  "height": 182,  
  
  "weight": 78,  
  
  "allergies": "Penicillin, Ibuprofen",  
  
  "medical_conditions": "Type 2 Diabetes, Hypertension",  
  
  "current_medications": "Metformin 500mg, Enalapril 10mg"  
  
}
```

Response:

json

```
{
```

```
"message": "Profile updated successfully",

"profile": {

  "id": "uuid",

  "email": "patient@email.com",

  "first_name": "John",

  "last_name": "Smith",

  "updated_at": "2025-01-20T14:25:00Z"

}

}
```

POST /patients/passwords

Purpose: Change patient password

Method: POST

URI:

<https://medical-appointment-backend-2xx0.onrender.com/patients/passwords>

Request:

json

```
{

  "current_password": "current_password",
```

```
"new_password": "new_password123"

}
```

Response

```
{

  "message": "Password updated successfully"

}
```

Doctors

POST /doctors

Purpose: Create new doctor

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/doctors>

Request:

```
json

{

  "email": "doctor@email.com",
```

```
"password": "password123",

"first_name": "Juan",

"last_name": "Rodriguez",

"phone_number": "+593912345678",

"cedula": "1234567890",

"professional_id": "MED-12345",

"specialty_id": "uuid-specialty",

"bio": "General physician with 10 years experience"

}
```

Response:

```
{

  "message": "Doctor created",

  "id": "uuid"

}
```

GET /doctors

Purpose: Get all doctors

Method: GET

URI: <https://medical-appointment-backend-2xx0.onrender.com/doctors>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "user_id": "uuid",  
  
    "professional_id": "MED-12345",  
  
    "specialty_id": "uuid-specialty",  
  
    "bio": "General physician with 10 years experience",  
  
    "active": true,  
  
    "users": {  
  
      "id": "uuid",  
  
      "email": "doctor@email.com",  
  
      "first_name": "Juan",  
  
      "last_name": "Rodriguez",  
  
      "phone_number": "+593912345678"  
  
    },  
  
  ],  
  
]
```

```
    "specialties": {  
      "id": "uuid-specialty",  
      "name": "General Medicine"  
    }  
  }  
]
```

GET /doctors/:id

Purpose: Get doctor by ID

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/doctors/{doctor_id}

Response:

json

```
{  
  "id": "uuid",  
  "user_id": "uuid",  
  "professional_id": "MED-12345",  
  "specialty_id": "uuid-specialty",
```

```
"bio": "General physician with 10 years experience",

"active": true,

"users": {

  "id": "uuid",

  "email": "doctor@email.com",

  "first_name": "Juan",

  "last_name": "Rodriguez"

},

"specialties": {

  "id": "uuid-specialty",

  "name": "General Medicine"

},

"doctor_schedules": [

  {

    "id": "uuid",

    "day_of_week": "Monday",

    "start_time": "08:00:00",

    "end_time": "17:00:00"

  }

]
```

```
}
```

PUT /doctors/:id

Purpose: Update doctor

Method: PUT

URI:

`https://medical-appointment-backend-2xx0.onrender.com/doctors/{doctor_id}`

Request:

json

```
{  
  
  "email": "newemail@email.com",  
  
  "first_name": "Juan Carlos",  
  
  "last_name": "Rodriguez Lopez",  
  
  "phone_number": "+593987654321",  
  
  "professional_id": "MED-54321",  
  
  "specialty_id": "uuid-new-specialty",  
  
  "bio": "General physician with 15 years experience",  
  
  "active": true  
}
```

Response:

json

```
{  
  "message": "Doctor updated successfully",  
  "doctor": {  
    "id": "uuid",  
    "user_id": "uuid",  
    "professional_id": "MED-54321",  
    "bio": "General physician with 15 years experience",  
    "updated_at": "2025-01-21T08:00:00Z"  
  }  
}
```

DELETE /doctors/:id

Purpose: Delete doctor

Method: DELETE

URI:

https://medical-appointment-backend-2xx0.onrender.com/doctors/{doctor_id}

Request:

json

```
{  
  
  "confirm": true  
}
```

Response:

```
{  
  
  "message": "Doctor deleted successfully",  
  
  "id": "uuid"  
}
```

GET /doctors/specialties

Purpose: Get all available specialties

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/doctors/specialties>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "name": "General Medicine",  
  
    "description": "General medical care"  
  
  },  
  
  {  
  
    "id": "uuid",  
  
    "name": "Cardiology",  
  
    "description": "Heart specialty"  
  
  }  
  
]
```

GET /doctors/stats

Purpose: Get doctor statistics

Method: GET

URI: <https://medical-appointment-backend-2xx0.onrender.com/doctors/stats>

Response:

json

```
{  
  
  "total_doctors": 15,  
  
  "active_doctors": 13,  
  
  "inactive_doctors": 2,  
  
  "by_specialty": {  
  
    "General Medicine": 5,  
  
    "Cardiology": 3,  
  
    "Pediatrics": 7  
  
  }  
  
}
```

GET /doctors/filters

Purpose: Filter doctors by specialty, status or search term

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/doctors/filters?specialty_id={specialty_id}&active=true&search=Juan

Response:

json

[


```
{  
  
  "id": "uuid",  
  
  "user_id": "uuid",  
  
  "professional_id": "MED-12345",  
  
  "specialty_id": "uuid-specialty",  
  
  "bio": "General physician with 10 years experience",  
  
  "active": true  
  
}  
  
]
```

GET /doctors/specialty/:specialty_id

Purpose: Get all doctors by specialty

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/doctors/specialty/{specialty_id}

Response:

json

```
[  
  
  {
```

```
    "id": "uuid",

    "user_id": "uuid",

    "professional_id": "MED-12345",

    "specialty_id": "uuid-specialty",

    "bio": "General physician",

    "active": true

}

]
```

GET /doctors/:id/schedules

Purpose: Get doctor schedules

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/doctors/{doctor_id}/schedules

Response:

json

```
[

  {

    "id": "uuid",
```

```
    "doctor_id": "uuid",

    "day_of_week": "Monday",

    "start_time": "08:00:00",

    "end_time": "17:00:00",

    "is_working_day": true,

    "break_start_time": "12:00:00",

    "break_end_time": "13:00:00"

  }

]
```

Specialties

POST /specialties

Purpose: Create new specialty

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/specialties>

Request:

json

```
{

  "name": "Cardiology",
```

```
    "description": "Medical specialty dedicated to heart and  
circulatory system diseases"  
}
```

Response:

```
{  
  
  "message": "Specialty created",  
  
  "id": "uuid"  
}
```

GET /specialties

Purpose: Get all specialties

Method: GET

URI: <https://medical-appointment-backend-2xx0.onrender.com/specialties>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "name": "Cardiology",
```

```
    "description": "Heart specialty",

    "created_at": "2025-01-10T08:00:00Z"

  },

  {

    "id": "uuid",

    "name": "General Medicine",

    "description": "General medical care",

    "created_at": "2025-01-05T10:00:00Z"

  }

]
```

GET /specialties/:id

Purpose: Get specific specialty

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/specialties/{specialty_id}

Response:

json

```
{
```

```
"id": "uuid",

"name": "Cardiology",

"description": "Heart specialty",

"created_at": "2025-01-10T08:00:00Z"

}
```

GET /specialties/:id/doctors

Purpose: Get specialty with associated doctors

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/specialties/{specialty_id}/doctors
```

Response:

json

```
{

  "id": "uuid",

  "name": "Cardiology",

  "description": "Heart specialty",

  "doctorCount": 5,

  "doctors": [
```

```
{  
  
  "id": "uuid",  
  
  "user_id": "uuid",  
  
  "professional_id": "MED-12345",  
  
  "bio": "Cardiologist with 15 years experience",  
  
  "active": true  
  
}  
  
]  
  
}
```

PUT /specialties/:id

Purpose: Update specialty

Method: PUT

URI:

https://medical-appointment-backend-2xx0.onrender.com/specialties/{specialty_id}

Request:

json

```
{  
  
  "name": "Clinical Cardiology",
```

```
    "description": "Medical specialty dedicated to heart and  
circulatory system"  
}
```

Response:

json

```
{  
  
  "id": "uuid",  
  
  "name": "Clinical Cardiology",  
  
  "description": "Medical specialty dedicated to heart and  
circulatory system",  
  
  "created_at": "2025-01-10T08:00:00Z"  
}
```

DELETE /specialties/:id

Purpose: Delete specialty

Method: DELETE

URI:

https://medical-appointment-backend-2xx0.onrender.com/specialties/{specialty_id}

Request:

json

```
{  
  
  "confirm": true  
  
}
```

Response:

```
{  
  
  "message": "Specialty deleted successfully",  
  
  "id": "uuid"  
  
}
```

GET /specialties/stats

Purpose: Get specialty statistics

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/specialties/stats>

Response:

json

```
{  
  
  "total_specialties": 8,  
  
}
```

```
"specialties_with_doctors": [  
  
  {  
  
    "id": "uuid",  
  
    "name": "Cardiology",  
  
    "doctor_count": 5  
  
  }  
  
]  
  
}
```

GET /specialties/active

Purpose: Get active specialties

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/specialties/active>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",
```

```
    "name": "Cardiology",  
  
    "description": "Heart specialty"  
  
  }  
  
]
```

GET /specialties/filter

Purpose: Filter specialties

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/specialties/filter?name=Cardiology
```

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "name": "Cardiology",  
  
    "description": "Heart specialty"  
  
  }  
  
]
```

PATCH /specialties/:id/status

Purpose: Update specialty status

Method: PATCH

URI:

`https://medical-appointment-backend-2xx0.onrender.com/specialties/{specialty_id}/status`

Request:

json

```
{  
  
  "active": true  
  
}
```

Response:

json

```
{  
  
  "message": "Specialty status updated",  
  
  "active": true  
  
}
```

Appointments

GET /appointments/doctors/:doctorId/slots

Purpose: Get available appointment slots for a doctor

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/appointments/doctors/{doctorId}/slots?date=2025-02-15>

Response:

json

```
{  
  "slots": [  
    "08:00",  
    "08:30",  
    "09:00",  
    "09:30",  
    "10:00"  
  ]  
}
```

POST /appointments

Purpose: Create new appointment

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/appointments>

Request:

json

```
{  
  
  "doctor_id": "uuid-doctor",  
  
  "scheduled_start": "2025-02-15T14:30:00Z",  
  
  "reason": "General checkup",  
  
  "duration_minutes": 30  
  
}
```

Response:

```
{  
  
  "message": "Appointment created",  
  
  "id": "uuid"  
  
}
```

GET /appointments/patient

Purpose: Get patient appointments

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/appointments/patient?status=confirmed&upcoming=true>

Response:

json

```
[
  {
    "id": "uuid",
    "scheduled_start": "2025-02-15T14:30:00Z",
    "scheduled_end": "2025-02-15T15:00:00Z",
    "reason": "General checkup",
    "created_at": "2025-01-20T10:15:00Z",
    "status_code": "confirmed",
    "status_label": "Confirmed",
    "doctor_first_name": "Juan",
    "doctor_last_name": "Rodriguez",
    "specialty_name": "General Medicine",
    "room_number": "101"
  }
]
```

]

GET /appointments/:id

Purpose: Get appointment details

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/appointments/{appointment_id}`

Response:

json

```
{  
  
  "id": "uuid",  
  
  "scheduled_start": "2025-02-15T14:30:00Z",  
  
  "scheduled_end": "2025-02-15T15:00:00Z",  
  
  "reason": "General checkup",  
  
  "created_at": "2025-01-20T10:15:00Z",  
  
  "status_code": "confirmed",  
  
  "status_label": "Confirmed",  
  
  "doctor_first_name": "Juan",  
  
  "doctor_last_name": "Rodriguez",  
  
}
```



```
"doctor_email": "doctor@email.com",  
  
"specialty_name": "General Medicine",  
  
"room_name": "Consultation A",  
  
"room_number": "101"  
  
}
```

DELETE /appointments/:id

Purpose: Cancel appointment

Method: DELETE

URI:

https://medical-appointment-backend-2xx0.onrender.com/appointments/{appointment_id}

Request:

json

```
{  
  
  "reason": "Patient requested cancellation",  
  
  "confirm": true  
  
}
```

Response:

```
{  
  
  "message": "Appointment cancelled successfully",  
  
  "id": "uuid",  
  
  "status": "cancelled"  
  
}
```

PUT /appointments/:id/changes

Purpose: Reschedule appointment

Method: PUT

URI:

https://medical-appointment-backend-2xx0.onrender.com/appointments/{appointment_id}/changes

Request:

json

```
{  
  
  "new_scheduled_start": "2025-02-20T15:00:00Z",  
  
  "duration_minutes": 30  
  
}
```

Response:

json

```
{
```

```
"message": "Appointment rescheduled successfully",

"appointment": {

  "id": "uuid",

  "scheduled_start": "2025-02-20T15:00:00Z",

  "scheduled_end": "2025-02-20T15:30:00Z",

  "status_code": "confirmed"

}

}
```

GET /appointments/doctor

Purpose: Get doctor appointments

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/appointments/doctor>

Response:

json

```
[

  {

    "id": "uuid",
```

```
    "scheduled_start": "2025-02-15T14:30:00Z",  
    "scheduled_end": "2025-02-15T15:00:00Z",  
    "patient_name": "John Doe",  
    "reason": "General checkup",  
    "status_label": "Confirmed"  
  }  
]
```

PATCH /appointments/:id/status

Purpose: Update appointment status

Method: PATCH

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/appointments/{appointment_id}/status
```

Request:

json

```
{  
  
  "status_id": 3  
}
```

Response:

json

```
{  
  
  "message": "Appointment status updated",  
  
  "status_id": 3  
}
```

Schedules

GET /schedules

Purpose: Get all schedules

Method: GET

URI: <https://medical-appointment-backend-2xx0.onrender.com/schedules>

Response:

json

```
[  
  
  {  
  
    "id": "uuid",  
  
    "doctor_id": "uuid",  
  
    "day_of_week": "Monday",
```

```
    "start_time": "08:00:00",

    "end_time": "17:00:00",

    "is_working_day": true,

    "break_start_time": "12:00:00",

    "break_end_time": "13:00:00"

}

]
```

GET /schedules/:id

Purpose: Get specific schedule

Method: GET

URI:

https://medical-appointment-backend-2xx0.onrender.com/schedules/{schedule_id}

Response:

json

```
{

    "id": "uuid",

    "doctor_id": "uuid",

    "day_of_week": "Monday",
```

```
"start_time": "08:00:00",

"end_time": "17:00:00",

"is_working_day": true,

"break_start_time": "12:00:00",

"break_end_time": "13:00:00"

}
```

POST /schedules

Purpose: Create new schedule

Method: POST

URI: <https://medical-appointment-backend-2xx0.onrender.com/schedules>

Request:

json

```
{

  "doctor_id": "uuid-doctor",

  "day_of_week": "Monday",

  "start_time": "08:00:00",

  "end_time": "17:00:00",

  "is_working_day": true,
```

```
"break_start_time": "12:00:00",  
  
"break_end_time": "13:00:00"  
  
}
```

Response:

```
{  
  
  "message": "Schedule created",  
  
  "id": "uuid"  
  
}
```

PUT /schedules/:id

Purpose: Update schedule

Method: PUT

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/schedules/{schedule_id}
```

Request:

json

```
{  
  
  "day_of_week": "Monday",  
  
}
```



```
"start_time": "09:00:00",  
  
"end_time": "18:00:00",  
  
"is_working_day": true,  
  
"break_start_time": "12:30:00",  
  
"break_end_time": "13:30:00"  
  
}
```

Response:

json

```
{  
  
  "id": "uuid",  
  
  "day_of_week": "Monday",  
  
  "start_time": "09:00:00",  
  
  "end_time": "18:00:00",  
  
  "is_working_day": true,  
  
  "break_start_time": "12:30:00",  
  
  "break_end_time": "13:30:00"  
  
}
```

DELETE /schedules/:id

Purpose: Delete schedule

Method: DELETE

URI:

`https://medical-appointment-backend-2xx0.onrender.com/schedules/{schedule_id}`

GET /schedules/by-contract/:contractType

Purpose: Get schedules by contract type

Method: GET

URI:

`https://medical-appointment-backend-2xx0.onrender.com/schedules/by-contract/{contractType}`

Response:

json

[

{

 "id": "uuid",

 "doctor_id": "uuid",

 "day_of_week": "Monday",

 "start_time": "08:00:00",

 "end_time": "17:00:00",

```
    "hours_per_week": 40
  }
]
```

GET /schedules/:id/doctors

Purpose: Get doctors by schedule

Method: GET

URI:

```
https://medical-appointment-backend-2xx0.onrender.com/schedules/{schedule_id}/doctors
```

Response:

json

```
[
  {
    "id": "uuid",
    "schedule_id": "uuid",
    "doctors": {
      "id": "uuid",
      "user_id": "uuid",
      "first_name": "Juan",
```

```
      "last_name": "Rodriguez"
    }
  }
]
```

Medical Records

GET /medical-records

Purpose: Get patient medical record

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/medical-records>

Response:

json

```
{
  "id": "uuid",
  "patient_id": "uuid",
  "blood_type": "O+",
  "allergies": "Penicillin",
  "medical_conditions": "Type 2 Diabetes",
```

}

Purpose: Get patient consultation notes

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/medical-records/consultation-notes>

Response:

json

[

{

```
"id": "uuid",
```

```
"appointment_id": "uuid",
```

```
"doctor_name": "Juan Rodriguez",
```

```
"specialty": "General Medicine",
```

```
[
  {
    "consultation_date": "2025-01-18T14:30:00Z",
    "notes": "Patient presents flu symptoms",
    "diagnosis": "Viral flu",
    "treatment": "Rest and hydration",
    "follow_up": "Return in one week if symptoms persist"
  }
]
```

GET /medical-records/consultation-notes/:appointmentId

Purpose: Get specific consultation note

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/medical-records/consultation-notes/{appointmentId}>

Response:

json

```
{
  "id": "uuid",
  "appointment_id": "uuid",
  "doctor_name": "Juan Rodriguez",
```

```
"specialty": "General Medicine",  
  
"consultation_date": "2025-01-18T14:30:00Z",  
  
"notes": "Patient presents flu symptoms",  
  
"diagnosis": "Viral flu",  
  
"treatment": "Rest and hydration",  
  
"follow_up": "Return in one week if symptoms persist"  
  
}
```

GET /medical-records/summary

Purpose: Get medical history summary

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/medical-records/summary>

Response:

json

```
{  
  
  "patient_name": "John Doe",  
  
  "total_appointments": 15,  
  
  "appointments_this_year": 8,
```

```
"last_appointment": "2025-01-18T14:30:00Z",

"blood_type": "O+",

"allergies": "Penicillin",

"active_conditions": [

    "Type 2 Diabetes",

    "Hypertension"

],

"current_medications": "Metformin 500mg, Enalapril 10mg"

}
```

GET /medical-records/lab-reports

Purpose: Get patient lab reports

Method: GET

URI:

<https://medical-appointment-backend-2xx0.onrender.com/medical-records/lab-reports>

Response:

json

```
[

    {
```



```
    "id": "uuid",

    "test_date": "2025-01-15T09:00:00Z",

    "test_name": "Glucose Test",

    "result": "95 mg/dL",

    "normal_range": "70-100 mg/dL",

    "status": "normal"

  },

  {

    "id": "uuid",

    "test_date": "2025-01-15T09:00:00Z",

    "test_name": "Total Cholesterol",

    "result": "210 mg/dL",

    "normal_range": "<200 mg/dL",

    "status": "high"

  }

]
```

GET /admin/dashboard-metrics

Purpose: Get system dashboard metrics

Method: GET

URI: <https://medical-appointment.onrender.com/admin/dashboard-metrics>

Response:

```
{  
  
  "total_patients": 3200,  
  
  "total_doctors": 48,  
  
  "appointments_today": 95,  
  
  "system_uptime": "99.97%"  
}
```

PUT /admin/users/:id

Purpose: Update an existing user

Method: PUT

URI: <https://medical-appointment.onrender.com/admin/users/:id>

Request:

```
{  
  
  "email": "updated@email.com",  
  
  "role": "doctor",  
  
  "active": true  
}
```

Response :

```
{  
  
  "message": "User updated successfully",  
  
  "updated_id": "uuid"  
  
}
```

GET /admin/activity-logs

Purpose: Get system activity logs

Method: GET

URI: <https://medical-appointment.onrender.com/admin/activity-logs>

Response:

```
[  
  
  {  
  
    "id": "uuid",  
  
    "user_email": "admin@example.com",  
  
    "action": "Created new doctor",  
  
    "timestamp": "2025-02-01T14:11:00Z"  
  
  }  
  
]
```

GET /admin/appointment-reports

Purpose: Get appointment summary reports

Method: GET

URI: <https://medical-appointment.onrender.com/admin/appointment-reports>

Response:

```
{  
  
  "total": 520,  
  
  "completed": 480,  
  
  "canceled": 40,  
  
  "daily_average": 17  
}
```

GET /admin/revenue-reports

Purpose: Get system revenue report

Method: GET

URI: <https://medical-appointment.onrender.com/admin/revenue-reports>

Response:

```
{  
  
  "month": "February",  
  
  "year": 2025,  
  
  "total_revenue": 15400.75,
```

```
"currency": "USD"
}
```

GET /admin/doctor-performance

Purpose: Get doctor performance statistics

Method: GET

URI: <https://medical-appointment.onrender.com/admin/doctor-performance>

Response:

```
[
  {
    "doctor_id": "uuid",
    "doctor_name": "Juan Rodriguez",
    "appointments_completed": 120,
    "patient_rating": 4.8
  }
]
```

POST /admin/announcements

Purpose: Publish a new announcement

Method: POST

URI: <https://medical-appointment.onrender.com/admin/announcements>

Request:

```
{  
  
  "title": "System Maintenance",  
  
  "content": "Maintenance scheduled for March 5th at 2:00 AM",  
  
  "audience": "all"  
}
```

Response :

```
{  
  
  "message": "Announcement published",  
  
  "announcement_id": "uuid"  
}
```

GET /admin/announcements

Purpose: Get all published announcements

Method: GET

URI: <https://medical-appointment.onrender.com/admin/announcements>

Response:

[

```
{  
  
  "id": "uuid",  
  
  "title": "System Maintenance",  
  
  "audience": "all",  
  
  "published_at": "2025-01-28T09:00:00Z"  
  
}  
  
]
```

POST /admin/clinic-rooms

Purpose: Create a new clinic room

Method: POST

URI: <https://medical-appointment.onrender.com/admin/clinic-rooms>

Request:

```
{  
  
  "room_number": "105",  
  
  "name": "Ultrasound Room"  
  
}
```

Response :

```
{
```

```
"message": "Clinic room created",  
  
"room_id": "uuid"  
  
}
```

DELETE /admin/clinic-rooms/:id

Purpose: Delete a clinic room by ID

Method: DELETE

URI: <https://medical-appointment.onrender.com/admin/clinic-rooms/:id>

Request:

```
{  
  
  "id": "uuid"  
  
}
```

Response:

```
{  
  
  "message": "Clinic room deleted",  
  
  "deleted_id": "uuid"  
  
}
```

GET /admin/system-settings

Purpose: Get system configuration settings

Method: GET

URI: <https://medical-appointment.onrender.com/admin/system-settings>

Response:

```
{  
  
  "default_appointment_duration": 30,  
  
  "max_daily_appointments": 40,  
  
  "timezone": "UTC-5"  
}
```

PUT /admin/system-settings

Purpose: Update system settings

Method: PUT

URI: <https://medical-appointment.onrender.com/admin/system-settings>

Request:

```
{  
  
  "max_daily_appointments": 45,  
  
  "default_appointment_duration": 20  
}
```

Response :

```
{  
  
  "message": "System settings updated",  
  
  "updated_at": "2025-02-03T16:30:00Z"  
  
}
```

GET /admin/feedback

Purpose: Get patient feedback for doctors

Method: GET

URI: <https://medical-appointment.onrender.com/admin/feedback>

Response:

```
[  
  
  {  
  
    "doctor_id": "uuid",  
  
    "patient_name": "John Doe",  
  
    "rating": 5,  
  
    "comment": "Excellent service",  
  
    "date": "2025-02-01T12:00:00Z"  
  
  }  
  
]
```

https://docs.google.com/document/d/1q2RhZVJ4GaTtGE3D_1gZBWJ3Q1uyO4SIJzqhzmMR5Ds/edit?usp=sharing