



ESPE

UNIVERSIDAD DE LAS FUERZAS ARMADAS

INNOVACIÓN PARA LA EXCELENCIA

Advanced Web Development 27819

Workshops #18 Unit 2

NodeJS WebServer

1. ALTAMIRANO PINEDA RICARDO XAVIER 10

```
package.json hellServer.js X
WS10 > hellServer.js > server > http.createServer() callback
1 const http = require('node:http');
2 const hostname = '127.0.0.1';
3 const port = 3001;
4 const server = http.createServer((req, res) => {
5   res.statusCode=200;
6   res.setHeader('Content-Type','text/html');
7   res.end('Hello, <b>Web Developers!</b> from <i>Xavier Altamirano</i>');
8 });
9 server.listen(port, hostname, () => {
10   console.log(`Server Running at http://${hostname}:${port}/`);
11 });

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\h\Documents\vscode> node helloServer.js
}

Node.js v24.11.1
PS C:\Users\h\Documents\vscode> cd .\WS10\
PS C:\Users\h\Documents\vscode\WS10> node helloServer.js
Server Running at http://127.0.0.1:3001/
PS C:\Users\h\Documents\vscode\WS10> nodemon helloServer.js
(nodemon) 3.1.10
(nodemon) to restart at any time, enter "rs"
(nodemon) watching path(s): *.*
(nodemon) watching extensions: js,mjs,cjs,json
(nodemon) starting "node helloServer.js"
Server Running at http://127.0.0.1:3001/

New version of nodemon available!
Current Version: 3.1.10
Latest Version: 3.1.11
```

```
package.json helloServer.js server.mjs X
WS10 > server.mjs > app.get(/) callback
1 import express from "express";
2 const app = express();
3 const port = 3002;
4 app.get('/',(req, res) =>{
5   res.send('Welcome to Xavier Altamirano server');
6 });
7 app.listen(port, () =>{
8   console.log(`Server is running on port ${port}`);
9 });

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\h\Documents\vscode\WS10> npm install express
added 65 packages, and audited 66 packages in 2s
20 packages are looking for funding
run "npm fund" for details

found 0 vulnerabilities
PS C:\Users\h\Documents\vscode\WS10> Set-Location "C:\Users\h\Documents\vscode\WS10";
up to date, audited 66 packages in 637ms
20 packages are looking for funding
run "npm fund" for details

found 0 vulnerabilities
PS C:\Users\h\Documents\vscode\WS10> Set-Location "C:\Users\h\Documents\vscode\WS10"; node server.mjs
Server is running on port 3002
PS C:\Users\h\Documents\vscode\WS10> Set-Location "C:\Users\h\Documents\vscode\WS10"; node server.mjs
Server is running on port 3002
```

2. ANDRADE LUCIO DANNA VALENTINA 9

```
helloServer.js > server > http.createServer() callback
1  const http = require('node:http');
2  const hostname = '127.0.0.1';
3  const port = 3002;
4  const server = http.createServer((req, res) => {
5      res.statusCode = 200;
6      res.setHeader('Content-Type', 'text/html');
7      res.end('Hello, <b>Web Developers! </b> from <i> Danna Andrade</i>');
8  });
9  server.listen(port, hostname, () => {
10     console.log(`Server running at http://${hostname}:${port}/`);
11 }
12 );
13
```

127.0.0.1:3002

Hello, **Web Developers!** from *Danna Andrade*


```
Server.mjs > app.listen() callback
3  const port = 3002;
4
5
6  app.get('/', (req, res) => {
7      res.send('Welcome Danna Server');
8  });
9  app.listen(port, () => {
10     console.log(`Server running at port ${port}`);
11 });
12
```



127.0.0.1:3002

Welcome Danna Server


3. AYUQUINA NAVAS DANNY MATEO 0


4. BAEZ JARAMILLO GABRIEL ALEJANDRO 10







5. BLACIO MACHUCA JULIO CESAR 10







6. CÁCERES VILLAGOMEZ GERMAN PATRICIO 10







7. CAÑARTE GALARZA SARAY ADRIANA 10






8. CEDEÑO CUENCA ANDRES ISAIAS 9





9. CHIRIBOGA CABRERA KERLLY ALEXANDRA 10


Example 1:



Example 2:




10. CORDERO VITERI MARTIN ALEJANDRO 10




11. EGAS JACOME STEVEN DAVID 9






12. GUAYASAMIN HEREDIA JOSUE DANIEL 9





13. LAINEZ SUAREZ RICARDO ANDRES 9



14. LLUMIQUINGA ÑACATO ARIEL JOSE 9


Example 1

```

Bienvenido  helloServer.js  Server.js
helloServer.js >
1  const http = require('node:http');
2  const hostname = '127.0.0.1';
3  const port = 3014;
4  const server = http.createServer((req,res)=>{
5      res.statusCode = 200;
6      res.setHeader('Content-Type', 'text/html');
7      res.end('Hello, <b>web developers!</b> from Ariel Llumiquire');
8  });
9  server.listen(port, hostname, ()=>{
10     console.log('Server running at http://'+hostname+':'+port+'/');
11 });

PROBLEMAS  SALIDA  CONSOLA DE DEPURACIÓN  TERMINAL  PUERTOS
PS C:\Users\ariel\Documents\5 semestre\WEB AVANZADA\w\w\WS18aetServer> npm install -g nodemon
+ nodemon@2.0.13:
+ run 'npm fund' for details
PS C:\Users\ariel\Documents\5 semestre\WEB AVANZADA\w\w\WS18aetServer> nodemon --version
3.1.11
PS C:\Users\ariel\Documents\5 semestre\WEB AVANZADA\w\w\WS18aetServer> nodemon helloServer.js
[nodemon] 3.1.11
[nodemon] to restart at any time, enter 'rs'
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting 'node helloServer.js'
Server running at http://127.0.0.1:3014/

```



Hello, web developers! from Ariel Llumiquire


Example 2

```

Server.js >
1  import express from "express";
2  const app = express();
3  const port = 3014;
4
5
6  app.get('/', (req,res) =>{
7      res.send('Welcome Ariel Server');
8  });
9  app.listen(port, () =>{
10     console.log('Server is running on port '+ port );
11 });

PROBLEMAS  SALIDA  CONSOLA DE DEPURACIÓN  TERMINAL  PUERTOS
PS C:\Users\ariel\Documents\5 semestre\WEB AVANZADA\w\w\WS18aetServer> nodemon --version
3.1.11
PS C:\Users\ariel\Documents\5 semestre\WEB AVANZADA\w\w\WS18aetServer> nodemon helloServer.js
[nodemon] 3.1.11
[nodemon] to restart at any time, enter 'rs'
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting 'node helloServer.js'
Server running at http://127.0.0.1:3014/
PS C:\Users\ariel\Documents\5 semestre\WEB AVANZADA\w\w\WS18aetServer> node Server.mjs
Server is running on port 3014


```




```
PS C:\Users\ariel\Documents\5_semestre\WEB AVANZADA\u2\ws\WS18WebServer> node Server.mjs
Server is running on port 3014
PS C:\Users\ariel\Documents\5_semestre\WEB AVANZADA\u2\ws\WS18WebServer> nodemon Server.mjs
[nodemon] 3.1.11
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node Server.mjs`
Server is running on port 3014
```

15. SANTI CRUZ JEANCARLO JAVIER 10

Example 1:



Example 2:



16. SIMBAÑA RIVADENEIRA MICHAEL STEVEN 10

package.json

JS helloServer.js

JS server.mjs

JS helloServer.js

server > http.createServer() callback

```
1 const http = require('node:http');
2 const hostname = '127.0.0.1';
3
4 const port = 3016;
5
6 const server = http.createServer((req, res) => {
7   res.statusCode = 200;
8   res.setHeader('Content-Type', 'text/html');
9   res.end("Hello, <b>Web Developers!</b> from <i>Michael Simba&ntildea</i>");
10 });
11
12 server.listen(port, hostname, () => {
13   console.log(`Server running at http://${hostname}:${port}/`);
14 });
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

⦿ ombre o, si incluyó una ruta de acceso, compruebe que dicha ruta es correcta e inténtelo de nuevo.
En línea: 1 Carácter: 1
+ nodn helloServer.js
+ ~~~~~
+ CategoryInfo : ObjectNotFound: (nodn:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\H301M\Documents\WS10nodeJSWebServer> node helloServer.js

● PS C:\Users\H301M\Documents\WS10nodeJSWebServer> nodemon helloServer.js^C

○ PS C:\Users\H301M\Documents\WS10nodeJSWebServer> node .\helloServer.js

● Server running at http://127.0.0.1:3016/

PS C:\Users\H301M\Documents\WS10nodeJSWebServer> node .\helloServer.js

● Server running at http://127.0.0.1:3016/

PS C:\Users\H301M\Documents\WS10nodeJSWebServer> node .\helloServer.js

● Server running at http://127.0.0.1:3016/

PS C:\Users\H301M\Documents\WS10nodeJSWebServer> node .\helloServer.js

● Server running at http://127.0.0.1:3016/


PS C:\Users\H301M\Documents\WS10nodeJSWebServer> node .\helloServer.js

○ Server running at http://127.0.0.1:3016/


□

localhost:3016


Hello, Web Developers! from *Michael Simbaña*



17. TUFÍÑO ORTIZ ERICK ALEJANDRO 10



Hello, Web Developers! from *Erick Tufiño*



18. VILLAGOMEZ FREIRE DOMENICA NICOLE 10

