

TEST CASES



The test cases are detailed below, classifying them by class.

Class AnimalCategory

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates category correctly.	Fields assigned correctly.
2	✓	testGetId	ID returns correctly.	Getter works.
3	✓	testGetType	Type returns correctly.	Getter works.
4	✓	testGetDescription	Description returns correctly.	Getter works.
5	✗	testTypeShouldNotBeEmpty	Empty type should fail.	Class allows empty.
6	✗	testDescriptionShouldNotBeNull	Null description expected to fail.	Class allows null.
7	✓	testToStringNotNull	String never null.	Method returns valid string.
8	✗	testInvalidId	Negative ID should fail.	Class accepts negative values.
9	✓	testCategoryEquality	Two categories equal by values.	Works correctly.
10	✗	testCategoryUniquelId	ID expected to auto-increment.	Not implemented.

The screenshot shows an IDE window with the following content:

- Project Explorer:** Shows a project named 'PetshopInventoryControl_v0.2.8' with various source files including 'AnimalCategory.java', 'Customer.java', 'Employee.java', 'Inventory.java', 'Invoice.java', 'Order.java', 'OrderDetail.java', 'Product.java', 'Report.java', and 'Store.java'.
- Source Editor:** Displays the code for 'AnimalCategoryTest.java'. It includes imports for 'org.junit.Test' and 'org.junit.Assert.*'. The code defines a 'public class AnimalCategoryTest' with a constructor 'AnimalCategoryTest()' and a test method 'testConstructorValid()' which creates an 'AnimalCategory' object and asserts its ID, type, and description.
- Test Results:** A panel at the bottom shows the results of the test run. It indicates 'Tests passed: 100.00 %' and lists two passed tests: 'ec.edu.espe.petshop.model.AnimalCategoryTest passed (0.266 s)' and 'testConstructorValid passed (0.017 s)'.



Projects X

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testSetTypeValid() {
18         AnimalCategory ac = new AnimalCategory(id: 2, type: "Ave", description: "Vuelo");
19         ac.setType(type: "Reptil");
20         assertEquals(expected: "Reptil", actual: ac.getType());
21     }
22 }
```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 100.00 %

The test passed. (0.222 s)

- ec.edu.espe.petshop.model.AnimalCategoryTest passed
- testSetTypeValid passed (0.013 s)

Output Test Results

21:6 INS

Projects X

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testSetDescriptionValid() {
18         AnimalCategory ac = new AnimalCategory(id: 3, type: "Mamifero", description: "Doméstico");
19         ac.setDescription(description: "Salvaje");
20         assertEquals(expected: "Salvaje", actual: ac.getDescription());
21     }
22 }
```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 100.00 %

The test passed. (0.281 s)

- ec.edu.espe.petshop.model.AnimalCategoryTest passed
- testSetDescriptionValid passed (0.019 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

Output Test Results

22:1 INS

Projects X

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testToStringValid() {
18         AnimalCategory ac = new AnimalCategory(id: 4, type: "Pez", description: "Agua");
19         assertEquals(expected: "Category: Pez - Agua", actual: ac.toString());
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 100.00 %

The test passed. (0.247 s)

- ec.edu.espe.petshop.model.AnimalCategoryTest passed
- testToStringValid passed (0.02 s)

Output Test Results

20:6 INS

amasUMLESPE

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testSetTypeEmptyString_Fails() {
18         AnimalCategory ac = new AnimalCategory(id: 7, type: "Insecto", description: "Pequeño");
19         ac.setType("");
20         assertEquals("TipoNoVacio", actual: ac.getType()); // FAIL
21     }
22 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.261 s)

- ec.edu.espe.petshop.model.AnimalCategoryTest Failed
 - testSetTypeEmptyString_Fails Failed: expected<TipoNoVacio> but was<>>

Output Test Results 21:6 INS

amasUMLESPE

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testSetDescriptionNull_Fails() {
18         AnimalCategory ac = new AnimalCategory(id: 8, type: "Ave", description: "Vuelo");
19         ac.setDescription(null);
20         assertEquals("DescripcionNoNula", actual: ac.getDescription()); // FAIL
21     }
22 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.288 s)

- ec.edu.espe.petshop.model.AnimalCategoryTest Failed
 - testSetDescriptionNull_Fails Failed: expected<DescripcionNoNula> but was<null>

Output Steven - Chrome 21:6 INS

Source History

```
3  * Click https://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petahop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testToStringWithNulls_Fails() {
18         AnimalCategory ac = new AnimalCategory(id: 9, type: null, description: null);
19         assertEquals("Cualquier cosa", actual: ac.toString()); // FAIL
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.25 s)

ec.edu.espe.petahop.model.AnimalCategoryTest Failed

testToStringWithNulls_Fails Failed: expected:<Cualquier cosa> but was:<C[ategory: null - null]>

Output Test Document 1.docx - Brave 20:6 INS

Source History

```
2  * Click https://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click https://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petahop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class AnimalCategoryTest {
15
16     @Test
17     public void testIdStoredCorrectly_Fails() {
18         AnimalCategory ac = new AnimalCategory(id: 10, type: "Pez", description: "Agua");
19         assertEquals("9999", actual: ac.getId()); // FAIL
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.261 s)

ec.edu.espe.petahop.model.AnimalCategoryTest Failed

testIdStoredCorrectly_Fails Failed: expected:<9999> but was:<10>

Output Test Results 21:2 INS

Class Customer

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates customer.	All fields stored.
2	✓	testGetName	Returns name.	Getter works.
3	✓	testGetPhone	Returns phone.	Getter works.
4	✓	testGetEmail	Returns email.	Getter works.
5	✗	testPhoneNumericValidation	Phone must be numeric.	Class does not validate.
6	✗	testEmailFormat	Email must contain @.	Class does not validate.
7	✗	testNameNotEmpty	Empty name should reject.	Class allows empty.
8	✓	testToStringNotNull	Never returns null.	Always prints data.
9	✗	testUniqueCustomerId	ID must auto-increment.	Not implemented.
10	✓	testConstructorNoCrash	Constructor does not crash.	Stable.

Projects X

amasUMLESPE

forSystem

forSystem

forSystem

System [Rebasing main]

opInventoryControl_v0.2.8 [ms]

source Packages

ec.edu.espe.petshop.control

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

CustomerTest.java [-/A] X

Source History

```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class CustomerTest {
15
16     public CustomerTest() {
17     }
18
19     @Test
```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 100.00 %

The test passed. (0.281 s)

- ec.edu.espe.petshop.model.CustomerTest passed
- testEmptyConstructor_Pass passed (0.018 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

Open Test Results Window

Output Test Results

estebansantiago - Chrome

22:26 INS

Source History

```
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class CustomerTest {
15
16     public CustomerTest() {
17     }
18
19     @Test
20     public void testFullConstructorToString_Pass() {
21         Customer c = new Customer(id: 1, name: "Steven", address: "Quito", phone: "0999999999");
22         assertEquals("Steven (0999999999)", c.toString()); // pass
23     }
24 }
```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 100.00 %

The test passed. (0.28 s)

- ec.edu.espe.petshop.model.CustomerTest passed
- testFullConstructorToString_Pass passed (0.022 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

Open Test Results Window

Output Test Document 1.docx - Brave

23:6 INS

Projects X

amasUMLESPE

forSystem

forSystem

forSystem

System [Rebasing main]

opInventoryControl_v0.2.8 [ms]

source Packages

ec.edu.espe.petshop.control

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

CustomerTest.java [-/A] X

Source History

```
6  package ec.edu.espe.petshop.model;
7
8  import org.junit.Test;
9  import static org.junit.Assert.*;
10
11 /**
12  *
13  * @author Steven Loza @ESPE
14  */
15 public class CustomerTest {
16
17     public CustomerTest() {
18     }
19
20     @Test
21     public void testToStringNotCrash_Pass() {
22         Customer c = new Customer(id: 2, name: "Ana", address: "Loja", phone: "0912345678");
23         assertNotNull("Object: c.toString()", c.toString()); // pass
24     }
25 }
```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 100.00 %

The test passed. (0.27 s)

- ec.edu.espe.petshop.model.CustomerTest passed
- testToStringNotCrash_Pass passed (0.021 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

Open Test Results Window

Output Test Results

23:6 INS

Projects x

amasUMLESPE
torSystem
torSystem
torSystem
System [Rebasing main]
oplInventoryControl_v0.2.8 [m
urce Packages
ec.edu.espe.petshop.control
PetShopMain.java [-/M]
ec.edu.espe.petshop.model
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Store.java [-/M]
Store.java [-/M]

Source History

```
package ec.edu.espe.petshop.model;

import org.junit.Test;
import static org.junit.Assert.*;

/**
 * @author Steven Loza @ESPE
 */
public class CustomerTest {

    public CustomerTest() {
    }

    @Test
    public void testToStringFormat_Pass() {
        Customer c = new Customer(id: 3, name: "Carlos", address: "Cuenca", phone: "0955555555");
        String s = c.toString();
        assertTrue(s.contains("(") && s.contains(")")); // pass
    }
}
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100.00 %

The test passed. (0.277 s)

- ec.edu.espe.petshop.model.CustomerTest passed
- testToStringFormat_Pass passed (0.025 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

Open Test Results Window

Susana - Chrome 25:1 INS

amasUMLESPE
torSystem
torSystem
torSystem
System [Rebasing main]
oplInventoryControl_v0.2.8 [m
urce Packages
ec.edu.espe.petshop.control
PetShopMain.java [-/M]
ec.edu.espe.petshop.model
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Store.java [-/M]
Store.java [-/M]

Source History

```
package ec.edu.espe.petshop.model;

import org.junit.Test;
import static org.junit.Assert.*;

/**
 * @author Steven Loza @ESPE
 */
public class CustomerTest {

    public CustomerTest() {
    }

    @Test
    public void testConstructorNameNull_Fail() {
        Customer c = new Customer(id: 4, name: null, address: "Manta", phone: "0988888888");
        assertEquals(expected: "NoDeberiaSerNull", actual: c.toString());
    }
}
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.234 s)

- ec.edu.espe.petshop.model.CustomerTest Failed
- testConstructorNameNull_Fail Failed: expected:<[NoDeberiaSerNull]> but was:<[null 0988888888]>

Output Test Results Explorador de archivos 26:1 INS

amasUMLESPE
torSystem
torSystem
torSystem
System [Rebasing main]
oplInventoryControl_v0.2.8 [m
urce Packages
ec.edu.espe.petshop.control
PetShopMain.java [-/M]
ec.edu.espe.petshop.model
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Store.java [-/M]
Store.java [-/M]

Source History

```
package ec.edu.espe.petshop.model;

import org.junit.Test;
import static org.junit.Assert.*;

/**
 * @author Steven Loza @ESPE
 */
public class CustomerTest {

    public CustomerTest() {
    }

    @Test
    public void testPhoneMismatch_Fail() {
        Customer c = new Customer(id: 5, name: "Luis", address: "Ambato", phone: "0944444444");
        assertEquals(expected: "Luis (0000000000)", actual: c.toString());
    }
}
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.291 s)

- ec.edu.espe.petshop.model.CustomerTest Failed
- testPhoneMismatch_Fail Failed: expected:<Luis (0000000000)> but was:<Luis (0944444444)>

Output Test Results WhatsApp 23:58 INS

Source History

```
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  * @author Steven Loza @ESPE
12  */
13 public class CustomerTest {
14
15     public CustomerTest() {
16     }
17
18     @Test
19     public void testToStringExactMismatch_Fail() {
20         Customer c = new Customer(id: 6, name: "Maria", address: "Emeraldaa", phone: "0933333333");
21         assertEquals("expected: <MARIA - 0933333333>, actual: <c.toString()>");
22     }
23 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.278 s)

- ec.edu.espe.petshop.model.CustomerTest Failed
 - testToStringExactMismatch_Fail Failed: expected: <MARIA - 0933333333> but was: <Maria 0933333333>

Output Steven - Chrome 22:59 INS

Source History

```
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  * @author Steven Loza @ESPE
12  */
13 public class CustomerTest {
14
15     public CustomerTest() {
16     }
17
18     @Test
19     public void testEmptyConstructorInitializedValues_Fail() {
20         Customer c = new Customer();
21         assertEquals("expected: <Anonimo (0000000000)>, actual: <c.toString()>");
22     }
23 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.335 s)

- ec.edu.espe.petshop.model.CustomerTest Failed
 - testEmptyConstructorInitializedValues_Fail Failed: expected: <Anonimo (0000000000)> but was: <Anonimo (0000000000)>

Output Test Results 21:38 INS

Source History

```
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class CustomerTest {
15
16     public CustomerTest() {
17     }
18
19     @Test
20     public void testToStringNoParenthesis_Fail() {
21         Customer c = new Customer(id: 9, name: "Pedro", address: "Loja", phone: "0991112222");
22
23         assertEquals("Expected: C to String(). Contains: \"()\"");
24     }
25 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.287 s)

- ec.edu.espe.petshop.model.CustomerTest Failed
 - testToStringNoParenthesis_Fail Failed: junit.framework.AssertionFailedError

Output Test Results 23:50 INS

Source History

```
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class CustomerTest {
15
16     public CustomerTest() {
17     }
18
19     @Test
20     public void testIdMismatch_Fail() {
21         Customer c = new Customer(id: 10, name: "Luisa", address: "Quito", phone: "0992223333");
22
23         assertEquals("Expected: \"10 - Luisa\" actual: C.toString()");
24     }
25 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.29 s)

- ec.edu.espe.petshop.model.CustomerTest Failed
 - testIdMismatch_Fail Failed: expected:<\"10 - Luisa\"> but was:<\"Luisa (0992223333)\">

Output Test Results 23:51 INS

Class Employee

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates employee.	Fields stored.
2	✓	testGetUsername	Returns username.	Getter works.
3	✓	testGetRole	Returns role.	Getter works.
4	✓	testPasswordStored	Password is stored.	Getter works.
5	✗	testEmptyPasswordRejected	Empty password should fail.	Class allows empty.
6	✗	testWeakPasswordRejected	Weak (<4 chars) expected fail.	Not validated.
7	✗	testNullUsername	Null username must reject.	Class allows.
8	✓	testToStringNotNull	Always returns text.	toString works.
9	✗	testRoleValidation	Invalid roles should be rejected.	No validation implemented.
10	✓	testConstructorStable	Constructor never crashes.	Stable.

Projects x AnimalCategoryTest.java [-/A] x CustomerTest.java [-/A] x EmployeeTest.java [-/A] x Employee.java [-/M] x

Services
ramasUMLESPE
atorSystem
atorSystem
atorSystem
nSystem [Rebasing main]
hopInventoryControl_v0.2.8 [n]
ource Packages
ec.edu.espe.petshop.contro
PetShopMain.java [-/M]
ec.edu.espe.petshop.model
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
SourceTest.java [-/M]

Source History
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5 */
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12 *
13 * @author Steven Loza @ESPE
14 */
15 public class EmployeeTest {
16
17 @Test
18 public void testLoginCorrecto() {
19 Employee e = new Employee(id: 1, name: "Ana", role: "Manager", username: "ana123", password: "pass123");
20 assertTrue(condition: e.login(user: "ana123", pass: "pass123")); // ✓ PASA
21 }
22 }
Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100.00 %
The test passed. (0.279 s)
ec.edu.espe.petshop.model.EmployeeTest passed
testLoginCorrecto passed (0.014 s)

Services
ramasUMLESPE
atorSystem
atorSystem
atorSystem
nSystem [Rebasing main]
hopInventoryControl_v0.2.8 [n]
ource Packages
ec.edu.espe.petshop.contro
PetShopMain.java [-/M]
ec.edu.espe.petshop.model
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
SourceTest.java [-/M]

Source History
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5 */
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12 *
13 * @author Steven Loza @ESPE
14 */
15 public class EmployeeTest {
16
17 @Test
18 public void testLoginUsuarioIncorrecto() {
19 Employee e = new Employee(id: 2, name: "Luis", role: "Seller", username: "luis", password: "abc123");
20 assertFalse(condition: e.login(user: "Otro", pass: "abc123")); // ✓ PASA
21 }
22 }
Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100.00 %
The test passed. (0.25 s)
ec.edu.espe.petshop.model.EmployeeTest passed
testLoginUsuarioIncorrecto passed (0.016 s)
Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8
Open Test Results Window

Services
ramasUMLESPE
atorSystem
atorSystem
atorSystem
nSystem [Rebasing main]
hopInventoryControl_v0.2.8 [n]
ource Packages
ec.edu.espe.petshop.contro
PetShopMain.java [-/M]
ec.edu.espe.petshop.model
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
SourceTest.java [-/M]

Source History
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5 */
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12 *
13 * @author Steven Loza @ESPE
14 */
15 public class EmployeeTest {
16
17 @Test
18 public void testToStringFormatoCorrecto() {
19 Employee e = new Employee(id: 3, name: "Sara", role: "Admin", username: "sa", password: "p1");
20 assertEquals(expected: "Empleado: Sara | Rol: Admin", actual: e.toString()); // ✓ PASA
21 }
22 }
Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100.00 %
The test passed. (0.286 s)
ec.edu.espe.petshop.model.EmployeeTest passed
testToStringFormatoCorrecto passed (0.022 s)

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class EmployeeTest {
15
16     @Test
17     public void testLoginPasswordIncorrecto() {
18         Employee e = new Employee(id: 4, name: "Mario", role: "Vet", username: "mario", password: "qwertY");
19         assertFalse(condition: e.login(user: "mario", pass: "123456")); // ✓ PASA
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 100.00 %

The test passed. (0.251 s)

- ec.edu.espe.petshop.model.EmployeeTest passed
- testLoginPasswordIncorrecto passed (0.013 s)

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class EmployeeTest {
15
16     @Test
17     public void testLoginConMayusculas() {
18         Employee e = new Employee(id: 5, name: "Lola", role: "Seller", username: "lola", password: "aaalll");
19         assertTrue(condition: e.login(user: "LOLA", pass: "aaalll"));
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.251 s)

- ec.edu.espe.petshop.model.EmployeeTest Failed
- testLoginConMayusculas Failed: junit.framework.AssertionFailedError

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class EmployeeTest {
15
16     @Test
17     public void testToStringErroneo() {
18         Employee e = new Employee(id: 7, name: "Rosa", role: "Admin", username: "z", password: "123");
19         assertEquals(expected: "Empleado Rosa Admin", actual: e.toString()); // ✗ FALLA (formato incorrecto)
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.293 s)

- ec.edu.espe.petshop.model.EmployeeTest Failed
- testToStringErroneo Failed: expected: <Empleado Rosa Admin> but was: <Empleado: Rosa | Admin>

Source History

```

3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class EmployeeTest {
15
16     @Test
17     public void testLoginVacio() {
18         Employee e = new Employee(id: 8, name: "Juan", role: "Cleaner", username: "juanito", password: "xx11");
19         assertTrue(condition: e.login(user: "", pass: ""));
20     }
21 }

```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.28 s)

ec.edu.espe.petshop.model.EmployeeTest Failed

testLoginVacio Failed: junit.framework.AssertionFailedError

Output Steven - Chrome

Source History

```

3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class EmployeeTest {
15
16     @Test
17     public void testLoginConEspacios() {
18         Employee e = new Employee(id: 9, name: "Diego", role: "Staff", username: "diego", password: "654321");
19         assertTrue(condition: e.login(user: "diego ", pass: "654321"));
20     }
21 }

```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.263 s)

ec.edu.espe.petshop.model.EmployeeTest Failed

testLoginConEspacios Failed: junit.framework.AssertionFailedError

Output Steven - Chrome

Projects

Source History

```

3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class EmployeeTest {
15
16     @Test
17     public void testPasswordNullEsperado() {
18         Employee e = new Employee(id: 10, name: "Eva", role: "Manager", username: "eva", password: "admin1");
19         assertTrue(condition: e.login(user: "eva", pass: null)); // X FALLA (null genera false)
20     }
21 }

```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test failed. (0.245 s)


ec.edu.espe.petshop.model.EmployeeTest Failed

testPasswordNullEsperado Failed: junit.framework.AssertionFailedError

Output Test Results

Class Inventory

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates employee.	Fields stored.
2	✓	testGetUsername	Returns username.	Getter works.
3	✓	testGetRole	Returns role.	Getter works.
4	✓	testPasswordStored	Password is stored.	Getter works.
5	✗	testEmptyPasswordRejected	Empty password should fail.	Class allows empty.
6	✗	testWeakPasswordRejected	Weak (<4 chars) expected fail.	Not validated.
7	✗	testNullUsername	Null username must reject.	Class allows.
8	✓	testToStringNotNull	Always returns text.	toString works.
9	✗	testRoleValidation	Invalid roles should be rejected.	No validation implemented.
10	✓	testConstructorStable	Constructor never crashes.	Stable.



Projects x

Services

amasUMLESPE

orSystem

orSystem

orSystem

System [Rebasing main]

opInventoryControl_v0.2.8 [r

urce Packages

ec.edu.espe.petshop.contr

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,327 s)

- ec.edu.espe.petshop.model.InventoryTest passed
- testGetNextProductId passed (0,094 s)

Output Test Results

27:1 INS

Source History

```

9  import org.junit.Test;
10 import static org.junit.Assert.*;
11
12 /**
13  *
14  * @author Steven Loza @ESPE
15  */
16 public class InventoryTest {
17
18     public InventoryTest() {
19     }
20
21     @Test
22     public void testFindProductByNameFound() {
23         Inventory inv = new Inventory();
24         inv.addProduct(new Product(id: "1", name: "Shampoo", price: 8.0, stock: 3, category: "MEDICINE", animal: "Dog", size: "L", brand: "PetClean"));
25         assertNotNull(object: inv.findProductByName(name: "shampoo")); // Pass (case insensitive)
26     }
27

```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,324 s)

- ec.edu.espe.petshop.model.InventoryTest passed
- testFindProductByNameFound passed (0,087 s)

Tests [1] finished successfully for project: PetshopInventoryControl_v0.2.8

Open Test Results Window

26:6 INS

Projects x

Services

amasUMLESPE

orSystem

orSystem

orSystem

System [Rebasing main]

opInventoryControl_v0.2.8 [r

urce Packages

ec.edu.espe.petshop.contr

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,347 s)

- ec.edu.espe.petshop.model.InventoryTest passed
- testFindProductsByNameNoResults passed (0,087 s)

Output Test Results

29:1 INS

Projects x

Services

amasUMLESPE

torSystem

torSystem

torSystem

System [Rebasing main]

oplInventoryControl_v0.2.8

urce Packages

ec.edu.espe.petshop.contr

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.361 s)

ec.edu.espe.petshop.model.InventoryTest Failed

testAddProductNullShouldFail Failed: expected<1> but was<0>

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE

25

27:1 INS

```
10 import org.junit.Test;
11 import static org.junit.Assert.*;
12
13 /**
14  * @author Steven Loza @ESPE
15  */
16 public class InventoryTest {
17
18     public InventoryTest() {
19     }
20
21     @Test
22     public void testAddProductNullShouldFail() {
23         Inventory inv = new Inventory();
24         inv.addProduct(productNull);
25         assertEquals(expected: 1, actual: inv.getProducts().size()); // Falla: real = 0
26     }
27 }
```

Projects x

Services

amasUMLESPE

torSystem

torSystem

torSystem

System [Rebasing main]

oplInventoryControl_v0.2.8

urce Packages

ec.edu.espe.petshop.contr

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100.00 %

The test passed. (0.333 s)

ec.edu.espe.petshop.model.InventoryTest passed

testGetNextProductIdInvalidFormat passed (0.006 s)

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE

25

26:6 INS

```
10 import static org.junit.Assert.*;
11
12 /**
13  * @author Steven Loza @ESPE
14  */
15 public class InventoryTest {
16
17     public InventoryTest() {
18     }
19
20     @Test
21     public void testGetNextProductIdInvalidFormat() {
22         Inventory inv = new Inventory();
23         inv.addProduct(new Product(id: "ABC", name: "Pelota", price: 2.0, stock: 5, category: "TOY", animal: "Dog", size: "M", brand: "PlayPet"));
24         assertEquals(expected: 1, actual: inv.getNextProductId()); // Falla: getNextProductId ignora error y retorna 2
25     }
26 }
```

Projects x

Services

amasUMLESPE

torSystem

torSystem

torSystem

System [Rebasing main]

oplInventoryControl_v0.2.8

urce Packages

ec.edu.espe.petshop.contr

PetShopMain.java [-/M]

ec.edu.espe.petshop.model

AnimalCategory.java

Customer.java [-/M]

Employee.java [-/M]

Inventory.java [-/M]

Invoice.java [-/M]

Order.java [-/M]

OrderDetail.java [-/M]

Product.java [-/M]

Report.java [-/M]

Store.java [-/M]

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.427 s)

ec.edu.espe.petshop.model.InventoryTest Failed




testFindProductByNameExpectMultiple Failed: expected null, but was<ID: 1|Hueso |Animal: Dog>

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE

25

27:6 INS

```
10 import static org.junit.Assert.*;
11
12 /**
13  * @author Steven Loza @ESPE
14  */
15 public class InventoryTest {
16
17     public InventoryTest() {
18     }
19
20     @Test
21     public void testFindProductByNameExpectMultiple() {
22         Inventory inv = new Inventory();
23         inv.addProduct(new Product(id: "1", name: "Hueso", price: 1.0, stock: 5, category: "FOOD", animal: "Dog", size: "S", brand: "BoseCo"));
24         inv.addProduct(new Product(id: "2", name: "Hueso", price: 2.0, stock: 5, category: "FOOD", animal: "Dog", size: "M", brand: "BoseCo"));
25         assertNull(object: inv.findProductByName(name: "Hueso")); // Falla: siempre encuentra uno
26     }
27 }
```



Clase Invoice

Projects x ... EmployeeTest.java x Employee.java x InventoryTest.java x InvoiceTest.java x Invoice.java x Customer.java x

Source History

```
1 /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5 package ec.edu.espe.petshop.model;
6
7 import java.util.Date;
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12  *
13  * @author Steven Loza @ESPE
14  */
15 public class InvoiceTest {
16
17     @Test
18     void testToStringCorrecto() {
19         Customer c = new Customer(id: 1, name: "Juan", address: "099", phone: "correo@x.com");
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test caused an error. (0.281 s)

- ec.edu.espe.petshop.model.InvoiceTest Failed
- InitializationError caused an ERROR: Invalid test class 'ec.edu.espe.petshop.model.InvoiceTest'

Output Test Results

Projects x ... EmployeeTest.java x Employee.java x InventoryTest.java x InvoiceTest.java x Invoice.java x Customer.java x

Source History

```
1 /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5 package ec.edu.espe.petshop.model;
6
7 import java.util.Date;
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12  *
13  * @author Steven Loza @ESPE
14  */
15 public class InvoiceTest {
16
17     @Test
18     void testCreationInvoiceDatos() {
19         Customer c = new Customer(id: 2, name: "Ana", address: "088", phone: "ana@x.com");
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test caused an error. (0.432 s)

- ec.edu.espe.petshop.model.InvoiceTest Failed
- InitializationError caused an ERROR: Invalid test class 'ec.edu.espe.petshop.model.InvoiceTest'

Output Test Results

Projects x ... EmployeeTest.java x Employee.java x InventoryTest.java x InvoiceTest.java x Invoice.java x Customer.java x

Source History

```
1 /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5 package ec.edu.espe.petshop.model;
6
7 import java.util.Date;
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12  *
13  * @author Steven Loza @ESPE
14  */
15 public class InvoiceTest {
16
17     @Test
18     void testTotalIncorrectoEsperado() {
19         Customer c = new Customer(id: 3, name: "Paul", address: "0991", phone: "paul@x.com");
```

Test Results



PetshopInventoryControl_v0.2.8

Tests passed: 0.00 %

No test passed, 1 test caused an error. (0.283 s)




- ec.edu.espe.petshop.model.InvoiceTest Failed
- InitializationError caused an ERROR: Invalid test class 'ec.edu.espe.petshop.model.InvoiceTest'

Output Test Results



Class Order

Nº	Status	Test Name	Description	Reason
1	✓	testAddProduct	Adds product.	List updated.
2	✓	testFindProductByName	Search works.	Matches substring.
3	✓	testModifyProduct	Modifies product.	Method updates fields.
4	✓	testShowInventoryNotNull	Inventory prints.	Works.
5	✓	testJsonLoad	Loads JSON correctly.	Parsing correct.
6	✓	testJsonSave	Saves JSON correctly.	Write works.
7	✗	testNegativeStockRejected	Negative stock must fail.	Allows negative.
8	✗	testDeleteProduct	Expected deletion feature.	Not implemented.
9	✗	testDuplicateProductPrevention	Should avoid duplicates.	Allows duplicates.
10	✗	testInvalidFilePath	Invalid path must throw.	Method silently continues.



Projects x ...[A] Employee.java [-/M] x InventoryTest.java [-/A] x InvoiceTest.java [-/A] x Invoice.java [-/M] x Customer.java [-/M] x OrderTest.java [-/A] x Order.java... < > ▾

Services
igramasUMLESPE
vatorSystem
vatorSystem
vatorSystem
mSystem (Rebasing main)
tshopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.cor
PetShopMain.java [-/]
ec.edu.espe.petshop.mo
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Companion.java [-/A]

Source History
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
o.edu.espe.petshop.model;
va.util.Date;
g.junit.Test;
atic org.junit.Assert.*;
r Steven Loza @ESPE
ass OrderTest {
ic void testNegativeSubtotalShouldFail() {
ider o = new Order();
roduct p = makeProduct(-5.0);

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0.00 %
No test passed, 1 test caused an error. (0.25 s)
ec.edu.espe.petshop.model.OrderTest Failed
testNegativeSubtotalShouldFail caused an ERROR: Not supported yet.

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE
25 17:10 INS

Services
igramasUMLESPE
vatorSystem
vatorSystem
vatorSystem
mSystem (Rebasing main)
tshopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.cor
PetShopMain.java [-/]
ec.edu.espe.petshop.mo
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Companion.java [-/A]

Source History
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
* Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
package ec.edu.espe.petshop.model;
import java.util.Date;
import org.junit.Test;
import static org.junit.Assert.*;
/**
 * @author Steven Loza @ESPE
 */
public class OrderTest {
@Test
public void testLargeValues() {
Order o = new Order();
Product p = makeProduct(1000.0);

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0.00 %
No test passed, 1 test caused an error. (0.254 s)
ec.edu.espe.petshop.model.OrderTest Failed
testLargeValues caused an ERROR: Not supported yet.

Output Test Results
26:1 INS



Projects x ...[A] Employee.java [-/M] x InventoryTest.java [-/A] x InvoiceTest.java [-/A] x Invoice.java [-/M] x Customer.java [-/M] x OrderTest.java [-/A] x Order.java... < > ▾

Services
igramasUMLESPE
vatorSystem
vatorSystem
vatorSystem
mSystem (Rebasing main)
tshopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.cor
PetShopMain.java [-/]
ec.edu.espe.petshop.mo
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Companion.java [-/A]

Source History
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
* Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
package ec.edu.espe.petshop.model;
import java.util.Date;
import org.junit.Test;
import static org.junit.Assert.*;
/**
 * @author Steven Loza @ESPE
 */
public class OrderTest {
@Test
public void testDetailsListNullShouldFail() {
Order o = new Order();
// o.toString() nunca será null => este test falla




Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0.00 %
No test passed, 1 test failed. (0.29 s)
ec.edu.espe.petshop.model.OrderTest Failed
testDetailsListNullShouldFail Failed: expected null, but was: <Pedido #0 | Cliente: null | Total: \$0.00>

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE
25 23:6 INS



Class OrderDetail

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates invoice.	Fields assigned.
2	✓	testAddDetail	Adds line item.	Works.
3	✓	testGetTotal	Totals calculated.	Works.
4	✗	testTotalWithNegativePrice	Negative price should fail.	No validation.
5	✓	testDateStored	Date saved correctly.	Field assigned.
6	✓	testCustomerLinked	Customer assigned correctly.	Works.
7	✗	testEmptyDetailList	Expected error.	Allows empty invoice.
8	✓	testToString	Invoice formatted.	Correct.
9	✗	testRoundingTwoDecimals	Expected rounding.	Not implemented.
10	✗	testTaxCalculation	Expected IVA auto-calc.	Not implemented.



Projects X ... InvoiceTest.java [-/A] X Invoice.java [-/M] X Customer.java [-/M] X OrderTest.java [-/A] X Order.java [-/M] X OrderDetailTest.java [-/A] X

Source History

```

6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class OrderDetailTest {
15
16     public OrderDetailTest() {
17     }
18
19     @Test
20     public void testFailToStringMissingProduct() {
21         Product p = new Product(id: "P7", name: "Collar", price: 6.0, stock: 4, category: "Acc", animal: "Dog", size: "S", brand: "Brand");
22         OrderDetail od = new OrderDetail(product: p, quantity: 1);
23         assertEquals("x1 = $6.0", actual: od.toString());
24     }
25

```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 0.00 %

No test passed, 1 test failed. (0.273 s)

- ec.edu.espe.petshop.model.OrderDetailTest Failed
 - testFailToStringMissingProduct Failed: expected:<[x1 = \$6.0]> but was:<[ID: P7] Collar | Animal

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE 25

Projects X ... InvoiceTest.java [-/A] X Invoice.java [-/M] X Customer.java [-/M] X OrderTest.java [-/A] X Order.java [-/M] X OrderDetailTest.java [-/A] X

Source History

```

6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class OrderDetailTest {
15
16     public OrderDetailTest() {
17     }
18
19     @Test
20     public void testFailWrongSubtotalWithDecimal() {
21         Product p = new Product(id: "P8", name: "Camisa", price: 7.5, stock: 9, category: "Wear", animal: "Dog", size: "L", brand: "Brand");
22         OrderDetail od = new OrderDetail(product: p, quantity: 2);
23         assertEquals("expected: 10.0, actual: od.getSubtotal()", od.getSubtotal());
24     }
25

```

Test Results

PetshopInventoryControl_v0.2.8 X

Tests passed: 0.00 %

No test passed, 1 test failed. (0.272 s)

- ec.edu.espe.petshop.model.OrderDetailTest Failed
 - testFailWrongSubtotalWithDecimal Failed: Use assertEquals(expected, actual, delta) to compare

Output Test Results

246 INS

Projects X ... InvoiceTest.java [-/A] X Invoice.java [-/M] X Customer.java [-/M] X OrderTest.java [-/A] X Order.java [-/M] X OrderDetailTest.java [-/A] X

Source History

```

6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class OrderDetailTest {
15
16     public OrderDetailTest() {
17     }
18
19     @Test
20     public void testFailQuantityReturnedWrong() {
21         Product p = new Product(id: "P9", name: "Champu", price: 8.0, stock: 6, category: "Care", animal: "Dog", size: "M", brand: "Brand");
22         OrderDetail od = new OrderDetail(product: p, quantity: 3);
23         assertTrue("condition: od.toString().contains(: \"x5\")", od.toString().contains("x5"));
24     }
25

```

Test Results

PetshopInventoryControl_v0.2.8 X


Tests passed: 0.00 %

No test passed, 1 test failed. (0.259 s)

- ec.edu.espe.petshop.model.OrderDetailTest Failed
 - testFailQuantityReturnedWrong Failed: junit.framework.AssertionFailedError




Output Test Results




246 INS



Class Product

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstruct	Creates detail.	Works.
2	✓	testGetSubtotal	Subtotal correct.	price * qty.
3	✗	testZeroPriceReje	Should fail.	Allows zero.
4	✗	testNegativeQtyR	Should fail.	Allows negative.
5	✓	testLinkedProduct	Product stored.	Works.
6	✓	testQuantityStore	Stores quantity.	Works.
7	✗	testPriceValidatio	Reject negative price.	Not validated.
8	✓	testToStringNotNu	Never null.	Works.
9	✗	testSubtotalRoun	Expected rounding.	Not implemented.
10	✓	testConstructorSt	Stable.	OK.





Projects x
...[M] Customer.java [-/M] x OrderTest.java [-/A] x Order.java [-/M] x OrderDetailTest.java [-/A] x Product.java [-/M] x ProductTest.java [-/A] x

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class ProductTest {
15
16     @Test
17     public void testFailToStringWithoutBrand() {
18         Product p = new Product(id: "P7", name: "Cepillo", price: 4.0, stock: 3, category: "CARE", animal: "Dog", size: "M", brand: "BrandD");
19         assertEquals(expected: "Cepillo - $4.0 - Stock: 3", actual: p.toString());
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.268 s)

ec.edu.espe.petshop.model.ProductTest Failed

testFailToStringWithoutBrand Failed: expected:<Cepillo - \$4.0 - Stock: 3> but was:<ID: P7| Ce

Projects x
...[M] Customer.java [-/M] x OrderTest.java [-/A] x Order.java [-/M] x OrderDetailTest.java [-/A] x Product.java [-/M] x ProductTest.java [-/A] x

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class ProductTest {
15
16     @Test
17     public void testFailCategoryUppercase() {
18         Product p = new Product(id: "P8", name: "Collar", price: 6.0, stock: 4, category: "Acc", animal: "Dog", size: "S", brand: "BrandE");
19         assertEquals(expected: "ACC", actual: p.getCategory());
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.261 s)

ec.edu.espe.petshop.model.ProductTest Failed

testFailCategoryUppercase Failed: expected:<A(CC)> but was:<A(cc)>

Projects x
...[M] Customer.java [-/M] x OrderTest.java [-/A] x Order.java [-/M] x OrderDetailTest.java [-/A] x Product.java [-/M] x ProductTest.java [-/A] x

Source History

```
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class ProductTest {
15
16     @Test
17     public void testFailNullNameExpected() {
18         Product p = new Product(id: "P9", name: null, price: 10.0, stock: 0, category: "FOOD", animal: "Dog", size: "M", brand: "BrandX");
19         assertEquals(expected: "TestName", actual: p.getName());
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.3 s)

ec.edu.espe.petshop.model.ProductTest Failed

testFailNullNameExpected Failed: expected:<TestName> but was:<null>

Projects x
...[M] Customer.java [-/M] x OrderTest.java [-/A] x Order.java [-/M] x OrderDetailTest.java [-/A] x Product.java [-/M] x ProductTest.java [-/A] x

Services
atorSystem
hopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.conti
PetShopMain.java [-/M]
ec.edu.espe.petshop.mod
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.utils
ec.edu.espe.petshop.utils




Source History
3
4
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11 *
12 * @author Steven Loza @SESPE
13 */
14 public class ProductTest {
15
16 @Test
17 public void testFailIdMustBeInteger() {
18 Product p = new Product(id: "ABC1", name: "Pelota", price: 3.0, stock: 2, category: "TOY", animal: "Dog", size: "S", brand: "BrandV");
19 assertEquals(expected: "1", actual: p.getId());
20
21 }
22

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0.00 %
No test passed, 1 test failed. (0.234 s)
ec.edu.espe.petshop.model.ProductTest Failed
testFailIdMustBeInteger Failed: expected:<1> but was:<ABC1>

Output Test Results
206 INS

Class Report

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstruct or	Creates detail.	Works.
2	✓	testGetSubtotal	Subtotal correct.	price * qty.
3	✗	testZeroPriceRejec ted	Should fail.	Allows zero.
4	✗	testNegativeQtyRe jected	Should fail.	Allows negative.
5	✓	testLinkedProduct	Product stored.	Works.
6	✓	testQuantityStored	Stores quantity.	Works.
7	✗	testPriceValidation	Reject negative price.	Not validated.
8	✓	testToStringNotNull	Never null.	Works.
9	✗	testSubtotalRoundi ng	Expected rounding.	Not implemented.
10	✓	testConstructorSta ble	Stable.	OK.



Projects x
vsnSystem
vsnSystem (Rebasing main)
vsnSystemControl_v0.2.8
Source Packages
ec.edu.espe.petshop.com
PetShopMain.java
ec.edu.espe.petshop.mo
AnimalCategory.java
Customer.java
Employee.java
Inventory.java
Invoice.java
Order.java
OrderDetail.java
Product.java
Report.java
Store.java
Supplier.java
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
1 2 /*
3 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5 */
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10 import static org.junit.jupiter.api.Assertions.assertDoesNotThrow;
11
12 /**
13 *
14 * @author Steven Loza @ESPE
15 */
16 public class ReportTest {
17
18 @Test
19 public void testMultipleReports() {
20 Inventory inv = new Inventory();
21
22 }
23 }
24 }
25 }
26 }
27 }
28 }
29 }
30 }
31 }
32 }
33 }
34 }
35 }
36 }
37 }
38 }
39 }
40 }
41 }
42 }
43 }
44 }
45 }
46 }
47 }
48 }
49 }
50 }
51 }
52 }
53 }
54 }
55 }
56 }
57 }
58 }
59 }
60 }
61 }
62 }
63 }
64 }
65 }
66 }
67 }
68 }
69 }
70 }
71 }
72 }
73 }
74 }
75 }
76 }
77 }
78 }
79 }
80 }
81 }
82 }
83 }
84 }
85 }
86 }
87 }
88 }
89 }
90 }
91 }
92 }
93 }
94 }
95 }
96 }
97 }
98 }
99 }
100 }

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100.00 %
The test passed. (0.329 s)
ec.edu.espe.petshop.model.ReportTest passed
testMultipleReports passed (0.096 s)
--- REPORTE DE INVENTARIO ---
--- INVENTARIO ---
No hay productos en el inventario.
--- REPORTE DE INVENTARIO ---
Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8
Open Test Results Window
24:6 INS

Projects x
vsnSystem
vsnSystem (Rebasing main)
vsnSystemControl_v0.2.8
Source Packages
ec.edu.espe.petshop.com
PetShopMain.java
ec.edu.espe.petshop.mo
AnimalCategory.java
Customer.java
Employee.java
Inventory.java
Invoice.java
Order.java
OrderDetail.java
Product.java
Report.java
Store.java
Supplier.java
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util




Source History
1 2 /*
3 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5 */
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10 import static org.junit.jupiter.api.Assertions.assertDoesNotThrow;
11
12 /**
13 *
14 * @author Steven Loza @ESPE
15 */
16 public class ReportTest {
17
18 @Test
19 public void testFailReportExpectedNull() {
20 Report r = new Report();
21
22 }
23 }
24 }
25 }
26 }
27 }
28 }
29 }
30 }
31 }
32 }
33 }
34 }
35 }
36 }
37 }
38 }
39 }
40 }
41 }
42 }
43 }
44 }
45 }
46 }
47 }
48 }
49 }
50 }
51 }
52 }
53 }
54 }
55 }
56 }
57 }
58 }
59 }
60 }
61 }
62 }
63 }
64 }
65 }
66 }
67 }
68 }
69 }
70 }
71 }
72 }
73 }
74 }
75 }
76 }
77 }
78 }
79 }
80 }
81 }
82 }
83 }
84 }
85 }
86 }
87 }
88 }
89 }
90 }
91 }
92 }
93 }
94 }
95 }
96 }
97 }
98 }
99 }
100 }

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0.00 %
No test passed, 1 test failed. (0.279 s)
ec.edu.espe.petshop.model.ReportTest Failed
testFailReportExpectedNull Failed: expected null, but was: ec.edu.espe.petshop.model.ReportTest
21:6 INS

Projects x
vsnSystem
vsnSystem (Rebasing main)
vsnSystemControl_v0.2.8
Source Packages
ec.edu.espe.petshop.com
PetShopMain.java
ec.edu.espe.petshop.mo
AnimalCategory.java
Customer.java
Employee.java
Inventory.java
Invoice.java
Order.java
OrderDetail.java
Product.java
Report.java
Store.java
Supplier.java
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
1 2 /*
3 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5 */
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10 import static org.junit.jupiter.api.Assertions.assertDoesNotThrow;
11
12 /**
13 *
14 * @author Steven Loza @ESPE
15 */
16 public class ReportTest {
17
18 @Test
19 public void testFailInventoryNotEmpty() {
20 Inventory inv = new Inventory();
21
22 }
23 }
24 }
25 }
26 }
27 }
28 }
29 }
30 }
31 }
32 }
33 }
34 }
35 }
36 }
37 }
38 }
39 }
40 }
41 }
42 }
43 }
44 }
45 }
46 }
47 }
48 }
49 }
50 }
51 }
52 }
53 }
54 }
55 }
56 }
57 }
58 }
59 }
60 }
61 }
62 }
63 }
64 }
65 }
66 }
67 }
68 }
69 }
70 }
71 }
72 }
73 }
74 }
75 }
76 }
77 }
78 }
79 }
80 }
81 }
82 }
83 }
84 }
85 }
86 }
87 }
88 }
89 }
90 }
91 }
92 }
93 }
94 }
95 }
96 }
97 }
98 }
99 }
100 }

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0.00 %
No test passed, 1 test failed. (0.34 s)
ec.edu.espe.petshop.model.ReportTest Failed
testFailInventoryNotEmpty Failed: expected <0> but was <1>
22:6 INS



Projects x ...

Source Packages

ec.edu.espe.petshop.com

PetShopMain.java

ec.edu.espe.petshop.mo

AnimalCategory.java

Customer.java

Employee.java

Inventory.java

Invoice.java

Order.java

OrderDetail.java

Product.java

ReportTest.java

Store.java

Supplier.java

ec.edu.espe.petshop.util

ec.edu.espe.petshop.util

OrderTest.java

Order.java

OrderDetailTest.java

Product.java

ProductTest.java

ReportTest.java

```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9  import static org.junit.jupiter.api.Assertions.assertDoesNotThrow;
10
11
12  /**
13   * @author Steven Losa @ESPE
14   */
15  public class ReportTest {
16
17      @Test
18      public void testFailWrongInventoryReference() {
19          Inventory inv = new Inventory();
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0,329 s)

ec.edu.espe.petshop.model.ReportTest failed

testFailWrongInventoryReference failed: expected same:<ec.edu.espe.petshop.model.Inventory

--- REPORTE DE INVENTARIO ---

--- INVENTARIO ---

No hay productos en el inventario.

Output Test Results

246 INS

Class Store

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates detail.	Works.
2	✓	testGetSubtotal	Subtotal correct.	price * qty.
3	✗	testZeroPriceRejected	Should fail.	Allows zero.
4	✗	testNegativeQtyRejected	Should fail.	Allows negative.
5	✓	testLinkedProduct	Product stored.	Works.
6	✓	testQuantityStored	Stores quantity.	Works.
7	✗	testPriceValidation	Reject negative price.	Not validated.
8	✓	testToStringNotNull	Never null.	Works.
9	✗	testSubtotalRounding	Expected rounding.	Not implemented.
10	✓	testConstructorStable	Stable.	OK.

Projects x
evatorSystem
rmSystem [Rebasing main]
PetshopInventoryControl_v0.2
Source Packages
ec.edu.espe.petshop.com
ec.edu.espe.petshop.mc
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
2
3 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12 * @author Steven Loza @ESPE
13 */
14 public class StoreTest {
15
16 @Test
17 public void testToStringShowsName() {
18 Store store = new Store(name: "MiTienda");
19 assertTrue(condition: store.toString().contains("MiTienda"));
20 }
21 }
22

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100,00 %
The test passed. (0,314 s)
ec.edu.espe.petshop.model.StoreTest passed
testToStringShowsName passed (0,076 s)
Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8
Open Test Results Window
20:6 INS

Projects x
evatorSystem
rmSystem [Rebasing main]
PetshopInventoryControl_v0.2
Source Packages
ec.edu.espe.petshop.com
ec.edu.espe.petshop.mc
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
2
3 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12 * @author Steven Loza @ESPE
13 */
14 public class StoreTest {
15
16 @Test
17 public void testInventoryNotNull() {
18 Store store = new Store(name: "PetShop");
19 assertNotNull(object: store.getInventory());
20 }
21 }
22

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100,00 %
The test passed. (0,322 s)
ec.edu.espe.petshop.model.StoreTest passed
testInventoryNotNull passed (0,004 s)
Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8
Open Test Results Window
20:6 INS

Projects x
evatorSystem
rmSystem [Rebasing main]
PetshopInventoryControl_v0.2
Source Packages
ec.edu.espe.petshop.com
ec.edu.espe.petshop.mc
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
2
3 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
5
6 package ec.edu.espe.petshop.model;
7
8 import org.junit.Test;
9 import static org.junit.Assert.*;
10
11 /**
12 * @author Steven Loza @ESPE
13 */
14 public class StoreTest {
15
16 @Test
17 public void testAddEmployee() {
18 Store store = new Store(name: "PetShop");
19 Employee e = new Employee(i: 1, name: "Luis", cIaveID: "1234", vendedor: "Vendedor");
20 store.addEmployee(e);
21 }
22

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 0,00 %
No test passed, 1 test caused an error. (0,319 s)
ec.edu.espe.petshop.model.StoreTest Failed
testAddEmployee caused an ERROR: Not supported yet.
1 22:6 INS

Projects x ... OrderDetailTest.java x Product.java x ProductTest.java x ReportTest.java x Store.java x StoreTest.java x

Source History

```
2 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4 */
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class StoreTest {
15
16     @Test
17     public void testAddCustomer() {
18         Store store = new Store(name: "PetShop");
19         Customer c = new Customer(id: 1, name: "Ana", address: "0995", phone: "Quito");
20         store.addCustomer(c);
21     }
22 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100.00 %

The test passed. (0.323 s)

- ec.edu.espe.petshop.model.StoreTest passed
- testAddCustomer passed (0.081 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

Open Test Results Window

Output Test Results

22:6 INS

Projects x ... OrderDetailTest.java x Product.java x ProductTest.java x ReportTest.java x Store.java x StoreTest.java x

Source History

```
2 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4 */
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class StoreTest {
15
16     @Test
17     public void testEmployeeNotEmptyFails() {
18         Store store = new Store(name: "PetShop");
19         assertFalse(condition: store.toString().isEmpty()); // pass
20         // test que falla: se espera empleado NO vacio
21     }
22 }
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0.00 %

No test passed, 1 test failed. (0.306 s)

- ec.edu.espe.petshop.model.StoreTest Failed
- testEmployeeNotEmptyFails Failed: junit.framework.AssertionFailedError

Output Test Results

22:6 INS

Projects x ... OrderDetailTest.java x Product.java x ProductTest.java x ReportTest.java x Store.java x StoreTest.java x

Source History

```
2 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4 */
5 package ec.edu.espe.petshop.model;
6
7 import org.junit.Test;
8 import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class StoreTest {
15
16     @Test
17     public void testInventoryIsNullFails() {
18         Store store = new Store(name: "PetShop");
19         assertNull(object: store.getInventory());
20     }
21 }
```

Test Results

PetshopInventoryControl_v0.2.8 x




Tests passed: 0.00 %

No test passed, 1 test failed. (0.38 s)

- ec.edu.espe.petshop.model.StoreTest Failed
- testInventoryIsNullFails Failed: expected null, but was: ec.edu.espe.petshop.model.Inventory@...

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE

25 20:6 INS



Class Supplier

Nº	Status	Test Name	Description	Reason
1	✓	testValidConstructor	Creates detail.	Works.
2	✓	testGetSubtotal	Subtotal correct.	price * qty.
3	✗	testZeroPriceRejected	Should fail.	Allows zero.
4	✗	testNegativeQtyRejected	Should fail.	Allows negative.
5	✓	testLinkedProduct	Product stored.	Works.
6	✓	testQuantityStored	Stores quantity.	Works.
7	✗	testPriceValidation	Reject negative price.	Not validated.
8	✓	testToStringNotNull	Never null.	Works.
9	✗	testSubtotalRounding	Expected rounding.	Not implemented.
10	✓	testConstructorStable	Stable.	OK.

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1 1 /*
2 2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3 3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4 4  */
5 5 package ec.edu.espe.petshop.model;
6 6
7 7 import org.junit.Test;
8 8 import static org.junit.Assert.*;
9 9
10 10 /**
11 11  *
12 12  * @author Steven Loza @ESPE
13 13  */
14 14 public class SupplierTest {
15 15
16 16     @Test
17 17     public void test1ConstructorValid() {
18 18         Supplier s = new Supplier(id: 1, name: "DogFood", contact: "Carlos", phone: "0999999999");
19 19         boolean result = s.toString().contains("DogFood");
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,275 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test1ConstructorValid passed (0,027 s)

Test 1: PASA

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE 25 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1 1 /*
2 2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3 3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4 4  */
5 5 package ec.edu.espe.petshop.model;
6 6
7 7 import org.junit.Test;
8 8 import static org.junit.Assert.*;
9 9
10 10 /**
11 11  *
12 12  * @author Steven Loza @ESPE
13 13  */
14 14 public class SupplierTest {
15 15
16 16     @Test
17 17     public void test2ConstructorNullName() {
18 18         Supplier s = new Supplier(id: 2, name: null, contact: "Pedro", phone: "0888888888");
19 19         boolean result = s.toString().contains("null");
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,254 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test2ConstructorNullName passed (0,027 s)

Test 2: PASA

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

Output Test Results 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1 1 /*
2 2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3 3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4 4  */
5 5 package ec.edu.espe.petshop.model;
6 6
7 7 import org.junit.Test;
8 8 import static org.junit.Assert.*;
9 9
10 10 /**
11 11  *
12 12  * @author Steven Loza @ESPE
13 13  */
14 14 public class SupplierTest {
15 15
16 16     @Test
17 17     public void test3ConstructorEmptyContact() {
18 18         Supplier s = new Supplier(id: 3, name: "CatFood", contact: "", phone: "0777777777");
19 19         boolean result = s.toString().contains("Contacto: ");
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,248 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test3ConstructorEmptyContact passed (0,018 s)

Test 3: PASA

Output Test Results 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Services
storSystem
System (Releasing main)
hopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.cont
PetShopMain.java [-/M]
ec.edu.espe.petshop.mod
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
 */
package ec.edu.espe.petshop.model;

import org.junit.Test;
import static org.junit.Assert.*;

/**
 *
 * @author Steven Loza @ESPE
 */
public class SupplierTest {

 @Test
 public void test4InvalidPhoneFails() {
 Supplier s = new Supplier(id: 4, name: "PetCo", contact: "Luis", phone: "abc123");
 boolean result = false;
 }
}

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100,00 %
The test passed. (0,291 s)
ec.edu.espe.petshop.model.SupplierTest passed
test4InvalidPhoneFails passed (0,024 s)
Test 4: FALLA
Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8
Open Test Results Window
Output Test Results 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Services
storSystem
System (Releasing main)
hopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.cont
PetShopMain.java [-/M]
ec.edu.espe.petshop.mod
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
 */
package ec.edu.espe.petshop.model;

import org.junit.Test;
import static org.junit.Assert.*;

/**
 *
 * @author Steven Loza @ESPE
 */
public class SupplierTest {

 @Test
 public void test5ToStringCorrectFormatFails() {
 Supplier s = new Supplier(id: 5, name: "MegaPets", contact: "Mario", phone: "0123456789");
 boolean result = s.toString().equals(anObject: "FormatoIncorrecto");
 }
}

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100,00 %
The test passed. (0,212 s)
ec.edu.espe.petshop.model.SupplierTest passed
test5ToStringCorrectFormatFails passed (0,016 s)
Test 5: FALLA
PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE 25 (1) 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Services
storSystem
System (Releasing main)
hopInventoryControl_v0.2.8
Source Packages
ec.edu.espe.petshop.cont
PetShopMain.java [-/M]
ec.edu.espe.petshop.mod
AnimalCategory.java
Customer.java [-/M]
Employee.java [-/M]
Inventory.java [-/M]
Invoice.java [-/M]
Order.java [-/M]
OrderDetail.java [-/M]
Product.java [-/M]
Report.java [-/M]
Store.java [-/M]
Supplier.java [-/M]
ec.edu.espe.petshop.util
ec.edu.espe.petshop.util

Source History
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
 * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
 */
package ec.edu.espe.petshop.model;

import org.junit.Test;
import static org.junit.Assert.*;

/**
 *
 * @author Steven Loza @ESPE
 */
public class SupplierTest {

 @Test
 public void test6NameStoredCorrectly() {
 Supplier s = new Supplier(id: 6, name: "FishCorp", contact: "Ana", phone: "099111222");
 boolean result = s.toString().contains("FishCorp");
 }
}

Test Results
PetshopInventoryControl_v0.2.8 x
Tests passed: 100,00 %
The test passed. (0,251 s)
ec.edu.espe.petshop.model.SupplierTest passed
test6NameStoredCorrectly passed (0,024 s)
Test 6: PASA
Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8
Open Test Results Window
Output Test Results 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class SupplierTest {
15
16     @Test
17     public void test7ToStingFailsRandom() {
18         Supplier s = new Supplier(id: 7, name: "Random", contact: "Test", phone: "0000000");
19         boolean result = false;
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 100,00 %

The test passed: (0,251 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test7ToStingFailsRandom passed (0,017 s)

Test 7: FALLA

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

Output Test Results

22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class SupplierTest {
15
16     @Test
17     public void test8ContactStoredCorrectly() {
18         Supplier s = new Supplier(id: 8, name: "BirdCorp", contact: "Lucia", phone: "099999999");
19         boolean result = s.toString().contains("Lucia");
```

Test Results

PetshopInventoryControl_v0.2.8

Tests passed: 100,00 %

The test passed: (0,232 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test8ContactStoredCorrectly passed (0,024 s)

Test 8: PASA

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE

25 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class SupplierTest {
15
16     @Test
17     public void test9PhoneMissingFails() {
18         Supplier s = new Supplier(id: 9, name: "HorseCorp", contact: "Jorge", phone: null);
19         boolean result = false;
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,258 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test9PhoneMissingFails passed (0,02 s)

Test 9: FALLA

Output Test Results 22:6 INS

Projects x ...[M] ProductTest.java [-/A] x ReportTest.java [-/A] x Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x

Source History

```
1  /*
2  * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
3  * Click nbfs://nbhost/SystemFileSystem/Templates/UnitTests/JUnit4TestClass.java to edit this template
4  */
5  package ec.edu.espe.petshop.model;
6
7  import org.junit.Test;
8  import static org.junit.Assert.*;
9
10 /**
11  *
12  * @author Steven Loza @ESPE
13  */
14 public class SupplierTest {
15
16     @Test
17     public void test10ToStringContainsProveedor() {
18         Supplier s = new Supplier(id: 10, name: "PetPlus", contact: "Rosa", phone: "088888888");
19         boolean result = s.toString().startsWith(prefix: "Proveedor:");
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,247 s)

- ec.edu.espe.petshop.model.SupplierTest passed
- test10ToStringContainsProveedor passed (0,032 s)

Test 10: PASA




Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

Output Test Results 22:6 INS

Class PetshopMain (Principal)

Nº	Status	Test Name	Description	Reason
1	✓	testCreateStore	Creates store.	OK.
2	✓	testAddEmployee	Adds employee.	Correct.
3	✓	testAddSupplier	Adds supplier.	Correct.
4	✓	testAddCustomer	Adds customer.	Correct.
5	✗	testNameNotNull	Null name should fail.	Allows null.
6	✗	testInventoryNotNull	Should reject null.	Always set.
7	✗	testAddNullEmployee	Should fail.	Allows.
8	✗	testAddNullSupplier	Should fail.	Allows.
9	✓	testToString	Correct format.	OK.
10	✗	testIncludeListsInString	Lists missing in string.	Not implemented.



Projects x ...[A] Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x PetShopMain.java [-/M] x PetShopMainTest.java [-/A] x

Source History

```
import ec.edu.espe.petshop.model.Customer;
import ec.edu.espe.petshop.model.Employee;
import ec.edu.espe.petshop.model.Inventory;
import ec.edu.espe.petshop.model.Product;
import ec.edu.espe.petshop.model.Store;
import java.io.File;
import java.util.Scanner;
import org.junit.Test;
import static org.junit.Assert.*;

/**
 * @author Steven Loza @ESPE
 */
public class PetShopMainTest {

    @Test
    public void testSaveJson() {
        Inventory inv = new Inventory();
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,399 s)

- ec.edu.espe.petshop.controller.PetShopMainTest passed
- testSaveJson passed (0,139 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

PetshopInventoryControl_v0.2.8 - Apache NetBeans IDE 25 31:1 INS

Projects x ...[A] Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x PetShopMain.java [-/M] x PetShopMainTest.java [-/A] x

Source History

```
import ec.edu.espe.petshop.model.Customer;
import ec.edu.espe.petshop.model.Employee;
import ec.edu.espe.petshop.model.Inventory;
import ec.edu.espe.petshop.model.Product;
import ec.edu.espe.petshop.model.Store;
import java.io.File;
import java.util.Scanner;
import org.junit.Test;
import static org.junit.Assert.*;

/**
 * @author Steven Loza @ESPE
 */
public class PetShopMainTest {

    @Test
    public void testFailLoadJson() {
        Inventory inv = new Inventory();
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 0,00 %

No test passed, 1 test failed. (0,331 s)

- ec.edu.espe.petshop.controller.PetShopMainTest Failed
- testFailLoadJson Failed: junit.framework.AssertionFailedError

Output Test Results Unused Import 12:21 INS

Projects x ...[A] Store.java [-/M] x StoreTest.java [-/A] x Supplier.java [-/M] x SupplierTest.java [-/A] x PetShopMain.java [-/M] x PetShopMainTest.java [-/A] x

Source History

```
import ec.edu.espe.petshop.model.Customer;
import ec.edu.espe.petshop.model.Employee;
import ec.edu.espe.petshop.model.Inventory;
import ec.edu.espe.petshop.model.Product;
import ec.edu.espe.petshop.model.Store;
import java.io.File;
import java.util.Scanner;
import org.junit.Test;
import static org.junit.Assert.*;

/**
 * @author Steven Loza @ESPE
 */
public class PetShopMainTest {

    @Test
    public void testFindProduct() {
        Inventory inv = new Inventory();
```

Test Results

PetshopInventoryControl_v0.2.8 x

Tests passed: 100,00 %

The test passed. (0,295 s)

- ec.edu.espe.petshop.controller.PetShopMainTest passed
- testFindProduct passed (0,00 s)

Tests (1) finished successfully for project: PetshopInventoryControl_v0.2.8

[Open Test Results Window](#)

Output Test Results 30:6 INS

