

UNIVERSIDAD DE LAS FUERZAS ARMADAS ESPE
COMPUTER SCIENCE DEPARTMENT
SOFTWARE ENGINEER DEGREE
ADVANCED WEB DEVELOPMENT
ACTIVITY: Meeting Minutes

NRC: 30716

GROUP MEMBERS: Ricardo Monge, Alejandro Obando y Gaybriel Molina

DATE: May 13 rd, 2026

MEETING MINUTES – REQUIREMENTS DEFINITION

Feature 1: Viewing and navigation

HU1: Displaying Barbershop Information

Description: Ensures that visitors clearly see the general business information (name, location, description, and contact) with a fully responsive and accessible design.

ID	Test Case	Steps	Expected Result	Status
CP-HU 1-01	Displaying the Name	1. Enter the main page (Landing Page).	The name of the barbershop is clearly displayed in the header or main section.	Functional
CP-HU 1-02	Visualizati on of the barbershop address	1. Enter the main page. 2. Scroll to Contact Section	The physical address is complete and legible.	Functional
CP-HU 1-03	Displaying the Description	1. Enter the main page.	The barbershop description is displayed without spelling	Functional

			errors or broken HTML tags.	
CP-HU 1-04	Responsive Design (Mobile)	1. Open the main page. 2. Change resolution to 375px.	Name, address, and description texts stack correctly without overflowing.	Functional
CP-HU 1-05	Responsive Design (Desktop)	1. Open the home page in 1920x1080 resolution.	Information makes the most of space properly without stretching disproportionately.	Functional
CP-HU 1-06	Contrast and readability	1. Review the texts on the background of the page.	The text has enough contrast to be read without difficulty (accessibility).	Functional
P-HU1 -08	Map display	1. Scroll to the address section.	If there is a built-in map, it loads the pin in the correct location.	Functional
CP-HU 1-09	Social Media / Contact Links Navigation	1. Scroll to the footer or contact section. 2. Click on the social media icons (e.g., Instagram, Facebook) or phone number.	Social media links open correctly in a new tab without closing the barbershop system. Phone links trigger the device's default dialer.	Non-Functional

HU2: List Available Services

Description: Allows users to explore, search, and filter the service catalog, displaying key details such as price, duration, and the barbers assigned to each one.

ID	Test Case	Steps	Expected Result	Status
CP-HU2-01	List of services	1. Navigate to the 'Services' section.	A list or table is rendered with the general services available.	Functional
CP-HU2-02	Service Detail	1. Look at a service listed.	Name, estimated price and duration are clearly displayed.	Functional
CP-HU2-03	View the barbers in charge of the service	1. Navigate to the services section	It shows in each service the barbers who are in charge of the respective service	Non-Functional
CP-HU2-04	Filter and search for the service	1. Go to the browsing section. 2. Click on filter.	Se muestra los respectivos filtros y búsqueda de los servicios	Non-Functional
CP-HU2-05	Hover en el filtro	1. Hover the cursor over the service	A short animation of the service hovering is shown.	Non-Functional
CP-HU2-06	Grid Responsiveness	1. Switch to mobile resolution. 2. See services section.	Cards go from grid format to a single vertical column.	Functional
CP-HU2-07	Pagination / Scroll	1. Select barber with more than 15 services.	Pagination or scrolling is enabled without deforming the interface.	Non-Functional

CP-HU2-08	Load when filtering	1. Select a filtering	A short loading animation is displayed before rendering the new list.	Non-Functional
CP-HU2-09	Empty state on search	1. Navigate to the services section. 2. Enter a non-existent service in the search bar (e.g., "XYZ") or apply a filter combination with no matches.	The system does not break or show a blank page. It displays a friendly message like: "No services found matching your criteria" and offers a button to clear filters.	Non-Functional

HU3: List Barbers

Description: Presents the interactive catalog of the barber team with their basic data, ensuring smooth navigation through pagination, mobile adaptability, and keyboard accessibility.

ID	Test Case	Steps	Expected Result	Status
CP-HU3-01	Catalog of barbers	1. Navigate to 'Our Barbers'.	The cards of active barbers are displayed.	Functional
CP-HU3-02	Basic Facts	1. Observe barber card.	Name, profile picture, and trade are rendered correctly.	Functional
CP-HU3-03	Names of the Commissioned Barbers	1. Navigate to 'Our Barbers'.	The names of the barbers are displayed	Non-Functional
CP-HU3-04	Interaction (Hover)	1. Hover over the card on desktop.	The card reacts visually (elevation or	Functional

			change of shadow).	
CP-HU3-05	Responsivity Desktop	1. Open section on large monitor.	Barbers are organized in a grid (3-4 per row) taking advantage of the width.	Functional
CP-HU3-06	Mobile Responsiveness	1. Open section on mobile.	Barbers are organized in a single column with appropriate photo size.	Functional
CP-HU3-07	Barbers Pagination / Load More	1. Access the 'Our Barbers' section in a database with more than 12 registered barbers. 2. Scroll to the bottom.	A pagination control (e.g., Page 1, 2, 3) or a "Load More" button is displayed to navigate through the rest of the staff without cluttering the screen.	Non-Functional
CP-HU3-08	Detailed navigation.	1. Hover over the barber.	The system shows the barbers' social networks at the time of scrolling over their image.	Functional
CP-HU3-09	Keyboard Accessibility Navigation	1. Open the barbers section. 2. Press the Tab key on the keyboard to navigate through the page.	Each barber card or its interactive elements (like social links) receives a clear visual focus outline, allowing users to navigate	Non-Functional

			without a mouse.	
--	--	--	------------------	--

HU4: System Navigation (Login)

Description: Controls routing and secure access to the system, guiding visitors to login or registration and protecting private routes when attempting to schedule an appointment.

ID	Test Case	Steps	Expected Result	Status
CP-HU 4-01	Link Login	1. As a visitor, look at the navigation bar.	The 'Login' button is visible and clear.	Functional
CP-HU 4-02	Routing Login	1. Click on 'Login'.	Redirect to the /login path by loading the form.	Functional
CP-HU 4-03	Registration Link	1. As a visitor, look at the navigation bar.	The 'Sign Up' button is visible.	Functional
CP-HU 4-04	Registration Routing	1. Click on 'Register'.	Redirect to /register by loading the form.	Functional
CP-HU 4-05	CTA 'Schedule Appointment'	1. Click on 'Schedule Appointment' without being logged in.	It automatically redirects to Login or Registration.	Functional
CP-HU 4-06	Mobile Menu	1. In mobile view, open hamburger menu.	Login/Registration links present and with good touch size.	Functional
CP-HU 4-07	Log Out	1. Go to Login.2. Press Sign Out	Return to Landing Page	Functional

CP-HU 4-08	Active Link	1. Navigate to the Login page.	The Login link is visually marked as an active path.	Non-Functional
CP-HU 4-09	Route protection	1. Manually type path /dashboard without a session.	The system immediately redirects to /login.	Non-Functional

Summary of Found Defects at Feature 1

- **Security (Critical):** Unprotected routes; unauthenticated users can access private areas
- **Broken functionality:** Filters, search, pagination and data rendering are failing
- **UX Flaws:** Missing loaders and "no results" states; external links force users out of the system
- **Immediate Action:** Secure private routes and fix the filtering logic before building the booking system

Feature 2: Product Management

HU5: User Registration

Description: User registration, AS a visitor, I WANT to sign up, TO access the system.

ID	Test Case	Steps	Expected Result	Status
CP-HU 5-01	User registration with valid data	1. Enter the registration page. 2. Fill in all required fields with valid information. 3. Click the register	The system creates the user account successfully and shows a confirmation message or redirects the user to the login page.	Functional

		button.		
CP-HU 5-02	Registration with empty required fields	1. Enter the registration page. 2. Leave one or more required fields empty. 3. Click the register button.	The system prevents registration and displays validation messages indicating that the required fields must be completed.	Functiona l
CP-HU 5-03	Registration with invalid email format	1. Enter the registration page. 2. Type an invalid email format. 3. Complete the rest of the fields correctly. 4. Click the register button.	The system rejects the registration and displays an error message indicating that the email format is invalid.	Functiona l
CP-HU 5-04	Registration with an already registered email	1. Enter the registration page. 2. Fill in the form using an email that already exists in the system. 3. Click the register button.	The system does not create a duplicated account and displays a message indicating that the email is already registered.	Functiona l

CP-HU 5-05	Password confirmation validation	1. Enter the registratio n page. 2. Fill in all required fields. 3. Enter a password and a different confirmatio n password. 4. Click the register button.	The system prevents registration and displays a message indicating that the passwords do not match.	Non-Funct ional
---------------	--	---	--	--------------------

HU6: Log in

Description: AS a user, I WANT to log in,TO access my features.

ID	Test Case	Steps	Expected Result	Status
CP-HU 6-01	Login with valid credentials	1. Enter the login page. 2. Type a registered email and the correct password. 3. Click the login button.	The system authenticates the user successfully and redirects the user to the corresponding dashboard according to the assigned role.	Functiona l
CP-HU 6-02	Login with incorrect password	1. Enter the login page. 2. Type a registered email. 3. Type an incorrect password. 4. Click the login button.	The system rejects the login attempt and displays an error message indicating that the credentials are incorrect.	Functiona l

CP-HU 6-03	Login with unregistered email	1. Enter the login page. 2. Type an email that does not exist in the system. 3. Type any password. 4. Click the login button.	The system rejects the login attempt and displays an error message indicating that the credentials are invalid or the user was not found.	Functiona l
CP-HU 6-04	Login with empty fields	1. Enter the login page. 2. Leave the email and password fields empty. 3. Click the login button.	The system prevents the request and displays validation messages for the required login fields.	Functiona l
CP-HU 6-05	Session access after successful login	1. Log in with valid credentials. 2. Enter the assigned dashboard. 3. Refresh the page.	The system keeps the user session active and allows the user to remain inside the corresponding dashboard.	Functiona l

HU7: Role management (RBAC)

Description: AS a system, I WANT to manage roles (owner, barber, customer), TO control access correctly.

ID	Test Case	Steps	Expected Result	Status
CP-HU 7-01	Owner role access validation	1. Log in with an owner account. 2. Enter the owner or	The system allows the owner to access administrative features according to the assigned	Functional

		manager dashboard. 3. Try to access role management or administrative sections.	permissions.	
CP-HU 7-02	Barber role access validation	1. Log in with a barber account. 2. Enter the barber dashboard. 3. Try to access barber-related modules such as services, products, or appointments .	The system allows the barber to access only the modules assigned to the barber role.	Functional
CP-HU 7-03	Customer role access validation	1. Log in with a customer account. 2. Enter the customer dashboard. 3. Try to access customer-related features such as booking or viewing personal appointments .	The system allows the customer to access only the features assigned to the customer role.	Functional
CP-HU 7-04	Restricted access to another role	1. Log in with a customer account.	The system blocks access and redirects the user to the correct	Functional

	dashboard	2. Try to manually access a barber or owner dashboard URL.	dashboard or displays an unauthorized access message.	
CP-HU 7-05	Role-based redirection after login	1. Log in with an owner account. 2. Log out. 3. Log in with a barber account. 4. Log out. 5. Log in with a customer account.	The system redirects each user to the correct dashboard according to the assigned role: owner, barber, or customer.	Functional
CP-HU 7-06	Logout and protected route validation	1. Log in with any valid user. 2. Log out from the system. 3. Try to access the previous dashboard URL directly from the browser.	The system prevents access to protected pages and redirects the user to the login page.	Non-Fuctional

Summary of Found Defects at Feature 2

- **Security (Critical):** in CP-HU7-06, protected routes are not correctly restricted after logout. The user can still access the different dashboard by going back or by manually entering the dashboard url in the browser.
- **Registration Validation (High):** in CP-HU5-05, Password confirmation validation is missing. The registration process does not require users to confirm their password, so the system can't verify whether both password fields match before creating the account.
- **Immediate Action:** The system must implement proper session destruction, restricted access to protected routes according

to authentication status, and add password confirmation to the registration form and backend logic.

Feature 5: Product Management

HU16: Create Products

Description: AS A barber, I WANT TO register products SO THAT I can offer them.

ID	Test Case	Steps	Expected Result	Status
CP-GP-01	Create valid product	1. Go to My Products 2. Click "Add Product" 3. Fill fields with valid data 4. Save	Product created and listed.	Functional
CP-GP-02	Create product with negative price	1. Open Add modal 2. Enter price "-5" 3. Save	Validation error, form prevents submission.	Functional
CP-GP-03	Create product with negative stock	1. Open Add modal 2. Enter stock "-2" 3. Save	Validation error, form prevents submission.	Functional
CP-GP-04	Create product with empty fields	1. Open Add modal 2. Leave name empty 3. Save	Required fields message (browser).	Functional
CP-GP-05	Insert text in price field	1. Open Add modal 2. Enter letters in "Price"	Field rejects letters natively (type="numbe	Functional

ID	Test Case	Steps	Expected Result	Status
		3. Save	r").	
CP-GP-06	Insert text in stock field	1. Open Add modal 2. Enter letters in "Stock" 3. Save	Field rejects letters natively.	Functional
CP-GP-07	Create product with very long name	1. Open Add modal 2. Enter name > 255 chars 3. Save	Limited by DB or UI attributes.	Not Tested
CP-GP-08	Cancel product creation	1. Open Add modal 2. Fill data 3. Click outside or Cancel	Modal closes, not saved.	Functional

HU17: Edit Products

Description: AS A barber, I WANT TO update products SO THAT I can keep them current.

ID	Test Case	Steps	Expected Result	Status
CP-GP-09	Edit valid product	1. Click "Edit Product" 2. Modify valid data 3. Save	Product updated.	Non-Functional (UI Failure)
CP-GP-10	Edit product to negative price	1. Open Edit 2. Set price "-10" 3. Save	Validation error.	Non-Functional

ID	Test Case	Steps	Expected Result	Status
CP-GP-11	Edit product to negative stock	1. Open Edit 2. Set stock "-5" 3. Save	Validation error.	Non-Functional
CP-GP-12	Edit product and empty fields	1. Open Edit 2. Empty name/price 3. Save	Required fields error.	Non-Functional
CP-GP-13	Insert text in price while editing	1. Open Edit 2. Type text in "Price" 3. Save	Rejects text or error.	Non-Functional
CP-GP-14	Insert text in stock while editing	1. Open Edit 2. Type text in "Stock" 3. Save	Rejects text or error.	Non-Functional
CP-GP-15	Edit without changes	1. Open Edit 2. Click Save without changes	Saves correctly.	Non-Functional
CP-GP-16	Cancel edition	1. Open Edit 2. Change a field 3. Cancel	Changes discarded.	Functional

HU18: Delete Products

Description: AS A barber, I WANT TO delete products SO THAT I can remove them from the catalog.

ID	Test Case	Steps	Expected Result	Status
CP-GP-17	Delete one product	1. Click "Delete Product" 2. Select 1	Product removed from list.	Non-Functional

ID	Test Case	Steps	Expected Result	Status
		3. Confirm		
CP-GP-18	Cancel deletion	1. Open Delete 2. Select 3. Cancel	Product not deleted.	Functional
CP-GP-19	Delete multiple products	1. Select several products 2. Confirm	Products deleted.	Non-Functional
CP-GP-20	Delete without selection	1. Open Delete 2. No selection 3. Confirm	"Select a product" alert.	Non-Functional
CP-GP-21	Table reflection post-deletion	1. Delete product 2. Check main list	Product no longer appears.	Non-Functional
CP-GP-22	Attempt to delete non-existent product	(Technical test via API console)	404 Not Found error.	Not Tested
CP-GP-23	Confirmation message verification	1. Click Delete	Security prompt appears.	Functional
CP-GP-24	Delete all products	1. Select all 2. Confirm	List becomes empty.	Non-Functional

HU19: List Own Products

Description: AS A barber, I WANT TO view my products SO THAT I can manage them.

ID	Test Case	Steps	Expected Result	Status
CP-GP-25	Load list on tab open	1. Enter Barber Dashboard 2. Click "My Products"	Table loads with products (or empty).	Functional
CP-GP-26	Column visualization	1. View product table	Displays Name, Category, Stock, Price.	Functional
CP-GP-27	Empty state	1. If no products, view table	Shows "No products found".	Functional
CP-GP-28	Real-time update (Add)	1. Add product 2. Check list	Product appears immediately.	Functional
CP-GP-29	Real-time update (Edit)	1. Edit product 2. Check list	Data updates in the table.	Non-Functional
CP-GP-30	Real-time update (Delete)	1. Delete product 2. Check list	Product disappears.	Non-Functional
CP-GP-31	Scroll with many products	1. Have > 10 products	Table has scroll and does not break UI.	Functional
CP-GP-32	Isolated products per barber	1. List products	Only shows products for the logged-in barber.	Functional

Summary of Found Defects at Feature 5

During the Quality Control phase using automated browser testing, several **Critical Errors** were identified. These defects currently prevent full functionality (marked as "Non-Functional"):

- **Critical Error in Edition (HU17):** When attempting to edit an existing product, the selection modal closes upon clicking "Edit Selected," but **the edition form fails to open**. Users are blocked from updating any product data (Affects CP-GP-09 to CP-GP-16).
 - **Critical Error in Deletion (HU18):** After selecting a product and clicking "Delete Selected," the modal closes but **the product remains in the main list and the database**. The deletion logic is not being triggered (Affects CP-GP-17 to CP-GP-24).
- Insertion (HU16) and Reading (HU19) validations are working correctly due to native HTML validations and the initial API connection.

Signature:



Development Team
SHARKHUB