



UNIVERSIDAD DE LAS FUERZAS ARMADAS - ESPE

DATE:

29/06/2026

CLASS:

AWD - 30716

WORKSHOP:

Token Authentication

Method
URI
request
response

Nº) **NOMBRES Y APELLIDOS**..... No/10 Git ☐ Doc ☐  

01) DYLAN ALEXANDER ALVARADO PALACIOS..... 5 /10

URL: <http://3.20.57.154:3000/ops/orders>

Method: GET

URI: <http://3.20.57.154:3000/ops/orders>

Request: nothing

Response:

```
{
  "orderId": "4e8b198f-7c85-4752-98bc-8d84df4d3a0c",
  "userId": "usr_002",
  "totalAmount": "19",
  "status": "pending",
  "deliveryType": "delivery",
  "deliveryAddress": "Av. Principal 123",
  "specialInstructions": "Sin cebolla",
  "createdAt": "2026-06-12T03:15:23.125Z"
},
{
  "orderId": "ord_1003",
  "userId": "usr_002",
  "totalAmount": "44",
  "status": "pending",
  "deliveryType": "delivery",
  "deliveryAddress": "ESPE",
  "specialInstructions": "Con cebolla",
  "createdAt": "2026-06-12T03:15:19.143Z"
},
```

Au

[eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiIwY2Y2NDI2YS1hZGJmLTQ1NjUtOWY3Yy0zMDFiZTk2MmU0OGEiLCJyb2x1IjoieY3VzdG9tZXIiLCJzZXNzaW9uSWQiOiJlLCJleHAiOiJlODI3NTUwNzF9.T6_R60QTObbHwLLrYDWXfghP0QFdMjTzFR9-ZmVT7kk](#)

02) NELSON DAVID ANDINO MARTINEZ..... 5/10

URL: <http://3.20.57.154:3000/ops/orders>

Request: nothing

Response:

```
{
  "orderId": "4e8b198f-7c85-4752-98bc-8d84df4d3a0c",
  "userId": "usr_002",
  "totalAmount": "19",
  "status": "pending",
  "deliveryType": "delivery",
  "deliveryAddress": "Av. Principal 123",
  "specialInstructions": "Sin cebolla",
  "createdAt": "2026-06-12T03:15:23.125Z"
},
{
  "orderId": "ord_1003",
  "userId": "usr_002",
  "totalAmount": "44",
  "status": "pending",
  "deliveryType": "delivery",
  "deliveryAddress": "ESPE",
  "specialInstructions": "Con cebolla",
  "createdAt": "2026-06-12T03:15:19.143Z"
},
```

Method: GET

URI: <http://3.20.57.154:3000/ops/cart>

Token:

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiIwY2Y2NDI2YS1hZGJmLTQ1NjUtOWY3Yy0zMDFiZTk2MmU0OGEiLCJyb2x1IjoieY3VzdG9tZXIiLCJzZXNzaW9uSWQiOiJlLCJleHAiOiJlODI3NTUwNzF9.T6_R60QTObbHwLLrYDwXfghP0QFdMjTzFR9-ZmVT7kk

03) JILMAR JHOEL CALDERON CALVA..... 5 /10

Login

<http://3.20.57.154:3000/ops/auth/login>

{ "email": "pedrito@example.com", "password": "password1234" }

Logout

<http://3.20.57.154:3000/ops/auth/logout>

Method: GET

Response:

Token:

04) ANDRES SEBASTIAN CARDENAS ERAZO..... 10/10

URL: [link](#)

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybWFrZSI6ImFkbWluaXN0cmF0b3IiLCJyY2x1IjoiQWRtaW5pc3RyYXRvciiIsImhhdCI6MTc4Mjc1MTI2NiwiZmxhZCI6bnZyYXN0ODY2fQ._T2YrIwWB0-XPBJNmRT3uf1rq9KvnumbmlWPgtPfjA

3. Get restock provisioning and budget analysis

Evaluates all items with a quantity less than or equal to 5, calculates the units needed to reach

the clinic's ideal stock of 15 units per item, and sums their estimated costs to deliver a consolidated replenishment budget.

Request

Method	URL
GET	http://34.56.164.152:3001/fabuladental/supplies/restock-provisions

Body is empty, you need to put the bearer token

Response

HTTP code	Response
200	<pre>{"consolidatedRestockBudget": 14.12, "currency": "USD", "itemsToPurchase": [{"id": 2, "supplyName": "Resina", "unitsToOrder": 14, "estimatedCost": 14}, {"id": 3, "supplyName": "Paracetamol", "unitsToOrder": 12, "estimatedCost": 0.12}]}</pre>
401	<pre>{ "error": "Access denied. Token required."}</pre>
500	<pre>{"error": "Unable to calculate restock provisioning analysis."}</pre>

2. Logout

Invalidates an active JWT session by adding the token to a server-side blacklist, preventing further use of that token for authenticated requests.

Request

Method	URL
POST	http://34.56.164.152:3001/fabuladental/auth/logout

You have to send the JWT token in the Authorization header as a Bearer token: Authorization: Bearer

Response

HTTP code	Response
200	{"message": "Session successfully closed."}
400	{"error": "No token found in the Authorization header."}

05) KERLY ANDREINA CHUQUI AGUINDA..... 1/10

Token (put it in Authorization: bearer token):

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybmFtZSI6ImFkbWluaXN0cmF0b3IiLCJyb2x1IjoiQWRtaW5pc3RyYXRvciiIsImhhdCI6MTc4Mjc1MTI2NiwiZXhwIjoxNzgyNzU0ODY2fQ._T2YrIwWB0-XPBJNmRT3uf1rq9KvnummbelWPgtPFjA

MODULE: Payments

Requires login as Receptionist and token in Bearer Token.

URL1: <http://34.56.164.152:3001/fabuladental/payments>

TC-PAY-01 — Obtain payment history

Field	Value
Method	GET
URL	http://34.56.164.152:3001/fabuladental/payments
Authorization	Bearer Token (Receptionist)
Result expected	HTTP 200
Expected response	JSON array with objects { paymentID , patientID , amount, status}
Validation	status is one of: " Completed ", " Partial " or " Pending "

URL: <http://34.56.164.152:3001/fabuladental/auth/logout>

TC-AUTH-07 — Successful Logout

401	{"error": "Authentication failure. Invalid credentials."}
500	{"error": "Internal error attempting to authenticate."}

Save the token value — you'll need it in the **Authorization** → **Bearer Token** tab of Postman to test the rest of the URIs.

2. Logout

Invalidates an active JWT session by adding the token to a server-side blacklist, preventing further use of that token for authenticated requests.

Request

Method	URL
POST	/fabuladental/auth/logout

You have to send the JWT token in the **Authorization** header as a **Bearer** token: **Authorization: Bearer**

Response

HTTP code	Response
200	{"message": "Session successfully closed."}
400	{"error": "No token found in the Authorization header."}

06) CAMERON VICTORIA DIAZ CAIZALUISA..... 7 /10

URL: link

Token (put it in Authorization: bearer token):

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybmFtZSI6ImFkbWluaXN0cmF0b3IiLCJyb2x1IjoiQWRtaW5pc3RyYXRvciiIsImVudCI6MTI2NiwiZGlhZG9jaXNzcyNzU0ODY2fQ._T2YrIwWB0-XPBJNmRT3uf1rq9KvnumbelWPgtPFjA

1. Login

Authenticates a registered user by validating their credentials against the stored bcrypt-hashed password. On success, returns a signed JWT token and the user's role for client-side session management.

Request

Method	URL
POST	/fabuladental/auth/login

You have to send the one of the next fields into the body (JSON)
`{"username": "dentist", "password": "dentist"}`

`{"username": "administrator", "password": "administrator"}`

`{"username": "receptionist", "password": "receptionist"}`

Response

HTTP code	Response
200	<code>{"message": "Login successful.", "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybmFtZSI6ImRlbnRpc3QiLCJyb2x1IjoiaRGVudG1zdCI6ImRhdCI6MTc4MjY4NzUxMywiZmxwIjoxNzgyNjkwMTZzfQ.qiaT3vzdyXfdXdVB3zXGhEuy9X_gVL4eG4yYeqyDA1M", "role": "Dentist"}</code>
400	<code>{"error": "username and password are required."}</code>
401	<code>{"error": "Authentication failure. Invalid credentials."}</code>
500	<code>{"error": "Internal error attempting to authenticate."}</code>

Save the token value — you'll need it in the Authorization → Bearer Token tab of Postman to test the rest of the URIs.

2. Logout

Invalidates an active JWT session by adding the token to a server-side blacklist, preventing further use of that token for authenticated requests.

Request

Method	URL
POST	/fabuladental/auth/logout

You have to send the JWT token in the Authorization header as a Bearer token: Authorization: Bearer

Response

HTTP code	Response
200	{"message": "Session successfully closed."}
400	{"error": "No token found in the Authorization header."}

2. Get inventory total asset valuation

Calculates the total monetary value of the active warehouse stock in real time by multiplying each item's current quantity by its registered unitCost.

Request Method URL

GET <http://34.56.164.152:3001/fabuladental/supplies/asset-valuations>

Response HTTP code

Response 200 {"totalInventoryValue": 201.03, "currency": "USD", "calculatedAt": "2026-06-09T19:30:00Z"}

500 {"error": "Unable to compile asset valuation data. "}

07) LENIN ISAAC ERAZO CAMPOS..... 5 /10

api business rules

Method: Get

URI:

<http://32.196.88.12:4000/api/auth/me>

- **Login to generate token POST:** <http://32.196.88.12:4000/api/auth/login>
 - Body:
 - {
 - "nationalId": "1725914236",
 - "password": "password123"
 - }

request:

Response:


```

        "doctorId": 1
    },
    {
        "date": "2026-06-27",
        "time": "09:00",
        "available": false,
        "doctorId": 1
    },
    {
        "date": "2026-06-27",
        "time": "09:30",
        "available": false,
        "doctorId": 1
    },
    {
        "date": "2026-06-27",
        "time": "10:00",
        "available": false,
        "doctorId": 1
    },
    {
        "date": "2026-06-27",
        "time": "10:30",
        "available": false,
        "doctorId": 1
    },
    {
        "date": "2026-06-27",
        "time": "11:00",
        "available": false,
        "doctorId": 1
    },
    {
        "date": "2026-06-27",
        "time": "11:30",
        "available": false,
        "doctorId": 1
    }
]

```

09) BRAYAN PATRICIO GUALOTUÑA AMAGUAYA... 1 /10

* ****Method:**** `DELETE`

* ****URL:**** <http://32.196.88.12:4000/api/therapies/20>

- **Login to generate token POST:** <http://32.196.88.12:4000/api/auth/login>
 - Body:

- {
- "nationalId": "1725914236",
- "password": "password123"
- }

* ****Requires Token:**** `YES` (JWT in Header `Authorization: Bearer <token>`)

* ****Allowed Roles:**** `Admin`

* ****Expected Response (200 OK):****

```
```json
{
 "message": "Therapy deleted successfully"
}
```
```

10) GABRIEL ANTHONY MOLINA GALLEGOS..... 8/10
api business rules

POST <http://3.137.205.121:3001/auth/login>

```
{
  "email": "user1@example.com",
  "password": "1234qwer",
}
```

response

```
[
  {
    "id": "string",
    "name": "string",
    "slug": "string",
    "description": "string",
    "logo_url": "string",
    "address": "string",
    "phone": "string",
    "email": "string",
    "invite_code": "string",
    "is_active": true,
    "created_at": "2026-06-29T16:13:41.584Z",
    "updated_at": "2026-06-29T16:13:41.584Z"
  }
]
```

GET <http://3.137.205.121:3001/barbershops>

POST http://3.137.205.121:3001/barbershops/{shop_id}/invitations
shop_id: 95214e64-98d5-4e39-82d4-487b8673ca90

11) RICARDO ANDRES MONGE MIÑO..... 10/10

GET <http://3.137.205.121:3001/services>

request: Bearer Token

response: 200 ok

```
[
  {
    "service_id": "string",
    "name": "string",
    "price": 0,
    "is_active": true,
    "description": "string",
    "duration_minutes": 0,
    "barbershop_id": "string"
  }
]
```

response: 401 Unauthorized

```
{
  "detail": "Token de autorización faltante o malformado."
}
```

POST <http://3.137.205.121:3001/auth/login>

```
{
  "email": "prueba@example.com",
  "password": "prueba"
}
```

12) ALEJANDRO XAVIER OBANDO ZAPATA..... 7/10

URL: link

api business rules

MGET

POST <http://3.137.205.121:3001/auth/login>

```
{
  "email": "prueba@example.com",
  "password": "prueba"
}
```

GET <http://3.137.205.121:3001/barbershops>

request

```
[
  {
    "id": "string",
    "name": "string",
    "slug": "string",
    "description": "string",
    "logo_url": "string",
    "address": "string",
    "phone": "string",
    "email": "string",
    "invite_code": "string",
    "is_active": true,
    "created_at": "2026-06-29T16:46:37.686Z",
    "updated_at": "2026-06-29T16:46:37.686Z"
  }
]
```

13) ESTEBAN ARIEL QUIROGA BENITEZ..... 4/10

URL: <https://fhn2x0v6-3000.brs.devtunnels.ms/>

POST: <https://ats-crud-service-angel-czefcghef8c3bcca.eastus2-01.azurewebsites.net/invoices/user/{{userId}}>

```
{
  "invoices": [
    {
      "issuerName": "TIENDAS INDUSTRIALES ASOCIADAS TIA",
      "issuerRuc": "0990017122001",
      "number": "002-005-000342111",
      "authorizationNumber": "1106202601099001712200120020050003421111234567814",
      "accessKey": "1106202601099001712200120020050003421111234567814",
      "customerName": "JUAN PEREZ",
      "customerId": "{{ruc}}",
    }
  ]
}
```

```

        "customerDate": "2026-06-11",
        "subtotal": 10.00,
        "iva": 1.50,
        "total": 11.50,
        "type": "COMPRA",
        "format": "XML",
        "workspaceId": "{{workspaceId}}",
        "products": []
    }
]
}
GET: https://ats-crud-service-angel-czefcghef8c3bccca.eastus2-01.azurewebsites.net/invoices/user/{{userId}}

```

14) DAVID JOSUE RODRIGUEZ VILLARROEL..... 4 /10

URL: <https://fhn2x0v6-3000.brs.devtunnels.ms/>

POST: https://ats-crud-service-angel-czefcghef8c3bccca.eastus2-01.azurewebsites.net/invoices/user/{{userId}}

```

{
  "invoices": [
    {
      "issuerName": "TIENDAS INDUSTRIALES ASOCIADAS TIA",
      "issuerRuc": "0990017122001",
      "number": "002-005-000342111",
      "authorizationNumber": "1106202601099001712200120020050003421111234567814",
      "accessKey": "1106202601099001712200120020050003421111234567814",
      "customerName": "JUAN PEREZ",
      "customerId": "{{ruc}}",
      "customerDate": "2026-06-11",
      "subtotal": 10.00,
      "iva": 1.50,
      "total": 11.50,
      "type": "COMPRA",
      "format": "XML",
      "workspaceId": "{{workspaceId}}",
      "products": []
    }
  ]
}
GET:https://ats-crud-service-angel-czefcghef8c3bccca.eastus2-01.azurewebsites.net/invoices/user/{{userId}}

```

15) ANGEL JEANPIERRE SABANDO MORA..... 5/10

URL: <https://fhn2x0v6-3000.brs.devtunnels.ms/>

POST :https://ats-crud-service-angel-czefcghef8c3bccca.eastus2-01.azurewebsites.net/invoices/user/{{userId}}

```
{
  "invoices": [
    {
      "issuerName": "TIENDAS INDUSTRIALES ASOCIADAS TIA",
      "issuerRuc": "0990017122001",
      "number": "002-005-000342111",
      "authorizationNumber": "1106202601099001712200120020050003421111234567814",
      "accessKey": "1106202601099001712200120020050003421111234567814",
      "customerName": "JUAN PEREZ",
      "customerId": "{{ruc}}",
      "customerDate": "2026-06-11",
      "subtotal": 10.00,
      "iva": 1.50,
      "total": 11.50,
      "type": "COMPRA",
      "format": "XML",
      "workspaceId": "{{workspaceId}}",
      "products": []
    }
  ]
}
```

GET: https://ats-crud-service-angel-czefcghef8c3bccca.eastus2-01.azurewebsites.net/invoices/user/{{userId}}

POST: /users/login

```
{
  "email": "admin@gmail.com",
  "password": "admin123!"
}
```

16) CARLOS ALEXANDER TORRES PINCAY..... 10/10

URL: <https://18-217-255-109.sslip.io/api/v1>

| Metho
d | URI | Request | Expected Response |
|------------|---|-------------------------------------|--|
| GET | https://18-217-255-109.sslip.io/api/v1/auth/config | No body. No authorization required. | 200 OK. Returns the public Google OAuth client ID. |

| | | | |
|------|--|--|---|
| GET | https://18-217-255-109.sslip.io/api/v1/auth/me | No body. No authorization. | 401
Unauthorized.
Confirms protected session endpoints reject anonymous users. |
| POST | https://18-217-255-109.sslip.io/api/v1/auth/google | Header: Content-Type: application/json
Body: { "idToken": "<GOOGLE_ID_TOKEN>" } | 200 OK. Returns sessionToken, tokenType: "Bearer", expiration, user data, and sets the alc_session cookie. |
| GET | https://18-217-255-109.sslip.io/api/v1/auth/me | Header: Authorization: Bearer <SESSION_TOKEN>
No body. | 200 OK. Returns the authenticated user session. |
| POST | https://18-217-255-109.sslip.io/api/v1/branches | Header: Authorization: Bearer <SESSION_TOKEN>
Header: Content-Type: application/json
Body: { "name": "Security Test Branch", "city": "Quito", "active": true } | 201 Created if the authenticated user has an admin/director role. Otherwise 403 Forbidden.
Confirms role-based access control. |
| POST | https://18-217-255-109.sslip.io/api/v1/auth/logout | Header: Authorization: Bearer <SESSION_TOKEN>
No body. | 200 OK. Revokes the server-side session and clears the session cookie. |
| GET | https://18-217-255-109.sslip.io/api/v1/auth/me | Header: Authorization: Bearer <OLD_SESSION_TOKEN>
No body. Use the same token used before logout. | 401
Unauthorized.
Confirms the old token is no |

| | | | |
|------|--|---|---|
| | | | longer valid after logout. |
| POST | https://18-217-255-109.sslip.io/api/v1/branches | Header: Authorization: Bearer <OLD_SESSION_TOKEN>
Header: Content-Type: application/json
Body: { "name": "Rejected After Logout", "city": "Quito", "active": true } | 401 Unauthorized. Confirms users cannot send protected backend data after logout using the old token. |
| GET | https://18-217-255-109.sslip.io/private/dashboard.html | No authorization or session cookie. | 302 Redirect to /login.html?session=expired. Confirms private frontend pages require an active session. |

Base API URL: <https://18-217-255-109.sslip.io/api/v1>

In Postman, use **Authorization** → **Bearer Token** and paste the `sessionToken`.

The token returned by `/auth/google` is the backend session token.

After `/auth/logout`, the same token must return **401 Unauthorized**.

17) EVELYN HAYDEE VILLARREAL SALGADO..... 10 /10

URL: link

Method: GET


<http://artisan-business-env.eba-qmrckji7.us-east-1.elasticbeanstalk.com/api/auth/profile>

Request

Authorization

Choose the following option and paste the token

Auth Type: Bearer Token



no json body

Response

| HTTP | Message |
|------------------|--|
| 200 ok | {
"success": true,
"data": {
"user": {
"id": 1,
"name": "Evelyn Villarreal",
"email":
"dragonpaws612@gmail.com",
"role": "customer"
}
}
} |
| 401 Unauthorized | {
"success": false,
"message": "Missing or invalid
authorization header"
} |

Token from:

POST

<http://artisan-business-env.eba-qmrdkji7.us-east-1.elasticbeanstalk.com/api/auth/login>

json:

```
{  
  "email": "dragonpaws612@gmail.com",  
  "password": "scream it out loud"  
}
```

Response

200 ok

```
{  
  "success": true,f
```

```
"data": {  
  "user": {  
    "id": 1,  
    "name": "Evelyn Villarreal",  
    "email": "dragonpaws612@gmail.com",  
    "phone": "+593963208297",  
    "address": null,  
    "province": "Pichincha",  
    "role": "customer"  
  },  
  "token":  
    "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiE3ODI3NDkxOTYsImV4cCI6MTc4MzU5Nn0gTkHC43ZEt4y6qDNPw35GMC8VOkyQmYVYHQZE84dwc"  
}  
}
```