

Total number of URIs (less than 40)

Counting both documented servers:

Business Logic (port 3001): 14 URIs (5 from Supplies #1-5, 6 from Patients #6-11, 3 from Payments #12-14)

CRUD (port 3000): 14 URIs (6 from Supplies #1-6, 3 from Payments #7-9, 5 from Patients #10-14)

Total = 28 URIs

Naming inconsistency: "/fabuladental/supply" (singular) vs. "/fabuladental/supplies" (plural)

The CRUD endpoint #4 ("Register a dental supply", pages 15-16) uses POST /fabuladental/supply, while all other supply endpoints use the plural /fabuladental/supplies/... (GET, quantity-thresholds, statuses, PUT, DELETE, and all Business Logic endpoints). This breaks the REST convention and should be standardized, probably to POST /fabuladental/supplies.

Method	URL
POST	/fabuladental/supply

GET	/fabuladental/supplies/statuses/:statusValue
-----	--

Method	URL
PUT	/fabuladental/supplies/:id

Payment CRUD: The documentation states that to delete a payment, a JSON object should be sent in the request body (DELETE /fabuladental/payments with {"id": 2}). This is a serious architectural inconsistency: the REST standard dictates that resource identifiers for DELETE methods should be in the URI (e.g., /fabuladental/payments/:id), not in the request body, since the body in a DELETE request is not standardized and is often ignored by many HTTP clients.

8. Delete a payment record

Deletes a payment record from history using its id.

Request

Method	URL
DELETE	/fabuladental/payments

You have to send the next fields into the body (raw -> JSON)


```
{ "id" : 2 }
```

Response

Http Code	Response
200	{ "success": true, "message": "Payment deleted" }
400	{ "error": "Payment ID required." }
404	{ "error": "Payment not found." }
500	{ "error": "Deletion failed." }

Patient "email" field

Present in the API, absent in the class diagram



10. Register a new patient

Registers a new patient with ID, name, birthday, and reason for consultation.

Request

Method	URL
POST	/fabuladental/patients

You have to send the next fields into the body (raw -> JSON)

```
{
  "patientID": "1727095416",
  "fullName": "Victoria Diaz",
  "phone": "0984284522",
  "email": "cvdiaz3@espe.edu.ec",
  "birthday": "20/03/2003",
  "gender": "Female",
  "reasonForConsultation": "gum pain"
}
```

PaymentMethod


The paymentMethod attribute does not exist in the class diagram

Request

Method	URL
POST	/fabuladental/payments

You have to send the next fields into the body (raw -> JSON)

```
{  
  
  "patientID": "1727417851",  
  
  "amount": "50",  
  
  "date": "2026-05-13",  
  
  "paymentType": "Final",  
  
  "paymentMethod": "Cash",  
  
  "status": "Completed"  
}
```



Data type "unitCost"


In the class diagram, Supply.unitCost is a float. In the API's JSON responses, "unitCost" is returned as a string.

Request


Method	URL
GET	/fabuladental/supplies

Response

HTTP code	Response
200	[{ "id": "1", "supplyName": "Resina", "quantity": 24, "unitCost": "3.75", "orderDate": "2026-05-10T00:00:00.000Z", "expirationDate": "2026-05-10T00:00:00.000Z", "status": "Expired", "created_at": "2026-05-10T20:36:53.000Z", "updated_at": "2026-05-11T02:43:20.000Z" }, ...]
500	{"error": "Unable to fetch inventory."}



Method name "calculateCategory()" vs "Calculate Pediatric Category"
The use case is called "Calculate Pediatric Category", the endpoint is /patients/pediatric-category and the response returns "pediatricCategory".



Request

Method	URL
POST	/fabuladental/patients/pediatric-category


You have to send a birthdate with a correct format into the body (choose raw -> JSON)

```
{"birthday": "15/05/2018"}
```

Response

HTTP code	Response
200	{ "calculatedAgeYears": 8, "calculatedAgeMonths": 0, "pediatricCategory": "School-age", "dosageRestrictionFactor": "0.75x" }

But in the class diagram, in both Patient Controller and PatientBusinessService, the method is called calculateCategory(), without the word "Pediatric".



Clean Code

PatientID is set as an auto-incrementing primary key in the Prisma schema, but the post asks to insert it manually.

```

model patients {
  patientID      BigInt    @id @default(autoincrement())
  created_at     DateTime  @default(now()) @db.Timestamptz(6)
}

```

```

123 patientRouter.post('/patients', async (req: Request, res: Response) => {
124   try {
125     const patient = validatePatientPayload(req.body, true);
126     if (!patient || patient.patientID === null) {
127       return res.status(400).json({ error: "Missing required fields." });
128     }
129
130     await prisma.patients.create({
131       data: {
132         patientID: patient.patientID,
133         fullName: patient.fullName,
134         birthday: patient.birthday,
135         phone: patient.phone,
136         gender: patient.gender,
137         reasonForConsultation: patient.reasonForConsultation,
138         legalRepresentative: patient.legalRepresentative ?? null,
139       },
140     });

```

`POST /supply` breaks the consistency of the other URIs because the resource is called `supplies` in the plural in all the others. It should be `POST /supplies`


```

TS supplyRoutes.ts 4 X
src > routes > TS supplyRoutes.ts > supplyRouter.post('/supply') callback
35 supplyRouter.get('/supplies/statuses/:statusValue', async (req: Request, res: Response) =
50 });
51
52 supplyRouter.post('/supply', async (req: Request, res: Response) => {
53   try {
54     const { supplyName, quantity, unitCost, orderDate, expirationDate } = req.body;
55     if (!supplyName || quantity === undefined || unitCost === undefined || !orderDate ||
56       return res.status(400).json({ error: "Missing supply data." });
57   }
58   await prisma.supplies.create({
59     data: {
60       supplyName,
61       quantity: parseInt(quantity, 10),
62       unitCost: new Prisma.Decimal(unitCost),
63       orderDate: new Date(orderDate),
64       expirationDate: new Date(expirationDate),
65       status: 'Current',
66     },
67   });
68   return res.status(201).json({ success: true, message: "Supply added" });
69 } catch {
70   return res.status(500).json({ error: "Could not add supply." });
71 }
72 });
73
74 supplyRouter.put('/supplies/:id', async (req: Request, res: Response) => {
75   try {

```


Review code of the project

Use ORM prisma:



The screenshot shows the VS Code interface with the Prisma schema file open. The left sidebar displays the file explorer with the project structure. The main editor shows the Prisma schema for the 'AWD-30716-CodeExplorers' project, specifically the 'crud / prisma / schema.prisma' file. The schema defines two models: 'payments' and 'supplies'.

```
11   created_at      DateTime @default(now()) @db.Timestamptz(6)
12   fullName        String?
13   birthday        DateTime? @db.Date
14   phone           String?   @db.VarChar
15   reasonForConsultation String?
16   legalRepresentative String?
17   gender          String?
18 }
19
20 model payments {
21   id          BigInt @id @default(autoincrement())
22   patientID   String  @db.VarChar(20)
23   amount      Decimal @db.Decimal(10, 2)
24   date        DateTime @db.Date
25   paymentType String  @db.VarChar(50)
26   paymentMethod String @db.VarChar(50)
27   status      String  @db.VarChar(50)
28   created_at  DateTime? @default(now()) @db.Timestamptz(6)
29   updated_at  DateTime? @default(now()) @db.Timestamptz(6)
30 }
31
32 model supplies {
33   id          BigInt @id @default(autoincrement())
34   supplyName   String  @db.VarChar
35   quantity     Int     @default(0)
36   unitCost     Decimal @db.Decimal
37   orderDate    DateTime @db.Date
38   expirationDate DateTime @db.Date
39   status       String  @db.VarChar
40   created_at   DateTime @default(now()) @db.Timestamptz(6)
41   updated_at   DateTime @default(now()) @db.Timestamptz(6)
42 }
```



The screenshot shows the VS Code interface with the 'supplyRoutes.ts' file open. The left sidebar displays the file explorer with the project structure. The main editor shows the TypeScript code for the 'supplyRoutes.ts' file, which implements the CRUD operations for the 'supplies' model using Prisma and Express.js.

```
1   import { Router, Request, Response } from 'express';
2   import { Prisma } from '@prisma/client';
3   import prisma from '../db';
4
5   const supplyRouter = Router();
6
7   supplyRouter.get('/supplies', async (req: Request, res: Response) => {
8     try {
9       const inventory = await prisma.supplies.findMany();
10      return res.status(200).json(inventory);
11    } catch {
12      return res.status(500).json({ error: "Unable to fetch inventory." });
13    }
14  });
15
16  supplyRouter.get('/supplies/quantity-thresholds/:maxQuantity', async (req: Request, res: Response)
17  {
18    const maxQuantity = parseInt(String(req.params.maxQuantity), 10);
19    if (isNaN(maxQuantity)) {
20      return res.status(400).json({ error: "Invalid maximum quantity format." });
21    }
22    const filteredSupplies = await prisma.supplies.findMany({
23      where: {
24        quantity: {
25          lte: maxQuantity,
26        }
27      }
28    });
29  });
```


`POST /supply` breaks the consistency of the other URIs because the resource is called `supplies` in the plural in all the others. It should be `POST /supplies`

```
TS supplyRoutes.ts 4 X
src > routes > TS supplyRoutes.ts > supplyRouter.post('/supply') callback
35 supplyRouter.get('/supplies/statuses/:statusValue', async (req: Request, res: Response)
50 });
51
52 supplyRouter.post('/supply', async (req: Request, res: Response) => {
53   try {
54     const { supplyName, quantity, unitCost, orderDate, expirationDate } = req.body;
55     if (!supplyName || quantity === undefined || unitCost === undefined || !orderDate ||
56       return res.status(400).json({ error: "Missing supply data." });
57   }
58   await prisma.supplies.create({
59     data: {
60       supplyName,
61       quantity: parseInt(quantity, 10),
62       unitCost: new Prisma.Decimal(unitCost),
63       orderDate: new Date(orderDate),
64       expirationDate: new Date(expirationDate),
65       status: 'Current',
66     },
67   });
68   return res.status(201).json({ success: true, message: "Supply added" });
69 } catch {
70   return res.status(500).json({ error: "Could not add supply." });
71 }
72 });
73
74 supplyRouter.put('/supplies/:id', async (req: Request, res: Response) => {
```

Review of URIs

1. Update supplies expiration status

POST

<http://35.254.153.60:3001/fabuladental/supplies/status-calculations>

My Collection > Uris Fabula Dental > New Request

POST http://35.254.153.60:3001/fabuladental/supplies/status-calculations

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers 7 Test Results

200 OK · 456 ms · 331 B · Save Response

```
{
  "success": true,
  "message": "Supplies expiration status successfully updated.",
  "processedItems": 1
}
```


HTTP code	Response
200	<code>{"success": true, "message": "Supplies expiration status successfully updated.", "processedItems": 1}</code>
500	<code>{"error": "Failed to calculate or update expiration statuses."}</code>

2. Get inventory total asset valuation

GET

<http://35.254.153.60:3001/fabuladental/supplies/asset-valuations>

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** `http://35.254.153.60:3001/fabuladental/supplies/asset-valuations`
- Status:** 200 OK
- Response Time:** 416 ms
- Response Size:** 324 B
- Body (JSON):**

```


1 {
2   "totalInventoryValue": 294.78,
3   "currency": "USD",
4   "calculatedAt": "2026-06-14T00:09:04.622Z"
5 }
```

HTTP code	Response
200	<code>{"totalInventoryValue": 201.03, "currency": "USD", "calculatedAt": "2026-06-09T19:30:00Z"}</code>
500	<code>{"error": "Unable to compile asset valuation data. "}</code>

3. Get restock provisioning and budget analysis

GET

<http://35.254.153.60:3001/fabuladental/supplies/restock-provisions>



HTTP code	Response
200	<code>{"consolidatedRestockBudget": 14.12, "currency": "USD", "itemsToPurchase": [{"id": 2, "supplyName": "Resina", "unitsToOrder": 14, "estimatedCost": 14}, {"id": 3, "supplyName": "Paracetamol", "unitsToOrder": 12, "estimatedCost": 0.12}]}</code>
500	<code>{"error": "Unable to calculate restock provisioning analysis."}</code>

4. Calculate expired supplies financial loss

GET

<http://35.254.153.60:3001/fabuladental/supplies/expiration-losses>

GET

→ http://35.254.153.60:3001/fabuladental/supplies/expiration-losses

Docs

Params

Authorization

Headers 6

Body

Scripts

Settings

Query Params

Key	Value	Descri
Key	Value	Descri

Body

Cookies

Headers 7

Test Results

20

{ } JSON


Preview

Visualize

```
1 {
2   "totalLossAmount": 91,
3   "currency": "USD",
4   "expiredItemsCount": 2,
5   "calculatedAt": "2026-06-14T00:13:01.535Z"
6 }
```

HTTP code	Response
200	<pre>{"totalLossAmount": 91, "currency": "USD", "expiredItemsCount": 2, "calculatedAt": "2026-06-09T19:30:00Z"}</pre>
500	<pre>{"error": "Could not calculate historical expiration losses."}</pre>

5. Get next-expiration capital at risk assessment
- GET
- <http://35.254.153.60:3001/fabuladental/supplies/capital-risks>



HTTP code	Response
200	<pre>{\"totalCapitalAtRisk\": 0.3, \"currency\": \"USD\", \"riskPeriod\": \"30 Days or Less\", \"itemsNearExpirationCount\": 1}</pre>
500	<pre>{\"error\": \"Failed to compile the expiration capital risk assessment.\"}</pre>

6. Calculate patient pediatric category

POST

<http://35.254.153.60:3001/fabuladental/patients/pediatric-category>

For all the dates entered, the `calculatedAgeMonths` field always returns 0, meaning it doesn't calculate the age in months.

POST http://35.254.153.60:3001/fabuladental/patients/pediatric-category

Body: [{"birthday": "15/05/2018"}]

200 OK · 338 ms · 351 B

JSON: [{"calculatedAgeYears": 8, "calculatedAgeMonths": 0, "pediatricCategory": "School-age", "dosageRestrictionFactor": "0.75x"}]

POST http://35.254.153.60:3001/fabuladental/patients/pediatric-category

Body: [{"birthday": "15/05/2005"}]

200 OK · 463 ms · 346 B

JSON: [{"calculatedAgeYears": 21, "calculatedAgeMonths": 0, "pediatricCategory": "Adult", "dosageRestrictionFactor": "1.0x"}]

HTTP code	Response
200	{ "calculatedAgeYears": 8, "calculatedAgeMonths": 0, "pediatricCategory": "School-age", "dosageRestrictionFactor": "0.75x" }
400	{ "error": "Valid birthday format required." }
500	{ "error": "Internal processing error calculating clinical category." }

7. Validate legal representative
POST

POST ▼ → http://35.254.153.60:3001/fabuladental/patients/legal-representative-validation Send ▼

Docs Params Authorization Headers 8 **Body** • Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▼ Schema Beautify

```
1 {"birthday": "12/05/2005", "legalRepresentative": ""}
```

Body Cookies Headers 7 Test Results 🔄 200 OK • 244 ms • 332 B • 🌐 📄 Save Response ⋮

{} JSON ▼ ▶ Preview 📄 Visualize ▼ 🔍 📄 🔗

```
1 {
2   "valid": true,
3   "requiresLegalRepresentative": false,
4   "message": "Legal representative not required."
5 }
```

POST ▼ → http://35.254.153.60:3001/fabuladental/patients/legal-representative-validation

Docs Params Authorization Headers 8 **Body** • Scripts Settings


☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▼

```
1 {"birthday": "12/05/2010", "legalRepresentative": ""}
```

Body Cookies Headers 7 Test Results 🔄

{} JSON ▼ ▶ Preview 🔍 Debug with AI ▼

```
1 {
2   "error": "Patient is underage, legal representative is required."
3 }
```



HTTP code	Response
200	<code>{\"valid\": true, \"requiresLegalRepresentative\": false, \"message\": \"Legal representative not required.\"}</code>
400	<code>{\"error\": \"Valid birthday format required.\"}</code> <code>{\"error\": \"Patient is underage, legal representative is required.\"}</code>
500	<code>{\"error\": \"Internal processing error validating legal representative.\"}</code>

8. Calculate days to birthday
POST
<http://35.254.153.60:3001/fabuladental/patients/days-to-birthday>

POST

→ http://35.254.153.60:3001/fabuladental/patients/days-to-birthday

Send

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

1

{ "birthday": "15/08/1990" }

Body

Cookies

Headers 7

Test Results

200 OK

303 ms

282 B

Save Response

{ } JSON

Preview

Visualize

1

{

2

"daysUntilBirthday": 62,

3

"isBirthdayWeek": false

4

}

POST ⌵ → <http://35.254.153.60:3001/fabuladental/patients/days-to-birthday>

☰ Docs Params Authorization Headers 8 **Body** ● Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL

```
1 {"birthday": "13/06/2004"}
```

Body Cookies Headers 7 Test Results ↺

{ } **JSON** ⌵ ▶ Preview 🖼️ Visualize ⌵

```
1 {
2   "daysUntilBirthday": 364,
3   "isBirthdayWeek": false
4 }
```

POST → <http://35.254.153.60:3001/fabuladental/patients/days-to-birthday>

Docs Params Authorization Headers 8 **Body** Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL

```
1 {"birthday": "15/06/2004"}
```

Body Cookies Headers 7 Test Results ↺

{ } JSON ▾ ▶ Preview 🖼 Visualize ▾

```
1 {
2   "daysUntilBirthday": 1,
3   "isBirthdayWeek": true
4 }
```

HTTP code	Response
200	{"daysUntilBirthday": 63, "isBirthdayWeek": false}
400	{"error": "Valid birthday format required."}
500	{"error": "Internal processing error calculating days to birthday."}

9. Calculate senior discount

POST

<http://35.254.153.60:3001/fabuladental/patients/senior-discount>

POST

→ http://35.254.153.60:3001/fabuladental/patients/senior-discount

Send

Docs Params Authorization Headers 8 Body Scripts Settings

Cook

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema Beautify

1

```
[{"birthday": "15/08/1954"}]
```

Body Cookies Headers 7 Test Results

200 OK • 375 ms • 295 B • Save Response

{ } JSON

Preview Visualize

1 {

2 "suggestedDiscountFactor": 0.5,

3 "isEligibleForDiscount": true

4 }

POST

→ http://35.254.153.60:3001/fabuladental/patients/senior-discou

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

☐ Gra

1

```
{ "birthday": "15/06/1960" }
```

Body

Cookies

Headers 7

Test Results

↺

{ }

JSON

Preview

Visualize

▼

1

```
{
```

2

```
  "suggestedDiscountFactor": 0.5,
```

3

```
  "isEligibleForDiscount": true
```

4

```
}
```

POST

→ http://35.254.153.60:3001/fabuladental/patients/senior-discount

Docs

Params

Authorization

Headers 8

Body

Scripts

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1

```
{ "birthday": "15/06/2025" }
```

Body

Cookies

Headers 7

Test Results

200 OK

{ }

JSON

Preview

Visualize

1

```
{
```

2

```
  "suggestedDiscountFactor": 0,
```

3

```
  "isEligibleForDiscount": false
```

4

```
}
```

HTTP code	Response
200	<pre>{ "suggestedDiscountFactor": 0.5, "isEligibleForDiscount": true }</pre>
400	<pre>{ "error": "Valid birthday format required." }</pre>

500	<pre>{ "error": "Internal processing error calculating senior discount." }</pre>
-----	--

10. Estimate consultation time

POST

<http://35.254.153.60:3001/fabuladental/patients/consultation-time-estimation>

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** `http://35.254.153.60:3001/fabuladental/patients/consultation-time-estimation`
- Body:** A JSON object:

```
{ "birthday": "10/01/2021", "reasonForConsultation": "El paciente presenta un dolor agudo en la muela inferior derecha que no lo deja dormir y tiene inflamaci3n severa en las encias." }
```
- Response:** 200 OK, 209 ms, 287 B. The response body is a JSON object:

```
{ "estimatedConsultationMinutes": 25, "baseMinutes": 15 }
```

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** `http://35.254.153.60:3001/fabuladental/patients/consultation-time-estimation`
- Body:** A JSON object:

```
{ "birthday": "10/01/1900", "reasonForConsultation": "El paciente presenta un dolor agudo en la muela inferior derecha que no lo deja dormir y tiene inflamaci3n severa en las encias." }
```
- Response:** 200 OK. The response body is a JSON object:

```
{ "estimatedConsultationMinutes": 35, "baseMinutes": 15 }
```

POST → <http://35.254.153.60:3001/fabuladental/patients/consultation-time-estimation>

Docs Params Authorization Headers 8 **Body** Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▾

```
1 {"birthday": "10/01/1826", "reasonForConsultation": "El paciente presenta un dolor agudo en la mandíbula derecha que no lo deja dormir y tiene inflamación severa en las encías."}
```

Body Cookies Headers 7 Test Results 200 OK • 244 ms • 28

{ } JSON ▾ ▶ Preview 🖼 Visualize ▾

```
1 {
2   "estimatedConsultationMinutes": 35,
3   "baseMinutes": 15
```


POST → <http://35.254.153.60:3001/fabuladental/patients/consultation>

Docs Params Authorization Headers 8 **Body** Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ G

```

1  {"birthday": "10/01/2005", "reasonForConsultation": "El paci
    derecha que no lo deja dormir y tiene inflamación severa

```

Body Cookies Headers 7 Test Results ↺

{ } JSON ▾ ▶ Preview 🖼 Visualize ▾

```

1  {
2    "estimatedConsultationMinutes": 25,
3    "baseMinutes": 15
4  }

```

HTTP code	Response
200	{"estimatedConsultationMinutes": 25, "baseMinutes": 15}
400	{"error": "Valid birthday format required."}
500	{"error": "Internal processing error estimating consultation time."}

11. Calculate contact priority

<http://34.58.145.37:3000/fabuladental/patients/contact-priority>

POST http://35.254.153.60:3001/fabuladental/patients/contact-priority

Docs Params Authorization Headers 9 Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema

```
1 {"phone": "0991234568",
2  "reasonForConsultation": "Tengo mucho dolor por favor es una urgencia."}
3
```

Body Cookies Headers 7 Test Results 200 OK • 238 ms • 296

{ } JSON Preview Visualize

```
1 {
2   "contactPriorityScore": 60,
3   "requiresImmediateAttention": true
4 }
```

Response

HTTP code	Response
200	{ "contactPriorityScore": 60, "requiresImmediateAttention": true }
500	{ "error": "Internal processing error calculating contact priority." }

12. Get payment history
<http://34.58.145.37:3000/fabuladental/payments>

GET <http://34.58.145.37:3000/fabuladental/payments>

Docs Params Authorization Headers 9 Body Scripts Tests Settings

Headers 9 hidden

Key	Value	Description	Bulk
Key	Value	Description	

Body Cookies Headers 8 Test Results 200 OK 360 ms


{ } JSON Preview Visualize

```
1  [
2    {
3      "id": "5",
4      "patientID": "1727417859",
5      "amount": "50",
6      "date": "2026-05-13T00:00:00.000Z",
7      "paymentType": "Final",
8      "paymentMethod": "Cash",
9      "status": "Completed",
10     "created_at": "2026-05-14T03:45:25.000Z",
11     "updated_at": "2026-05-14T03:45:25.000Z"
12   },
13   {
14     "id": "6",
15     "patientID": "1711544922",
16     "amount": "0.01",
17     "date": "2026-05-17T00:00:00.000Z",
18     "paymentType": "Final",
19     "paymentMethod": "Cash",
20     "status": "Completed",
21     "created_at": "2026-05-17T17:31:11.000Z",
22     "updated_at": "2026-05-17T17:31:11.000Z"
23   }
24 ]
```

Response

Http code	Response
200	[{"paymentID": "...", "amount": 50.0, "status": "Partial"}, ...]
500	{"error": "Unable to fetch payment history."}

13. Retrieve a specific payment record
<http://35.254.153.60:3001/fabuladental/payments/5>



Response

Http Code	Response
-----------	----------

200	<pre>{"success": true, "data": { "id": "5", "patientId": "1727417859", "amount": 50, "type": "Final", "status": "Completed", "date": "2026-05-13T00:00:00.000Z" }}</pre>
400	<pre>{"error": "Payment ID required."}</pre>
404	<pre>{"error": "Payment not found."}</pre>
500	<pre>{"error": "Failed to retrieve payment details."}</pre>

14. Retrieve all payment records for a specific patient

GET

http://35.254.153.60:3001/fabuladental/payments/patients/1727417859

Docs

Params

Authorization

Headers 9

Body

Scripts

Tests

Settings

Headers

9 hidden

Key	Value	Descr
Key	Value	Descr

Body

Cookies

Headers 7

Test Results

{}

JSON

Preview

Visualize

1

{

2

"success": true,

3

"data": [

4

{

5

"id": "5",

6

"amount": 50,

7

"type": "Final",

8

"status": "Completed",

9

"date": "2026-05-13T00:00:00.000Z"

10

},

11

{

12

"id": "11",

13

"amount": 50,

14

"type": "Final",

15

"status": "Completed",

16

"date": "2026-05-13T00:00:00.000Z"

17

}

18

]

19

}

Response

Http Code	Response
200	<pre>{ "success": true, "data": [{ "id": "5", "amount": 50, "type": "Final", "status": "Completed", "date": "2026-05-13T00:00:00.000Z" }, { "id": "11", "amount": 50,</pre>



	<pre> "type": "Final", "status": "Completed", "date": "2026-05-13T00:00:00.000Z" }] }</pre>
400	<pre>{"error": "Invalid Patient ID parameter."}</pre>
404	<pre>{"error": "Patient not found or no payment records discovered."}</pre>
500	<pre>{"error": "Failed to retrieve patient payment history."}</pre>

CRUD Operations

1. Get supplies list
GET

<http://34.58.145.37:3000/fabuladental/supplies>

http://34.58.145.37:3000/fabuladental/supplies

GET http://34.58.145.37:3000/fabuladental/supplies Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body Cookies Headers 8 Test Results 200 OK • 421 ms • 1.74 KB • ...

{ } JSON Preview Visualize

```

1  [
2    {
3      "id": "2",
4      "supplyName": "Resina",
5      "quantity": 1,
6      "unitCost": "1",
7      "orderDate": "2010-10-10T00:00:00.000Z",
8      "expirationDate": "2020-10-11T00:00:00.000Z",
9      "status": "Expired",
10     "created_at": "2026-05-11T00:44:44.000Z",
11     "updated_at": "2026-05-11T02:10:48.000Z"
12   },

```

HTTP code	Response
200	[{ "id": "1", "supplyName": "Resina", "quantity": 24, "unitCost": "3.75", "orderDate": "2026-05-10T00:00:00.000Z", "expirationDate": "2026-05-10T00:00:00.000Z", "status": "Expired", "created_at": "2026-05-10T20:36:53.000Z", "updated_at": "2026-05-11T02:43:20.000Z" }, ...]
500	{"error": "Unable to fetch inventory."}

2. Get supplies filtered by maximum quantity

GET

<http://34.58.145.37:3000/fabuladental/supplies/quantity-thresholds/2>

GET ▼ <http://34.58.145.37:3000/fabuladental/supplies/quantity-thresholds/2> Send ▼

Docs Params Authorization Headers 9 Body • Scripts Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body Cookies Headers 8 Test Results 200 OK • 442 ms • 512 B • 🌐 • ⋮

{} JSON ▼ ▶ Preview 🖼️ Visualize ▼ ↺ ≡ 🔍 📄 🔗

```
1  [
2    {
3      "id": "2",
4      "supplyName": "Resina",
5      "quantity": 1,
6      "unitCost": "1",
7      "orderDate": "2010-10-10T00:00:00.000Z",
8      "expirationDate": "2020-10-11T00:00:00.000Z",
9      "status": "Expired",
10     "created_at": "2026-05-11T00:44:44.000Z",
11     "updated_at": "2026-05-11T02:10:48.000Z"
12   }
13 ]
```

GET ▼ <http://34.58.145.37:3000/fabuladental/supplies/quantity-thresholds/2abc> Send ▼

Docs Params Authorization Headers 9 Body • Scripts Tests Settings Cookies


☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▼ 🔗 Schema 🌟 Beautify

```
2  "patientID": "1727095414",
3  "fullName": "Victoria Diaz",
4  "phone": "0984284522",
5  "email": "cvdiaz3@espe.edu.ec",
6  "birthday": "20/03/2003",
7  "gender": "Female",
8  "reasonForConsultation": "gum painn"
9  }
```

Body Cookies Headers 8 Test Results 200 OK • 130 ms • 512 B • 🌐 • ⋮

{} JSON ▼ ▶ Preview 🖼️ Visualize ▼ ↺ ≡ 🔍 📄 🔗

```
1  [
2    {
3      "id": "2",
4      "supplyName": "Resina",
5      "quantity": 1,
6      "unitCost": "1",
7      "orderDate": "2010-10-10T00:00:00.000Z",
8      "expirationDate": "2020-10-11T00:00:00.000Z",
9      "status": "Expired",
10     "created_at": "2026-05-11T00:44:44.000Z",
11     "updated_at": "2026-05-11T02:10:48.000Z"
12   }
13 ]
```

HTTP code	Response
200	[{ "id": "2", "supplyName": "Resina", "quantity": 1, "unitCost": "1", "orderDate": "2010-10-10T00:00:00.000Z", "expirationDate": "2020-10-11T00:00:00.000Z", "status": "Expired", "created_at": "2026-05-11T00:44:44.000Z", "updated_at": "2026-05-11T02:10:48.000Z" }]
400	{"error": "Invalid maximum quantity format."}
500	{"error": "Database error while filtering supply quantities."}

3. Get supplies filtered by database status

GET

<http://34.58.145.37:3000/fabuladental/supplies/statuses/Expired>

GET

http://34.58.145.37:3000/fabuladental/supplies/statuses/Expired

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Tests

Settings

Cookies

Document this request... Write with AI

Body

Cookies

Headers 8

Test Results

200 OK

410 ms

760 B

{ } JSON

Preview

Visualize

1

[

2

{

3

"id": "2",

4

"supplyName": "Resina",

5

"quantity": 1,

6

"unitCost": "1",

7

"orderDate": "2010-10-10T00:00:00.000Z",

8

"expirationDate": "2020-10-11T00:00:00.000Z",

9

"status": "Expired",

10

"created_at": "2026-05-11T00:44:44.000Z",

11

"updated_at": "2026-05-11T02:10:48.000Z"

12

},

13

{

14

"id": "1",

15

"supplyName": "Resina",

16

"quantity": 24,

17

"unitCost": "3.75",

18

"orderDate": "2026-05-10T00:00:00.000Z",

19

"expirationDate": "2026-05-10T00:00:00.000Z",

20


"status": "Expired"

HTTP code	Response
200	<pre>[{ "id": "2", "supplyName": "Resina", "quantity": 1, "unitCost": "1", "orderDate": "2010-10-10T00:00:00.000Z", "expirationDate": "2020-10-11T00:00:00.000Z", "status": "Expired", "created_at": "2026-05-11T00:44:44.000Z", "updated_at": "2026-05-11T02:10:48.000Z" }, { "id": "1", "supplyName": "Resina", "quantity": 24, "unitCost": "3.75", "orderDate": "2026-05-10T00:00:00.000Z", "expirationDate": "2026-05-10T00:00:00.000Z", "status": "Expired", "created_at": "2026-05-10T20:36:53.000Z", "updated_at": "2026-05-11T02:43:20.000Z" }]</pre>
400	<pre>{"error": "Provided status value does not exist."}</pre>
500	<pre>{"error": "Database error while filtering supply statuses."}</pre>

4. Register a dental supply

POST

<http://34.58.145.37:3000/fabuladental/supply>




HTTP code	Response
201	{"success": true, "message": "Supply added"}
400	{"error": "Missing supply data."}
500	{"error": "Could not add supply."}

5. Update supply

PUT

<http://34.58.145.37:3000/fabuladental/supplies/7>




HTTP code	Response
200	{"success": true, "message": "Supply updated"}
400	{"error": "Invalid supply ID or quantity."}
404	{"error": "Supply not found."}

6. Delete a dental supply

DELETE

<http://34.58.145.37:3000/fabuladental/supplies/7>




HTTP code	Response
200	{"success": true, "message": "Supply deleted"}
400	{"error": "Supply ID required."}
404	{"error": "Supply not found."}
500	{"error": "Deletion failed."}

7. Update payment history

PUT

<http://34.58.145.37:3000/fabuladental/payments/7>




Http Code	Response
200	{"success": true, "message": "Payment updated"}
400	{"error": "Invalid payment ID or data."}
404	{"error": "Payment record not found."}

8. Delete a payment record

DELETE

<http://34.58.145.37:3000/fabuladental/payments>



Http Code	Response
200	{"success": true, "message": "Payment deleted"}
400	{"error": "Payment ID required."}
404	{"error": "Payment not found."}
500	{"error": "Deletion failed."}

9. Record a payment

POST

<http://34.58.145.37:3000/fabuladental/payments>

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** http://34.58.145.37:3000/fabuladental/payments
- Body Type:** raw
- Request Body (JSON):**

```
{
  "patientID": "1727417851",
  "amount": "50",
  "date": "2026-05-13",
  "paymentType": "Final",
  "paymentMethod": "Cash",
  "status": "Completed"
}
```
- Status:** 201 Created
- Response Time:** 411 ms
- Response Size:** 317 B
- Response Body (JSON):**

```
{
  "success": true,
  "message": "Payment recorded"
}
```

Http code	Response
201	{"success": true, "message": "Payment recorded"}
400	{"error": "Invalid payment data."}
500	{"error": "Could not record payment."}

10. Register a new patient

POST

<http://34.58.145.37:3000/fabuladental/patients>

POST ▼ http://34.58.145.37:3000/fabuladental/patients Send ▼

Docs Params Authorization Headers 9 **Body** • Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▼ Schema Beautify

```

2  {
3    "patientID": "1727095416",
4    "fullName": "Victoria Diaz",
5    "phone": "0984284522",
6    "email": "cvdiaz3@espe.edu.ec",
7    "birthday": "20/03/2003",
8    "gender": "Female",
9    "reasonForConsultation": "gum pain"
10 }

```

Body Cookies Headers 8 Test Results 🔄 201 Created • 364 ms • 332 B • 🌐 ⋮

{} JSON ▼ ▶ Preview 🖼️ Visualize ▼ ↺ ≡ 🔍 📄 🔗

```

1  {
2    "success": true,
3    "message": "Patient registered successfully"
4  }

```

HTTP code	Response
201	<code>{"success": true, "message": "Patient registered successfully"}</code>
400	<code>{"error": "Missing required fields."}</code>
500	<code>{"error": "Something went wrong. Please try again later."}</code>

11. Get all patients

GET

<http://34.58.145.37:3000/fabuladental/patients>

GET <http://34.58.145.37:3000/fabuladental/patients> Send

Docs Params Authorization Headers 9 Body • Scripts Tests Settings Cookies

Document this request... Write with AI

Body Cookies Headers 8 Test Results 200 OK • 367 ms • 969 B

{ } JSON Preview Visualize

```

1  [
2    {
3      "patientID": "1727095415",
4      "created_at": "2026-06-13T02:04:35.964Z",
5      "fullName": "Victoria Diaz",
6      "birthday": "2003-03-20T00:00:00.000Z",
7      "phone": "0984284522",
8      "reasonForConsultation": "gum pain",
9      "legalRepresentative": null,
10     "gender": "Female"
11   },
12   {
13     "patientID": "1727095414",
14     "created_at": "2026-05-11T00:07:25.667Z",
15     "fullName": "Victoria Diaz",
16     "birthday": "2003-03-20T00:00:00.000Z",
17     "phone": "0984284522",
18     "reasonForConsultation": "gum pain",
19     "legalRepresentative": null,
20     "gender": "Female"

```

HTTP code	Response
200	<pre>[{ "patientID": "1727095415", "created_at": "2026-06-13T02:04:35.964Z", "fullName": "Victoria Diaz", "birthday": "2003-03-20T00:00:00.000Z", "phone": "0984284522", "reasonForConsultation": "gum pain", "legalRepresentative": null, "gender": "Female" }, ...]</pre>
400	<pre>{"error": "Unable to fetch patients."}</pre>

12. Get patient by ID

GET

<http://34.58.145.37:3000/fabuladental/patients/1727095414>

GET <http://34.58.145.37:3000/fabuladental/patients/1727095414> Send

Docs Params Authorization Headers 9 Body • Scripts Tests Settings Cookies

Document this request... Write with AI

Body Cookies Headers 8 Test Results 200 OK • 396 ms • 500 B

{ } JSON Preview Visualize

```

1 {
2   "patientID": "1727095414",
3   "created_at": "2026-05-11T00:07:25.667Z",
4   "fullName": "Victoria Diaz",
5   "birthday": "2003-03-20T00:00:00.000Z",
6   "phone": "0984284522",
7   "reasonForConsultation": "gum pain",
8   "legalRepresentative": null,
9   "gender": "Female"
10 }
```

HTTP code	Response
200	{ "patientID": "1727095414", "fullName": "Victoria Diaz", "phone": "0984284522", "email": "cvdiaz3@espe.edu.ec", "birthday": "20/03/2003", "gender": "Female", "reasonForConsultation": "gum pain" }
404	{ "error": "Patient not found." }
505	{ "error": "Unable to fetch patient." }

13. Update patient information

PUT

<http://34.58.145.37:3000/fabuladental/patients/1727095414>

PUT <http://34.58.145.37:3000/fabuladental/patients/1727095414> Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```

2  "patientID": "1727095414",
3  "fullName": "Victoria Diaz",
4  "phone": "0984284522",
5  "email": "cvdiaz3@espe.edu.ec",
6  "birthday": "20/03/2003",
7  "gender": "Female",
8  "reasonForConsultation": "gum painn"
9  }

```

Body Cookies Headers 8 Test Results 200 OK • 363 ms • 311 B • ...

{ } JSON Preview Visualize

```

1  {
2    "success": true,
3    "message": "Patient updated"
4  }

```

GET <http://34.58.145.37:3000/fabuladental/patients/1727095414> Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```

2  "patientID": "1727095414",
3  "fullName": "Victoria Diaz",
4  "phone": "0984284522",
5  "email": "cvdiaz3@espe.edu.ec",
6  "birthday": "20/03/2003",
7  "gender": "Female",
8  "reasonForConsultation": "gum painn"
9  }

```

Body Cookies Headers 8 Test Results 200 OK • 378 ms • 501 B • ...

{ } JSON Preview Visualize

```

1  {
2    "patientID": "1727095414",
3    "created_at": "2026-05-11T00:07:25.667Z",
4    "fullName": "Victoria Diaz",
5    "birthday": "2003-03-20T00:00:00.000Z",
6    "phone": "0984284522",
7    "reasonForConsultation": "gum painn",
8    "legalRepresentative": null,
9    "gender": "Female"
10 }

```

HTTP code	Response
200	{"success": true, "message": "Patient updated"}
400	{"error": "Patient ID is required."}
404	{"error": "Patient not found."}
500	{"error": "Something went wrong."}

14. Delete a patient

DELETE

<http://34.58.145.37:3000/fabuladental/patients/1727095414>

DELETE ▼ http://34.58.145.37:3000/fabuladental/patients/1727095414 Send ▼

Docs Params Authorization Headers 9 **Body** • Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼ Schema Beautify

```
2  "patientID": "1727095414",
3  "fullName": "Victoria Diaz",
4  "phone": "0984284522",
5  "email": "cvdiaz3@espe.edu.ec",
6  "birthday": "20/03/2003",
7  "gender": "Female",
8  "reasonForConsultation": "gum painn"
9  }
```

Body Cookies Headers 8 Test Results ↺ 200 OK • 367 ms • 311 B • 🌐 ⋮

{} **JSON** ▼ ▶ Preview 🔗 Visualize ▼ ↺ ≡ 🔍 📄 🔗

```
1  {
2    "success": true,
3    "message": "Patient deleted"
4  }
```

GET ▼ http://34.58.145.37:3000/fabuladental/patients/1727095414 Send ▼

Docs Params Authorization Headers 9 **Body** • Scripts Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON** ▼ Schema Beautify

```
2  "patientID": "1727095414",
3  "fullName": "Victoria Diaz",
4  "phone": "0984284522",
5  "email": "cvdiaz3@espe.edu.ec",
6  "birthday": "20/03/2003",
7  "gender": "Female",
8  "reasonForConsultation": "gum painn"
9  }
```

Body Cookies Headers 8 Test Results ↺ 404 Not Found • 435 ms • 304 B • 🌐 ⋮

{} **JSON** ▼ ▶ Preview 🔗 Debug with AI ▼ ↺ ≡ 🔍 📄 🔗

```
1  {
2    "error": "Patient not found."
3  }
```