

Evidence from Interface Graphic Exam Part 1

Ready...

ID:


Name:

Description:


Power:

Impedance:

```
1 package ec.edu.espe.speaker.controller;
2 import ec.edu.espe.speaker.model.Speaker;
3 import java.util.ArrayList;
4 import java.util.List;
5
6
7 /**
8  *
9  * @author Alexander Tipantiza, The Softwarrios, @ESPE
10  */
11 public class SpeakerController {
12     private List<Speaker> speakers;
13
14     public SpeakerController() {
15         speakers = new ArrayList<>();
16     }
17
18     // CREATE
19     public void createSpeaker(int id, String name, String description, double power, double impedance) {
20         Speaker speaker = new Speaker(id, name, description, power, impedance);
21         speakers.add(speaker);
22         System.out.println("Speaker created: " + name);
23     }
24
25     // READ ALL
26     public List<Speaker> getAllSpeakers() {
27         return speakers;
28     }
29
30     // READ BY ID
31     public Speaker findById(int id) {
32         for (Speaker s : speakers) {
33             if (s.getId() == id) return s;
34         }
35         return null;
36     }
37
38     // UPDATE
39     public boolean updateSpeaker(int id, String name, String description, double power, double impedance) {
```



```
1 package ec.edu.espe.speaker.model;
2
3
4 /**
5  *
6  * @author Alexander Tipantiza <The_Softwarrios of Espeyour>
7  */
8 public class Speaker {
9     private int id;
10    private String name;
11    private String description;
12    private double power;
13    private double impedance;
14
15    // Constructor
16    public Speaker(int id, String name, String description, double power, double impedance) {
17        this.id = id;
18        this.name = name;
19        this.description = description;
20        this.power = power;
21        this.impedance = impedance;
22    }
23
24    // Getters y Setters (todos)
25    public int getId() { return id; }
26    public void setId(int id) { this.id = id; }
27
28    public String getName() { return name; }
29    public void setName(String name) { this.name = name; }
30
31    public String getDescription() { return description; }
32    public void setDescription(String description) { this.description = description; }
33
34    public double getPower() { return power; }
35    public void setPower(double power) { this.power = power; }
36
37    public double getImpedance() { return impedance; }
38    public void setImpedance(double impedance) { this.impedance = impedance; }
39
40    Run (SpeakerView) X (3 more...)
```



```
1 package ec.edu.espe.speaker.controller;
2 import ec.edu.espe.speaker.model.Speaker;
3 import java.util.ArrayList;
4 import java.util.List;
5
6
7 /**
8  *
9  * @author Alexander Tipantiza, The Softwarrios, @ESPE
10  */
11 public class SpeakerController {
12     private List<Speaker> speakers;
13
14     public SpeakerController() {
15
16     }
17
18     Run (SpeakerView) X (3 more...)
```

Output - Run (SpeakerView) X

```
-----[ jar ]-----
--- resources:3.3.1:resources (default-resources) @ Speaker ---
skip non existing resourceDirectory D:\POO\JAVA\Speaker\src\main\resources
--- compiler:3.13.0:compile (default-compile) @ Speaker ---
Recompiling the module because of changed source code.
Compiling 3 source files with javac [debug release 10] to target\classes
--- exec:3.5.1:exec (default-cli) @ Speaker ---
El botn fue presionado
Speaker created: Bose

=== SPEAKERS IN MEMORY ===
ID: 1 | Name: Bose | Description: FullAudio | Power: 50.0W | Impedance: 8.07 | Performance: 6,25
Total: 1 speakers

BUILD SUCCESS

Total time: 35.464 s
Finished at: 2026-06-15T22:28:22-05:00

Run (SpeakerView) X (3 more...)
```