



Run Terminal Help
DollApp
class_diagram.mmd
doll.py
json_file_manager.py
{} dolls.json > { } 0 > abc name
[
{
"id": 1,
"name": "Barbie",
"brand": "Mattel",
"price": 29.99
},
{
"id": 2,
"name": "Rapunzel",
"brand": "Disney",
"price": 24.5
},
{
"id": 3,
"name": "Bratz Cloe",
"brand": "MGA",
"price": 19.99
},
{
"id": 4,
"name": "Lucya",
"brand": "Pattys",
"price": 50.3
}
]


Problems
Output
Debug Console
Terminal
Ports
PS C:\Users\USER\Documents\PythonProjects\DollApp> python main.py
[OK] 3 dolls loaded from dolls.json
ANDRES PACHACAMA'S DOLL APP
ArrayList + JSON file
Dolls in the list: 3 | everything saved
[1] Create dolls
[2] Save dolls to dolls.json
[3] Read dolls from dolls.json
[4] Show dolls in the list
[0] Exit
Choose an option: 1
---------- CREATE DOLLS ----------
Doll #4
id 4
name ..... Lucya
brand ..... Pattys
price ($) 50.3
[OK] Lucya was added to the list (4 dolls)
Add another doll? (y/n): n
Remember to save them with option [2]
Press Enter to go back to the menu...
ANDRES PACHACAMA'S DOLL APP
ArrayList + JSON file
Dolls in the list: 4 | unsaved changes (*)
[1] Create dolls
[2] Save dolls to dolls.json
[3] Read dolls from dolls.json
[4] Show dolls in the list
[0] Exit
Choose an option: 2


class_diagram.mmd
doll.py
json_file_manager.py
doll_app.py
dolls.json
dolls.json > { } 0 > abc name
1 [
Problems
Output
Debug Console
Terminal
Ports
PS C:\Users\USER\Documents\PythonProjects\DollApp> python main.py
---------- SAVE DOLLS TO dolls.json ----------
[OK] 4 dolls saved in:
C:\Users\USER\Documents\PythonProjects\DollApp\dolls.json
Press Enter to go back to the menu...
ANDRES PACHACAMA'S DOLL APP
ArrayList + JSON file
Dolls in the list: 4 | everything saved
[1] Create dolls
[2] Save dolls to dolls.json
[3] Read dolls from dolls.json
[4] Show dolls in the list
[0] Exit
Choose an option: 3
---------- DOLLS IN dolls.json ----------
ID | NAME | BRAND | PRICE
1 | Barbie | Mattel | $29.99
2 | Rapunzel | Disney | $24.50
3 | Bratz Cloe | MGA | $19.99
4 | Lucya | Pattys | $50.30
Total: 4 dolls
Press Enter to go back to the menu...
ANDRES PACHACAMA'S DOLL APP
ArrayList + JSON file
Dolls in the list: 4 | everything saved
[1] Create dolls
[2] Save dolls to dolls.json
[3] Read dolls from dolls.json
[4] Show dolls in the list
[0] Exit
Choose an option: 4


Problems
Output
Debug Console
Terminal
Ports
PS C:\Users\USER\Documents\PythonProjects\DollApp> python main.py
------------------- DOLLS IN THE LIST ---------------------
ID | NAME | BRAND | PRICE
1 | Barbie | Mattel | $29.99
2 | Rapunzel | Disney | $24.50
3 | Bratz Cloe | MGA | $19.99
4 | Lucya | Pattys | $50.30
Total: 4 dolls
Doll{id=1, name=Barbie, brand=Mattel, price=29.99}
Doll{id=2, name=Rapunzel, brand=Disney, price=24.5}
Doll{id=3, name=Bratz Cloe, brand=MGA, price=19.99}
Doll{id=4, name=Lucya, brand=Pattys, price=50.3}
Press Enter to go back to the menu...
ANDRES PACHACAMA'S DOLL APP
ArrayList + JSON file
Dolls in the list: 4 | everything saved
[1] Create dolls
[2] Save dolls to dolls.json
[3] Read dolls from dolls.json
[4] Show dolls in the list
[0] Exit
Choose an option: 0
------------------------ GOODBYE ------------------------
Thanks for using the Doll App!
PS C:\Users\USER\Documents\PythonProjects\DollApp> python main.py
[OK] 4 dolls loaded from dolls.json