



WorkShop

Name: Jesus Garcia


Python:



A screenshot of a Notepad window titled "hello: Bloc de notas". The window has a menu bar with "Archivo", "Edición", "Formato", "Ver", and "Ayuda". The text area contains a single line of Python code: `print("Hello OOP Programers from Jesus Garcia")`. The status bar at the bottom shows "Línea 1, columna 1", "100%", "Windows (CRLF)", and "UTF-8".



A screenshot of a Windows PowerShell window titled "Windows PowerShell". The command prompt shows the following sequence of commands and output: `PS C:\Users\G300\ws03Paradigms> py hello.py`, followed by the output `Hello OOP Programers from Jesus Garcia`, and then the prompt `PS C:\Users\G300\ws03Paradigms>`. The status bar at the bottom shows "Línea 1, columna 1", "100%", "Windows (CRLF)", and "UTF-8".



A screenshot of a Notepad window titled "hello_functions: Bloc de notas". The window has a menu bar with "Archivo", "Edición", "Formato", "Ver", and "Ayuda". The text area contains the following Python code: `def say_hello():
 print ("Hello python, I am a function and my name is Jesus");
say_hello();
def return_hello():
 return "Jesus is returned by a function to be printed out"

print (return_hello());`. The status bar at the bottom shows "Línea 1, columna 1", "100%", "Windows (CRLF)", and "UTF-8".


```
Windows PowerShell
PS C:\Users\G300\ws03Paradigms> py .\hello_functions.py
Hello python, I am a function and my name is Jesus
Jesus is returned by a function to be printed out
PS C:\Users\G300\ws03Paradigms> |
```

Java

```
HelloWorld: Bloc de notas
Archivo Edición Formato Ver Ayuda
class HelloWorld {
    public static void main (String args[]) {
        System.out.println("Hello in Java from Jesus Garcia");
    }
}
```

```
Windows PowerShell
PS C:\Users\G300\ws03Paradigms> javac HelloWorld
error: Class names, 'HelloWorld', are only accepted if annotation processing is explicitly requested
1 error
PS C:\Users\G300\ws03Paradigms> javac .\helloWord.java
PS C:\Users\G300\ws03Paradigms> java HelloWorld
Hello in Java from Jesus Garcia
PS C:\Users\G300\ws03Paradigms> py .\hello.py
Hello OOP Programmers from Jesus Garcia
PS C:\Users\G300\ws03Paradigms> py .\hello_functions.py
Hello python, I am a function and my name is Jesus
Jesus is returned by a function to be printed out
```

TypeScript



The image displays two screenshots of a Windows Notepad application, each with a menu bar (Archivo, Edición, Formato, Ver, Ayuda) and standard window controls (minimize, maximize, close). The status bar at the bottom of each window indicates 'Línea 1, columna 1', '100%', 'Windows (CRLF)', and 'UTF-8'.

The first screenshot, titled 'functions: Bloc de notas', contains the following TypeScript code:

```
function add( addend1: number, addend2: number): number {  
    return addend1 + addend2;  
}  
  
console.log(add(1.2,3.4));
```

The second screenshot, titled 'hello: Bloc de notas', contains the following TypeScript code:

```
console.log("Hello from Jesus Garcia using Typescript")
```