


Open Claw – Assembly



Cables · 180 total, 60 length groups

Sort the unlabelled cables off the factory pallet by length, then engrave the listed `<joint>.<slot>` labels onto each cable's two ends. Each row gives one length and the cable-end label pairs you stamp onto the cables of that length. Apex-attached cables (red rows) are unique singletons — one cable per row, no triple compression.

Struts · 46 pages, one per push interval

One A4 page per push strut, in length order. Each page shows the strut with its two end joints, an exploded diagram of the connector-disc stack at each end (slot numbers, rotational angles, signed bend angles), and the `<joint>.<slot>` cable target every disc connects to. Use these once the cables are labelled, when you thread each end through the connector slots.


LENGTH (MM)	QTY	CABLE ENDS (ENGRAVE THESE)			
142	3	A04.2:B15.3	B04.2:C15.3	C04.2:A15.3	
184	3	B04.3:B23.3	C04.3:C23.3	A04.3:A23.3	
272	3	A03.4:A11.3	B03.4:B11.3	C03.4:C11.3	
292	3	A12.3:A35.3	B12.3:B35.3	C12.3:C35.3	
344	3	C26.3:C43.3	B26.3:B43.3	A26.3:A43.3	
457	3	C14.3:C31.3	B14.3:B31.3	A14.3:A31.3	
600	3	B22.3:B45.3	A22.3:A45.3	C22.3:C45.3	
654	3	A01.4:C13.3	C01.4:B13.3	B01.4:A13.3	
700	3	C03.3:A25.3	B03.3:C25.3	A03.3:B25.3	
733	3	B21.1:B16.2	C21.1:C16.2	A21.1:A16.2	
738	3	C33.1:C24.2	A33.1:A24.2	B33.1:B24.2	
741	3	C33.2:C22.1	B33.2:B22.1	A33.2:A22.1	
745	3	C21.2:C14.1	A21.2:A14.1	B21.2:B14.1	
750	6	C41.2:C34.1 A35.1:A22.2	B41.2:B34.1 B35.1:B22.2	A41.2:A34.1	C35.1:C22.2
756	3	C45.2:C36.2	A45.2:A36.2	B45.2:B36.2	
763	3	C13.1:A02.2	A13.1:B02.2	B13.1:C02.2	
765	6	B25.2:B16.1 B31.2:B24.1	C25.2:C16.1 C31.2:C24.1	A25.2:A16.1	A31.2:A24.1
766	3	C15.1:B03.2	B15.1:A03.2	A15.1:C03.2	
769	3	A24.3:A41.3	B24.3:B41.3	C24.3:C41.3	
777	3	A31.1:A26.4	C31.1:C26.4	B31.1:B26.4	
778	3	A43.4:A32.1	C43.4:C32.1	B43.4:B32.1	
780	3	A13.4:C03.1	B13.4:A03.1	C13.4:B03.1	
790	6	C23.1:C14.4 B35.2:B26.1	A23.1:A14.4 A35.2:A26.1	B23.1:B14.4	C35.2:C26.1

LENGTH (MM)	QTY	CABLE ENDS (ENGRAVE THESE)			
801	3	A11.4:B02.1	C11.4:A02.1	B11.4:C02.1	
805	3	C25.1:C12.4	B25.1:B12.4	A25.1:A12.4	
834	6	C23.4:C12.1 A11.1:A04.4	A23.4:A12.1 B11.1:B04.4	B23.4:B12.1	C11.1:C04.4
838	3	B15.4:B04.1	C15.4:C04.1	A15.4:A04.1	
841	3	C41.1:C36.4	B41.1:B36.4	A41.1:A36.4	
877	3	C51.1:C46.1	A51.1:A46.1	B51.1:B46.1	
880	3	B32.3:B46.2	C32.3:C46.2	A32.3:A46.2	
883	3	A34.3:A44.1	C34.3:C44.1	B34.3:B44.1	
888	3	B43.1:B34.4	C43.1:C34.4	A43.1:A34.4	
890	3	C51.2:C44.2	A51.2:A44.2	B51.2:B44.2	
892	3	A45.1:A32.4	C45.1:C32.4	B45.1:B32.4	
893	3	C51.3:C42.2	A51.3:A42.2	B51.3:B42.2	
955	1	Z2.1:B01.1			
959	1	Z2.2:A01.1			
963	1	Z2.3:C01.1			
966	3	C02.4:B21.3	B02.4:A21.3	A02.4:C21.3	
1016	3	A36.3:A42.1	B36.3:B42.1	C36.3:C42.1	
1024	3	A16.3:A33.3	B16.3:B33.3	C16.3:C33.3	
1190	3	B15.2:B12.2	C15.2:C12.2	A15.2:A12.2	
1269	3	A23.2:A26.2	B23.2:B26.2	C23.2:C26.2	
1271	3	B11.2:B14.2	A11.2:A14.2	C11.2:C14.2	
1276	3	B41.4:B44.4	C41.4:C44.4	A41.4:A44.4	
1279	3	A43.2:A46.4	B43.2:B46.4	C43.2:C46.4	
1281	3	C45.4:C42.4	A45.4:A42.4	B45.4:B42.4	

LENGTH (MM)	QTY	CABLE ENDS (ENGRAVE THESE)		
1288	3	A13.2:A16.4	B13.2:B16.4	C13.2:C16.4
1300	3	C21.4:C24.4	A21.4:A24.4	B21.4:B24.4
1305	3	A25.4:A22.4	C25.4:C22.4	B25.4:B22.4
1307	3	C52.1:C42.3	A52.1:A42.3	B52.1:B42.3
1314	3	C52.2:C44.3	A52.2:A44.3	B52.2:B44.3
1318	3	C52.3:C46.3	A52.3:A46.3	B52.3:B46.3
1362	1	Z1.1:C01.3		
1363	3	B35.4:B32.2	C35.4:C32.2	A35.4:A32.2
1368	1	Z1.2:A01.3		
1369	3	B33.4:B36.1	C33.4:C36.1	A33.4:A36.1
1374	1	Z1.3:B01.3		
1383	3	A31.4:A34.2	C31.4:C34.2	B31.4:B34.2
1410	3	A02.3:B01.2	C02.3:A01.2	B02.3:C01.2

A51:A52

Vertical bottom strut · Leg A · 1792 mm





Joint A51 ↑ TOP

HERE	BEND	ROT	THERE
A51.1	-30°	184°	A46.1
A51.2	-30°	306°	A44.2
A51.3	-30°	071°	A42.2


Joint A52 ↓ BOTTOM

HERE	BEND	ROT	THERE
A52.1	-49°	289°	A42.3
A52.2	-49°	054°	A44.3
A52.3	-49°	176°	A46.3



A43:A44

Leg A · **twist 4** (with A41:A42, A45:A46) · 1912 mm





Joint A43 ↑ TOP

HERE	BEND	ROT	THERE
A43.1	-68°	301°	A34.4
A43.2	-49°	173°	A46.4
A43.3	+12°	320°	A26.3
A43.4	-30°	115°	A32.1


Joint A44 ↓ BOTTOM

HERE	BEND	ROT	THERE
A44.1	-68°	059°	A34.3
A44.2	-68°	266°	A51.2
A44.3	+12°	204°	A52.2
A44.4	-49°	006°	A41.4



A45:A46

Leg A · **twist 4** (with A41:A42, A43:A44) · 1918 mm





Joint A45 ↑ TOP

HERE	BEND	ROT	THERE
A45.1	-68°	277°	A32.4
A45.2	-30°	094°	A36.2
A45.3	+12°	311°	A22.3
A45.4	-49°	161°	A42.4


Joint A46 ↓ BOTTOM

HERE	BEND	ROT	THERE
A46.1	-68°	283°	A51.1
A46.2	-68°	083°	A32.3
A46.3	+12°	217°	A52.3
A46.4	-49°	017°	A43.2



A41:A42

Leg A · **twist 4** (with A43:A44, A45:A46) · 1953 mm





Joint A41 ↑ TOP

HERE	BEND	ROT	THERE
A41.1	-68°	325°	A36.4
A41.2	-30°	135°	A34.1
A41.3	+12°	008°	A24.3
A41.4	-49°	199°	A44.4


Joint A42 ↓ BOTTOM

HERE	BEND	ROT	THERE
A42.1	-68°	035°	A36.3
A42.2	-68°	241°	A51.3
A42.3	+12°	174°	A52.1
A42.4	-49°	339°	A45.4



A31:A32

Leg A · **twist 3** (with A33:A34, A35:A36) · 1983 mm





Joint A31 ↑ TOP

HERE	BEND	ROT	THERE
A31.1	-68°	112°	A26.4
A31.2	-12°	304°	A24.1
A31.3	+12°	068°	A14.3
A31.4	-49°	203°	A34.2


Joint A32 ↓ BOTTOM

HERE	BEND	ROT	THERE
A32.1	-68°	253°	A43.4
A32.2	-49°	308°	A35.4
A32.3	+12°	186°	A46.2
A32.4	-30°	036°	A45.1



A11:A12

Leg A · **twist 1** (with A13:A14, A15:A16) · 1989 mm





Joint A11 ↑ TOP

HERE	BEND	ROT	THERE
A11.1	-68°	144°	A04.4
A11.2	-49°	233°	A14.2
A11.3	+12°	157°	A03.4
A11.4	-12°	338°	B02.1


Joint A12 ↓ BOTTOM

HERE	BEND	ROT	THERE
A12.1	-68°	206°	A23.4
A12.2	-30°	274°	A15.2
A12.3	+12°	163°	A35.3
A12.4	-30°	005°	A25.1



A35 : A36

Leg A · **twist 3** (with A31:A32, A33:A34) · 1996 mm





Joint A35 ↑ TOP

HERE	BEND	ROT	THERE
A35.1	-49°	067°	A22.2
A35.2	-30°	258°	A26.1
A35.3	+30°	029°	A12.3
A35.4	-49°	166°	A32.2


Joint A36 ↓ BOTTOM

HERE	BEND	ROT	THERE
A36.1	-49°	339°	A33.4
A36.2	-49°	281°	A45.2
A36.3	+12°	209°	A42.1
A36.4	-30°	069°	A41.1



A25:A26

Leg A · **twist 2** (with A21:A22, A23:A24) · 2005 mm





Joint A25 ↑ TOP

HERE	BEND	ROT	THERE
A25.1	-68°	212°	A12.4
A25.2	-12°	039°	A16.1
A25.3	+30°	271°	C03.3
A25.4	-49°	141°	A22.4


Joint A26 ↓ BOTTOM

HERE	BEND	ROT	THERE
A26.1	-68°	156°	A35.2
A26.2	-49°	066°	A23.2
A26.3	+12°	188°	A43.3
A26.4	-30°	334°	A31.1



A33:A34

Leg A · **twist 3** (with A31:A32, A35:A36) · 2006 mm





Joint A33 ↑ TOP

HERE	BEND	ROT	THERE
A33.1	-49°	028°	A24.2
A33.2	-30°	237°	A22.1
A33.3	+30°	333°	A16.3
A33.4	-68°	132°	A36.1


Joint A34 ↓ BOTTOM

HERE	BEND	ROT	THERE
A34.1	-49°	309°	A41.2
A34.2	-49°	016°	A31.4
A34.3	+30°	240°	A44.1
A34.4	-30°	094°	A43.1



A23:A24

Leg A · **twist 2** (with A21:A22, A25:A26) · 2025 mm





Joint A23 ↑ TOP

HERE	BEND	ROT	THERE
A23.1	-68°	273°	A14.4
A23.2	-49°	191°	A26.2
A23.3	+30°	312°	A04.3
A23.4	-30°	109°	A12.1


Joint A24 ↓ BOTTOM

HERE	BEND	ROT	THERE
A24.1	-49°	111°	A31.2
A24.2	-12°	273°	A33.1
A24.3	+12°	154°	A41.3
A24.4	-49°	023°	A21.4



A15:A16

Leg A · **twist 1** (with A11:A12, A13:A14) · 2032 mm





Joint A15 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
A15.1	-49°	050°	C03.2
A15.2	-49°	165°	A12.2
A15.3	+30°	101°	C04.2
A15.4	-30°	254°	A04.1


Joint A16 ↑ **TOP**

HERE	BEND	ROT	THERE
A16.1	-49°	262°	A25.2
A16.2	-12°	092°	A21.1
A16.3	+12°	200°	A33.3
A16.4	-49°	354°	A13.2



A21:A22

Leg A · **twist 2** (with A23:A24, A25:A26) · 2040 mm





Joint A21 ↑ TOP

HERE	BEND	ROT	THERE
A21.1	-49°	350°	A16.2
A21.2	-30°	154°	A14.1
A21.3	+30°	039°	B02.4
A21.4	-49°	247°	A24.4


Joint A22 ↓ BOTTOM

HERE	BEND	ROT	THERE
A22.1	-30°	070°	A33.2
A22.2	-30°	238°	A35.1
A22.3	+12°	117°	A45.3
A22.4	-49°	324°	A25.4



A13:A14

Leg A · **twist 1** (with A11:A12, A15:A16) · 2049 mm





Joint A13 ↑ TOP

HERE	BEND	ROT	THERE
A13.1	-30°	353°	B02.2
A13.2	-49°	085°	A16.4
A13.3	+49°	336°	B01.4
A13.4	-12°	185°	C03.1


Joint A14 ↓ BOTTOM

HERE	BEND	ROT	THERE
A14.1	-49°	329°	A21.2
A14.2	-49°	058°	A11.2
A14.3	+49°	280°	A31.3
A14.4	-30°	142°	A23.1



A04:A02

Hub strut · 2353 mm





Joint A04 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
A04.1	-68°	178°	A15.4
A04.2	-49°	097°	B15.3
A04.3	+12°	231°	A23.3
A04.4	-12°	007°	A11.1


Joint A02 ↑ **TOP**

HERE	BEND	ROT	THERE
A02.1	-68°	109°	C11.4
A02.2	-30°	279°	C13.1
A02.3	-30°	022°	B01.2
A02.4	-12°	169°	C21.3



A03:A01

Hub strut · 2404 mm





Joint A03 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
A03.1	-49°	049°	B13.4
A03.2	-12°	203°	B15.1
A03.3	+30°	098°	B25.3
A03.4	-30°	293°	A11.3


Joint A01 ↑ **TOP**

HERE	BEND	ROT	THERE
A01.1	-68°	082°	Z2.2
A01.2	-49°	272°	C02.3
A01.3	+12°	012°	Z1.2
A01.4	-30°	179°	C13.3



B51:B52

Vertical bottom strut · Leg B · 1792 mm





Joint B51 ↑ TOP

HERE	BEND	ROT	THERE
B51.1	-30°	184°	B46.1
B51.2	-30°	306°	B44.2
B51.3	-30°	071°	B42.2


Joint B52 ↓ BOTTOM

HERE	BEND	ROT	THERE
B52.1	-49°	289°	B42.3
B52.2	-49°	054°	B44.3
B52.3	-49°	176°	B46.3



B43:B44

Leg B · **twist 4** (with B41:B42, B45:B46) · 1912 mm





Joint B43 ↑ TOP

HERE	BEND	ROT	THERE
B43.1	-68°	301°	B34.4
B43.2	-49°	173°	B46.4
B43.3	+12°	320°	B26.3
B43.4	-30°	115°	B32.1


Joint B44 ↓ BOTTOM

HERE	BEND	ROT	THERE
B44.1	-68°	059°	B34.3
B44.2	-68°	266°	B51.2
B44.3	+12°	204°	B52.2
B44.4	-49°	006°	B41.4



B45 : B46

Leg B · **twist 4** (with B41:B42, B43:B44) · 1918 mm





Joint B45 ↑ TOP

HERE	BEND	ROT	THERE
B45.1	-68°	277°	B32.4
B45.2	-30°	094°	B36.2
B45.3	+12°	311°	B22.3
B45.4	-49°	161°	B42.4


Joint B46 ↓ BOTTOM

HERE	BEND	ROT	THERE
B46.1	-68°	283°	B51.1
B46.2	-68°	083°	B32.3
B46.3	+12°	217°	B52.3
B46.4	-49°	017°	B43.2



B41:B42

Leg B · **twist 4** (with B43:B44, B45:B46) · 1953 mm





Joint B41 ↑ TOP

HERE	BEND	ROT	THERE
B41.1	-68°	325°	B36.4
B41.2	-30°	135°	B34.1
B41.3	+12°	008°	B24.3
B41.4	-49°	199°	B44.4


Joint B42 ↓ BOTTOM

HERE	BEND	ROT	THERE
B42.1	-68°	035°	B36.3
B42.2	-68°	241°	B51.3
B42.3	+12°	174°	B52.1
B42.4	-49°	339°	B45.4



B31:B32

Leg B · **twist 3** (with B33:B34, B35:B36) · 1983 mm





Joint B31 ↑ TOP

HERE	BEND	ROT	THERE
B31.1	-68°	112°	B26.4
B31.2	-12°	304°	B24.1
B31.3	+12°	068°	B14.3
B31.4	-49°	203°	B34.2


Joint B32 ↓ BOTTOM

HERE	BEND	ROT	THERE
B32.1	-68°	253°	B43.4
B32.2	-49°	308°	B35.4
B32.3	+12°	186°	B46.2
B32.4	-30°	036°	B45.1



B11:B12

Leg B · **twist 1** (with B13:B14, B15:B16) · 1989 mm





Joint B11 ↑ TOP

HERE	BEND	ROT	THERE
B11.1	-68°	144°	B04.4
B11.2	-49°	233°	B14.2
B11.3	+12°	157°	B03.4
B11.4	-12°	338°	C02.1


Joint B12 ↓ BOTTOM

HERE	BEND	ROT	THERE
B12.1	-68°	206°	B23.4
B12.2	-30°	274°	B15.2
B12.3	+12°	163°	B35.3
B12.4	-30°	005°	B25.1



B35 : B36

Leg B · **twist 3** (with B31:B32, B33:B34) · 1996 mm





Joint B35 ↑ TOP

HERE	BEND	ROT	THERE
B35.1	-49°	067°	B22.2
B35.2	-30°	258°	B26.1
B35.3	+30°	029°	B12.3
B35.4	-49°	166°	B32.2


Joint B36 ↓ BOTTOM

HERE	BEND	ROT	THERE
B36.1	-49°	339°	B33.4
B36.2	-49°	281°	B45.2
B36.3	+12°	209°	B42.1
B36.4	-30°	069°	B41.1



B25 : B26

Leg B · **twist 2** (with B21:B22, B23:B24) · 2005 mm





Joint B25 ↑ TOP

HERE	BEND	ROT	THERE
B25.1	-68°	212°	B12.4
B25.2	-12°	039°	B16.1
B25.3	+30°	271°	A03.3
B25.4	-49°	141°	B22.4


Joint B26 ↓ BOTTOM

HERE	BEND	ROT	THERE
B26.1	-68°	156°	B35.2
B26.2	-49°	066°	B23.2
B26.3	+12°	188°	B43.3
B26.4	-30°	334°	B31.1



B33 : B34

Leg B · **twist 3** (with B31:B32, B35:B36) · 2006 mm





Joint B33 ↑ TOP

HERE	BEND	ROT	THERE
B33.1	-49°	028°	B24.2
B33.2	-30°	237°	B22.1
B33.3	+30°	333°	B16.3
B33.4	-68°	132°	B36.1


Joint B34 ↓ BOTTOM

HERE	BEND	ROT	THERE
B34.1	-49°	309°	B41.2
B34.2	-49°	016°	B31.4
B34.3	+30°	240°	B44.1
B34.4	-30°	094°	B43.1



B23:B24

Leg B · **twist 2** (with B21:B22, B25:B26) · 2025 mm




Joint B23 ↑ TOP

HERE	BEND	ROT	THERE
B23.1	-68°	273°	B14.4
B23.2	-49°	191°	B26.2
B23.3	+30°	312°	B04.3
B23.4	-30°	109°	B12.1


Joint B24 ↓ BOTTOM

HERE	BEND	ROT	THERE
B24.1	-49°	111°	B31.2
B24.2	-12°	273°	B33.1
B24.3	+12°	154°	B41.3
B24.4	-49°	023°	B21.4

Joint B23




Joint B24



B15:B16

Leg B · **twist 1** (with B11:B12, B13:B14) · 2032 mm





Joint B15 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
B15.1	-49°	050°	A03.2
B15.2	-49°	165°	B12.2
B15.3	+30°	101°	A04.2
B15.4	-30°	254°	B04.1


Joint B16 ↑ **TOP**

HERE	BEND	ROT	THERE
B16.1	-49°	262°	B25.2
B16.2	-12°	092°	B21.1
B16.3	+12°	200°	B33.3
B16.4	-49°	354°	B13.2



B21:B22

Leg B · **twist 2** (with B23:B24, B25:B26) · 2040 mm





Joint B21 ↑ TOP

HERE	BEND	ROT	THERE
B21.1	-49°	350°	B16.2
B21.2	-30°	154°	B14.1
B21.3	+30°	039°	C02.4
B21.4	-49°	247°	B24.4


Joint B22 ↓ BOTTOM

HERE	BEND	ROT	THERE
B22.1	-30°	070°	B33.2
B22.2	-30°	238°	B35.1
B22.3	+12°	117°	B45.3
B22.4	-49°	324°	B25.4



B13:B14

Leg B · **twist 1** (with B11:B12, B15:B16) · 2049 mm





Joint B13 ↑ TOP

HERE	BEND	ROT	THERE
B13.1	-30°	353°	C02.2
B13.2	-49°	085°	B16.4
B13.3	+49°	336°	C01.4
B13.4	-12°	185°	A03.1


Joint B14 ↓ BOTTOM

HERE	BEND	ROT	THERE
B14.1	-49°	329°	B21.2
B14.2	-49°	058°	B11.2
B14.3	+49°	280°	B31.3
B14.4	-30°	142°	B23.1



B04:B02

Hub strut · 2353 mm





Joint B04 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
B04.1	-68°	178°	B15.4
B04.2	-49°	097°	C15.3
B04.3	+12°	231°	B23.3
B04.4	-12°	007°	B11.1


Joint B02 ↑ **TOP**

HERE	BEND	ROT	THERE
B02.1	-68°	109°	A11.4
B02.2	-30°	279°	A13.1
B02.3	-30°	022°	C01.2
B02.4	-12°	169°	A21.3



B03:B01

Hub strut · 2404 mm





Joint B03 ↓ BOTTOM

HERE	BEND	ROT	THERE
B03.1	-49°	049°	C13.4
B03.2	-12°	203°	C15.1
B03.3	+30°	098°	C25.3
B03.4	-30°	293°	B11.3


Joint B01 ↑ TOP

HERE	BEND	ROT	THERE
B01.1	-68°	082°	Z2.1
B01.2	-49°	272°	A02.3
B01.3	+12°	012°	Z1.3
B01.4	-30°	179°	A13.3



C51:C52

Vertical bottom strut · Leg C · 1792 mm





Joint C51 ↑ TOP

HERE	BEND	ROT	THERE
C51.1	-30°	184°	C46.1
C51.2	-30°	306°	C44.2
C51.3	-30°	071°	C42.2


Joint C52 ↓ BOTTOM

HERE	BEND	ROT	THERE
C52.1	-49°	289°	C42.3
C52.2	-49°	054°	C44.3
C52.3	-49°	176°	C46.3



C43:C44

Leg C · **twist 4** (with C41:C42, C45:C46) · 1912 mm





Joint C43 ↑ TOP

HERE	BEND	ROT	THERE
C43.1	-68°	301°	C34.4
C43.2	-49°	173°	C46.4
C43.3	+12°	320°	C26.3
C43.4	-30°	115°	C32.1


Joint C44 ↓ BOTTOM

HERE	BEND	ROT	THERE
C44.1	-68°	059°	C34.3
C44.2	-68°	266°	C51.2
C44.3	+12°	204°	C52.2
C44.4	-49°	006°	C41.4



C45 : C46

Leg C · **twist 4** (with C41:C42, C43:C44) · 1918 mm





Joint C45 ↑ TOP

HERE	BEND	ROT	THERE
C45.1	-68°	277°	C32.4
C45.2	-30°	094°	C36.2
C45.3	+12°	311°	C22.3
C45.4	-49°	161°	C42.4


Joint C46 ↓ BOTTOM

HERE	BEND	ROT	THERE
C46.1	-68°	283°	C51.1
C46.2	-68°	083°	C32.3
C46.3	+12°	217°	C52.3
C46.4	-49°	017°	C43.2



C41:C42

Leg C · **twist 4** (with C43:C44, C45:C46) · 1953 mm





Joint C41 ↑ TOP

HERE	BEND	ROT	THERE
C41.1	-68°	325°	C36.4
C41.2	-30°	135°	C34.1
C41.3	+12°	008°	C24.3
C41.4	-49°	199°	C44.4


Joint C42 ↓ BOTTOM

HERE	BEND	ROT	THERE
C42.1	-68°	035°	C36.3
C42.2	-68°	241°	C51.3
C42.3	+12°	174°	C52.1
C42.4	-49°	339°	C45.4



C31:C32

Leg C · **twist 3** (with C33:C34, C35:C36) · 1983 mm





Joint C31 ↑ TOP

HERE	BEND	ROT	THERE
C31.1	-68°	112°	C26.4
C31.2	-12°	304°	C24.1
C31.3	+12°	068°	C14.3
C31.4	-49°	203°	C34.2


Joint C32 ↓ BOTTOM

HERE	BEND	ROT	THERE
C32.1	-68°	253°	C43.4
C32.2	-49°	308°	C35.4
C32.3	+12°	186°	C46.2
C32.4	-30°	036°	C45.1



C11:C12

Leg C · **twist 1** (with C13:C14, C15:C16) · 1989 mm





Joint C11 ↑ TOP

HERE	BEND	ROT	THERE
C11.1	-68°	144°	C04.4
C11.2	-49°	233°	C14.2
C11.3	+12°	157°	C03.4
C11.4	-12°	338°	A02.1


Joint C12 ↓ BOTTOM

HERE	BEND	ROT	THERE
C12.1	-68°	206°	C23.4
C12.2	-30°	274°	C15.2
C12.3	+12°	163°	C35.3
C12.4	-30°	005°	C25.1



C35 : C36

Leg C · **twist 3** (with C31:C32, C33:C34) · 1996 mm





Joint C35 ↑ TOP

HERE	BEND	ROT	THERE
C35.1	-49°	067°	C22.2
C35.2	-30°	258°	C26.1
C35.3	+30°	029°	C12.3
C35.4	-49°	166°	C32.2


Joint C36 ↓ BOTTOM

HERE	BEND	ROT	THERE
C36.1	-49°	339°	C33.4
C36.2	-49°	281°	C45.2
C36.3	+12°	209°	C42.1
C36.4	-30°	069°	C41.1



C25:C26

Leg C · **twist 2** (with C21:C22, C23:C24) · 2005 mm





Joint C25 ↑ TOP

HERE	BEND	ROT	THERE
C25.1	-68°	212°	C12.4
C25.2	-12°	039°	C16.1
C25.3	+30°	271°	B03.3
C25.4	-49°	141°	C22.4


Joint C26 ↓ BOTTOM

HERE	BEND	ROT	THERE
C26.1	-68°	156°	C35.2
C26.2	-49°	066°	C23.2
C26.3	+12°	188°	C43.3
C26.4	-30°	334°	C31.1



C33 : C34

Leg C · **twist 3** (with C31:C32, C35:C36) · 2006 mm





Joint C33 ↑ TOP

HERE	BEND	ROT	THERE
C33.1	-49°	028°	C24.2
C33.2	-30°	237°	C22.1
C33.3	+30°	333°	C16.3
C33.4	-68°	132°	C36.1


Joint C34 ↓ BOTTOM

HERE	BEND	ROT	THERE
C34.1	-49°	309°	C41.2
C34.2	-49°	016°	C31.4
C34.3	+30°	240°	C44.1
C34.4	-30°	094°	C43.1



C23:C24

Leg C · **twist 2** (with C21:C22, C25:C26) · 2025 mm




Joint C23 ↑ TOP

HERE	BEND	ROT	THERE
C23.1	-68°	273°	C14.4
C23.2	-49°	191°	C26.2
C23.3	+30°	312°	C04.3
C23.4	-30°	109°	C12.1


Joint C24 ↓ BOTTOM

HERE	BEND	ROT	THERE
C24.1	-49°	111°	C31.2
C24.2	-12°	272°	C33.1
C24.3	+12°	154°	C41.3
C24.4	-49°	023°	C21.4

Joint C23




Joint C24



C15:C16

Leg C · **twist 1** (with C11:C12, C13:C14) · 2032 mm





Joint C15 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
C15.1	-49°	050°	B03.2
C15.2	-49°	165°	C12.2
C15.3	+30°	101°	B04.2
C15.4	-30°	254°	C04.1

Joint C16 ↑ **TOP**

HERE	BEND	ROT	THERE
C16.1	-49°	262°	C25.2
C16.2	-12°	092°	C21.1
C16.3	+12°	200°	C33.3
C16.4	-49°	354°	C13.2



C21:C22

Leg C · **twist 2** (with C23:C24, C25:C26) · 2040 mm





Joint C21 ↑ TOP

HERE	BEND	ROT	THERE
C21.1	-49°	350°	C16.2
C21.2	-30°	153°	C14.1
C21.3	+30°	039°	A02.4
C21.4	-49°	247°	C24.4


Joint C22 ↓ BOTTOM

HERE	BEND	ROT	THERE
C22.1	-30°	070°	C33.2
C22.2	-30°	238°	C35.1
C22.3	+12°	117°	C45.3
C22.4	-49°	324°	C25.4



C13:C14

Leg C · **twist 1** (with C11:C12, C15:C16) · 2049 mm





Joint C13 ↑ TOP

HERE	BEND	ROT	THERE
C13.1	-30°	353°	A02.2
C13.2	-49°	085°	C16.4
C13.3	+49°	336°	A01.4
C13.4	-12°	185°	B03.1


Joint C14 ↓ BOTTOM

HERE	BEND	ROT	THERE
C14.1	-49°	329°	C21.2
C14.2	-49°	058°	C11.2
C14.3	+49°	280°	C31.3
C14.4	-30°	142°	C23.1



C04:C02

Hub strut · 2353 mm





Joint C04 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
C04.1	-68°	178°	C15.4
C04.2	-49°	097°	A15.3
C04.3	+12°	231°	C23.3
C04.4	-12°	007°	C11.1


Joint C02 ↑ **TOP**

HERE	BEND	ROT	THERE
C02.1	-68°	109°	B11.4
C02.2	-30°	279°	B13.1
C02.3	-30°	022°	A01.2
C02.4	-12°	169°	B21.3



C03:C01

Hub strut · 2404 mm





Joint C03 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
C03.1	-49°	049°	A13.4
C03.2	-12°	203°	A15.1
C03.3	+30°	098°	A25.3
C03.4	-30°	293°	C11.3


Joint C01 ↑ **TOP**

HERE	BEND	ROT	THERE
C01.1	-68°	082°	Z2.3
C01.2	-49°	272°	B02.3
C01.3	+12°	012°	Z1.1
C01.4	-30°	179°	B13.3



Z2:Z1

Apex strut • 1791 mm



Joint Z2 ↓ **BOTTOM**

HERE	BEND	ROT	THERE
Z2.1	-30°	106°	B01.1
Z2.2	-30°	346°	A01.1
Z2.3	-30°	226°	C01.1

Joint Z1 ↑ **TOP**

HERE	BEND	ROT	THERE
Z1.1	-49°	134°	C01.3
Z1.2	-49°	014°	A01.3
Z1.3	-49°	254°	B01.3

