Retrabalho - DM12



OR32 Data: 30.08.2021

Temp. est: min
Largura: mm
Core: "
OD min: mm

mm

OD max:

Encomenda: stock Proforma: stock

n. paletes (emendas): Máximo possível sem emendas

Fita-preta Fita metálica

Emenda:

Paletes a retrabalhar:

DM6712

DM6944

DM6950

DM6707

DM6558

DM6699

DM6938

DM6948

DM6949 DM6951

Palete	Lote	Larg. Real	M.lin	Status Destino	
DM6712	40210627-09-01	140 1.987	G	Sancella 140 GOOD	E*176
DM6712	40210520-47-01	120 2.141	G	Mediane 120, 2/palete	E*179
DM6944	20210807-14-04	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-03	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-09	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-07	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-06	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-12	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-11	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-14-10	160 2.393	DM	Sancella 160	E*163
DM6944	20210807-13-10	160 2.368	DM	Sancella 160	E*163
DM6944	20210807-01-02	160 2.393	DM	Sancella 140/tuketim 140	E*176
DM6944	20210807-01-05	160 2.393	DM	Sancella 160	E*163
DM6950	20210807-11-08	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-11-01	160 2.393	G	Sancella 160	E*163
DM6950	20210807-11-06	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-11-05	160 2.393	G	Sancella 160	E*163
DM6950	20210807-12-10	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-07	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-06	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-04	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-03	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-08	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-02	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-12-01	160 2.393	G	Sancella 160	E*163
DM6950	20210807-12-05	160 2.393	DM	Ontex Tuketim 160	E*69
DM6950	20210807-08-03	160 2.393	G	Sancella 160	E*163
DM6707	40210705-29-01	140 2.338	G	Sancella 140 GOOD	E*176
DM6707	40210705-28-01	140 2.312	G	Sancella 140 GOOD	E*176
					02.1454.0104

Retrabalho - DM12



OR32 Data: 30.08.2021

Encomen	da:	stock				Temp. est: Largura: Core:	min mm "	
Proforma:		stock				OD min:	mm	
n. paletes	(emendas):	Máximo possível se	em emend	as		OD max:	mm	
DM6707	40210705-27-01	140 2.	.346	G	Sancella 140 GOOD			E*176
DM6707	40210705-26-01	140 2.		G	Sancella 140 GOOD			E*176
DM6558	20210614-14-07	160 2.	355	G	Sancella 160 GOOD			E*163
DM6558	20210614-14-12	160 2.	355	G	Sancella 160 GOOD			E*163
DM6558	20210614-14-11	160 2.	355	G	Sancella 160 GOOD			E*163
DM6558	20210614-14-10	160 2.	355	G	Sancella 160 GOOD			E*163
DM6699	30210701-40-01	160 1.	110	DM	Sancella 160			E*163
DM6699	30210701-39-01	160 1.	-	DM	Sancella 160			E*163
DM6699	30210701-38-01	160 1.		DM	Sancella 160			E*163
DM6699	30210701-37-01	160 1.	_	DM	Sancella 160			E*163
DM6699	30210701-36-01	160 1.		DM	Sancella 160			E*163
DM6699	30210701-35-01	160 1.		DM	Sancella 160			E*163
DM6699	30210701-34-01	160 1.	-	DM	Sancella 160 Sancella 160			E*163 E*163
DM6699 DM6699	30210701-33-01 30210701-32-01	160 1. 160 1.	_	DM DM	Sancella 160 Sancella 160			E*163
DM6699	30210701-32-01	160 1.		DM	Sancella 160			E*163
DIVIOUSS	30210701-31-01	100 1.	125	DIVI	Jancena 100			L 103
DM6938	20210807-05-12	160 2.	393	DM	Ontex Tuketim 160			E*69
DM6938	20210807-05-11	160 2.	393	G	Sancella 160			E*163
DM6938	20210807-05-10	160 2.	393	DM	Ontex Tuketim 160			E*69
DM6938	20210807-05-09	160 2.	393	G	Sancella 160			E*163
DM6938	20210807-05-08	160 2.	393	DM	Ontex Tuketim 160			E*69
DM6938	20210807-05-07	160 2.		G	Sancella 160			E*163
DM6938	20210807-05-03	160 2.		G	Sancella 160			E*163
DM6938	20210807-05-02	160 2.		G	Sancella 160			E*163
DM6938	20210807-05-01	160 2		G	Sancella 160			E*163 E*69
DM6938 DM6938	20210807-05-06 20210807-05-05	160 2. 160 2.		DM G	Ontex Tuketim 160 Sancella 160			E*163
DM6938	20210807-05-04	160 2.		G	Sancella 160			E*163
DIVI0530	20210007 03 04	100 2.	.393	J	Sancena 100			L 103
DM6948	20210807-18-07	160 2.		G	Sancella 160			E*163
DM6948	20210807-19-05	160 2.		DM	Ontex Tuketim 160			E*69
DM6948	20210807-19-06	160 2.		DM	Ontex Tuketim 160			E*69
DM6948	20210807-20-08	160 2.	=	DM	Ontex Tuketim 160			E*69
DM6948	20210807-20-04	160 2.	•	DM	Ontex Tuketim 160			E*69
DM6948	20210807-20-02	160 2	_	DM	Ontex Tuketim 160			E*69 E*163
DM6948 DM6948	20210807-20-01 20210807-01-03	160 2.	_	G	Sancella 160 Sancella 160			E*163
DM6948	20210807-01-05	160 2.		G G	Sancella 160			E*163
DM6948	20210807-01-00	160 2. 160 2.		G	Sancella 160			E*163
DM6948	20210807-01-01	160 2.		G	Sancella 160			E*163
DM6948	20210807-01-12	160 2.		G	Sancella 160			E*163
DM6948	20210807-01-11	160 2.		G	Sancella 160			E*163
DM6948	20210807-01-10	160 2.		G	Sancella 160			E*163
DM6949	20210807-08-06	160 2.		G	Sancella 160			E*163
DM6949	20210807-08-05	160 2.	393	DM	Ontex Tuketim 160			E*69

Retrabalho - DM12



OR32 Data: 30.08.2021

n. paletes (emendas):	Máximo possível sem emendas	OD max:	mm
Proforma:	stock	OD min:	mm
Encomenda:	stock	Core:	II .
		Largura:	mm
		Temp. est:	min

du.	SLOCK					
:	stock			OD min:	mm	
(emendas):	Máximo possível sem em	endas		OD max:	mm	
20210806-37-02	160 2.323	G	Sancella 160			E*163
20210807-08-08	160 2.393	DM	Ontex Tuketim 160			E*69
20210807-08-07	160 2.393	DM	Ontex Tuketim 160			E*69
20210806-37-05	160 2.323	G	Sancella 160			E*163
20210806-37-04	160 2.323	G	Sancella 160			E*163
20210806-37-03	160 2.323	G	Sancella 160			E*163
20210806-37-09	160 2.323	G	Sancella 160			E*163
20210806-37-07	160 2.323	G	Sancella 160			E*163
20210806-37-06	160 2.323	DM	Ontex Tuketim 160			E*69
20210807-18-11	160 2.383	DM	Ontex Tuketim 160			E*69
20210807-18-04	160 2.383	G	Sancella 160			E*163
20210807-08-04	160 2.393	G	Sancella 160			E*163
20210807-11-11	160 2.393	G	Sancella 160			E*163
20210807-10-01	160 2.048	G	Sancella 160			E*163
20210807-10-04	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-03	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-06	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-05	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-09	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-10	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-08	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-10-07	160 2.048	DM	Ontex Tuketim 160			E*69
20210807-11-12	160 2.393	G	Sancella 160			E*163
20210807-11-10	160 2.393	G	Sancella 160			E*163
20210807-11-04	160 2.393	G	Sancella 160			E*163
20210807-11-09	160 2.393	G	Sancella 160			E*163
	20210806-37-02 20210807-08-08 20210807-08-07 20210806-37-05 20210806-37-04 20210806-37-09 20210806-37-07 20210806-37-06 20210807-18-01 20210807-18-04 20210807-10-01 20210807-10-01 20210807-10-01 20210807-10-05 20210807-10-05 20210807-10-09 20210807-10-08 20210807-10-08 20210807-10-08 20210807-10-07 20210807-11-10 20210807-11-10 20210807-11-10 20210807-11-10 20210807-11-10	stock Máximo possível sem em 20210806-37-02 20210807-08-08 20210807-08-07 20210806-37-05 20210806-37-05 20210806-37-04 20210806-37-03 20210806-37-09 20210806-37-07 20210806-37-06 20210807-18-01 20210807-18-04 20210807-10-01 20210807-10-04 20210807-10-05 20210807-10-09 20210807-10-08 20210807-10-08 20210807-10-08 20210807-10-08 20210807-10-07 20210807-10-07 20210807-10-08 20210807-10-08 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-09 20210807-10-10 2020807-10-09 20210807-10-10 2020807-10-10 2020807-10-10 2020807-11-12 20210807-11-12 20210807-11-10 20210807-11-10 20210807-11-10 20210807-11-10 20210807-11-10 20210807-11-10 20210807-11-10	stock (emendas): Máximo possível sem emendas 20210806-37-02 20210807-08-08 160 2.393 DM 20210806-37-05 160 2.393 DM 20210806-37-05 160 2.323 G 20210806-37-04 160 2.323 G 20210806-37-03 160 2.323 G 20210806-37-09 160 2.323 G 20210806-37-07 160 2.323 G 20210806-37-07 160 2.323 G 20210806-37-07 160 2.323 G 20210806-37-06 160 2.323 DM 20210807-18-11 160 2.383 DM 20210807-18-04 160 2.383 G 20210807-10-01 160 2.393 G 20210807-10-01 160 2.048 DM 20210807-10-03 160 2.048 DM 20210807-10-05 160 2.048 DM 20210807-10-05 160 2.048 DM 20210807-10-09 160 2.048 DM 20210807-10-10 160 2.048 DM 20210807-11-10 160 2.393 G 20210807-11-10 160 2.393 G	Stock Máximo possível sem emendas Sancella 160	Stock Máximo possível sem emendas OD min: OD max:	Stock Máximo possível sem emendas OD min: mm