

ORo4 Data: 25.04.2021

Temp. est: min Largura: mm Core: "

mm

mm

Encomenda: stock Proforma: stock

stock OD min: **Máximo possível sem emendas** OD max:

Fita-preta Fita metálica

Emenda:

Paletes a retrabalhar:

n. paletes (emendas):

DM5991

DM6001

DM6010

DM6015

DM6017

DM6063

DM5859

DM6008

		<u> </u>	11	
alete	Lote	Larg. Real	M.lin	Status Destino
M5991	40210409-29-01	75 1.929	DM	Drylock 75 (stock nunex)
M5991	40210408-86-01	75 2.432	DM	Drylock 75 (stock nunex)
M5991	40210409-83-01	75 2.415	DM	Drylock 75 (stock nunex)
M5991	40210409-86-01	75 2.401	DM	Drylock 75 (stock nunex)
M5991	40210409-88-01	75 2.390	DM	Drylock 75 (stock nunex)
DM5991	40210409-79-01	75 2.344	DM	Drylock 75 (stock nunex)
DM5991	40210409-80-01	75 2.382	DM	Drylock 75 (stock nunex)
M5991	40210409-81-01	75 2.381	DM	Drylock 75 (stock nunex)
M5991	40210409-82-01	75 2.394	DM	Drylock 75 (stock nunex)
M5991	40210409-87-01	75 2.372	DM	Drylock 75 (stock nunex)
M5991	40210409-84-01	75 2.402	DM	Drylock 75 (stock nunex)
M5991	40210408-91-01	75 2.278	DM	Drylock 75 (stock nunex)
M5991	40210408-80-01	75 2.433	DM	Drylock 75 (stock nunex)
M5991	40210408-68-01	75 2.432	DM	Drylock 75 (stock nunex)



OR<sub>04</sub> Data: 25.04.2021

> Temp. est: min

		Largura:	mm
Encomenda:	stock	Core:	II .
Proforma:	stock	OD min:	mm
n. paletes (emendas):	Máximo possível sem emendas	OD max:	mm

Proforma	:	stock		OD	min: mm	
n. paletes (emendas):		Máximo possível sem emendas			max: mm	
DM5991	40210408-66-01	75 2.432	DM	Drylock 75 (stock nunex)		E*172
DM5991	40210408-65-01	75 2.431	DM	Drylock 75 (stock nunex)		E*172
DM6001	20210328-13-07	75 2.356	DM	Drylock		E*172
DM6001	40210324-23-01	140 2.224	G	Ontex Tuketim		E*70
DM6001	20210326-21-08	80 1.896	DM	Can Hygiene 80	EMD	E*147
DM6001	20210321-28-05	80 1.940	DM	Can Hygiene 70		E*148
DM6001	40210324-27-01	140 1.747	DM	Drylock		E*171
DM6001	20210321-28-06	80 1.940	DM	Can Hygiene 70		E*148
DM6001	20210321-28-03	80 1.940	DM	Can Hygiene 70		E*148
DM6001	20210326-19-16	130 1.169	DM	NAPCO		E*94
DM6001	40210329-112-01	75 1.094	DM	Drylock		E*172
DM6001	30210410-43-01	75 2.056	DM	Drylock 75		E*172
DM6001	20210307-09-19	75 597	DM	Drylock		E*172
DM6001	40210329-109-01	75 746	DM	Drylock		E*172
DM6001	20210307-09-10	75 597	DM	Drylock		E*172
DM6010	20210411-23-02	75 2.377	DM			E*172
DM6010	20210411-18-06	75 2.365	DM	Drylock 75		E*172
DM6010	20210411-18-07	75 2.365	DM	Drylock 75		E*172
DM6010	20210411-18-11	75 2.365	DM	Drylock 75		E*172
DM6010	20210411-18-12	75 2.365	DM	Drylock 75		E*172
DM6010	20210411-18-13	75 2.365	DM	Drylock 75		E*172
DM6010	20210411-18-16	75 2.365	DM	Drylock 75		E*172
DM6010	20210411-15-04	75 2.366	DM	Drylock 75		E*172
DM6010	20210411-15-11	75 2.366	DM	Drylock 75 / 70		E*172
DM6010	20210411-15-12	75 2.366	DM	Drylock 75		E*173
DM6010	20210411-10-13	75 2.380	DM	Drylock 70		E*173
DM6010	20210411-10-14	75 2.380	DM	Drylock 70		E*173
DM6010	20210411-09-13	75 2.366	DM	Drylock 75 / 70		E*172
DM6010	20210411-09-14	75 2.366	DM	Drylock 75 / 70		E*172
DM6010	20210411-09-15	75 2.366	DM	Drylock 75 / 70		E*172
DM6010	20210325-08-22	75 2.319	DM	Drylock 75		E*172
DM6010	20210411-03-11	75 2.366	DM	Drylock 75		E*172
DM6010	20210411-03-14	75 2.366	DM	Drylock 70		E*173
DM6010	20210411-02-15	75 2.366	DM	Drylock 75		E*172
DM6010	20210411-02-16	75 2.366	DM	Drylock 75 GOOD		E*172
DM6010	20210410-09-13	75 2.366	DM	Drylock 75 / 70		E*172
DM6010	20210410-09-14	75 2.366	DM	Drylock 75 / 70		E*172
DM6010	20210410-08-13	75 2.366	DM	Drylock 70		E*173
DM6010	20210410-08-14	75 2.366	DM	Drylock 70		E*173
DM6015	20210412-28-16	75 1.550	DM	Drylock 75		E*172
DM6015	20210412-28-15	75 1.550	DM	Drylock 75		E*172
DM6015	20210412-28-14	75 1.550	DM	Drylock 75		E*172
DM6015	20210412-28-13	75 1.550	DM	Drylock 75		E*172
DM6015	20210412-28-12	75 1.550	DM	Drylock 75		E*172



OR<sub>04</sub> Data: 25.04.2021

		Temp. est:	min
		Largura:	mm
Encomenda: sto	ock	Core:	ш
Proforma: sto	ock	OD min:	mm
n. paletes (emendas):	láximo possível sem emendas	OD max:	mm

Encomen	da:	stock			Core:	"	
Proforma:		stock			OD min:	mm	
n. paletes	(emendas):	Máximo possível sem em	endas		OD max:	mm	
DM6015	20210412-28-11	75 1.550	DM	Drylock 7E			E*172
DM6015	20210412-28-11	75 1.550 75 1.550	DM	Drylock 75 Drylock 75			E*172
DM6015	20210412-28-02	75 1.550 75 1.550	DM	Drylock 75			E*172
DM6015	20210412-28-03	75 1.550 75 1.550	DM	Drylock 75			E*172
DM6015	20210412-28-04	75 1.550 75 1.550	DM	Drylock 75			E*172
DM6015	20210412-28-06	75 1.550 75 1.550	DM	Drylock 75			E*172
DM6015	20210412-28-07	75 1.550 75 1.550	DM	Drylock 75			E*172
DM6015	20210412-03-02	75 1.950 75 1.950	DM	Drylock 75			E*172
DM6015	20210412-03-02	75 2.439	G	Drylock 75			E*172
DM6015	20210412-27-12	75 2.439	DM	Drylock 75			E*172
DM6015	20210412-26-03	75 2. <del>3</del> 67	G	Drylock 75			E*172
DM6015	20210412-25-04	75 2.367 75 2.367	DM	Drylock 75			E*172
DM6015	20210412-25-04	75 2.367 75 2.367	DM	Drylock 75			E*172
DM6015	20210412-23-03	75 2.367 75 2.367	G				E*172
DM6015	20210412-22-02	75 2.394	DM	Drylock 75			E*172
				Drylock 75 / 70			E*172
DM6015	20210412-21-16	75 2.394	DM	Drylock 75 / 70			E*172
DM6015	20210412-20-02	75 2.367	DM	Drylock 70			
DM6015	20210412-19-06	75 2.365	DM	Drylock 75			E*172
DM6015	20210412-19-07	75 2.365	DM	Drylock 75			E*172
DM6015	20210412-09-15	75 2.365	DM	Drylock 70			E*172
DM6015	20210412-08-02	75 2.274	DM	Drylock 75			E*172
DM6015	20210412-08-11	75 2.274	DM	Drylock 75			E*172
DM6015	20210412-08-15	75 2.274	DM	Drylock 75 / 70			E*172
DM6015	20210412-08-16	75 2.274	DM	Drylock 75 / 70			E*172
DM6015	20210412-07-13	75 2.315	DM	Drylock 70			E*173
DM6015	20210412-07-14	75 2.315	DM	Drylock 70			E*173
DM6017	20210412-03-04	75 1.872	DM	Drylock 75			E*172
DM6017	20210412-03-05	75 1.872	DM	Drylock 75			E*172
DM6017	20210412-03-06	75 1.872	DM	Drylock 75			E*172
DM6017	20210412-03-07	75 1.872	DM	Drylock 75			E*172
DM6017	20210412-03-03	75 1.743	DM	Drylock 75			E*172
DM6017	40210413-15-01	75 2.090	DM	Drylock 75			E*172
DM6017	20210413-03-03	75 2.118	DM	Drylock 75			E*172
DM6017	20210413-04-04	75 2.392	DM	Drylock 75			E*172
DM6017	20210413-04-02	75 2.392	DM	Drylock 75			E*172
DM6017	20210413-04-16	75 2.392	DM	Drylock 75			E*172
DM6017	20210413-03-16	75 2.118	DM	Drylock 75			E*172
DM6017	20210413-03-15	75 2.118	DM	Drylock 75			E*172
DM6017	20210413-01-02	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-04	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-03	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-05	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-06	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-07	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-16	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-14	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-13	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-12	75 2.488	DM	Drylock 75			E*172
				•			

DM6008 20210410-19-18



OR04 Data: 25.04.2021

Encomenda: Proforma: n. paletes (emendas):		stock stock <b>Máximo possível sem emendas</b>			Temp. est: Largura: Core: OD min: OD max:	min mm " mm mm	
DM6017	20210413-01-11	75 2.488	DM	Drylock 75			E*172
DM6017	20210413-01-11	75 2.488	DM	Drylock 75 Drylock 75			E*172
DM6063	20210419-21-09	75 2.247	DM	Drylock 75			E*172
DM6063	20210419-16-05	75 2.245	DM	Drylock 75			E*172
DM6063	20210419-10-02	75 2.017	DM	Drylock 75			E*172
DM6063	20210419-10-03	75 2.017	DM	Drylock 75			E*172
DM6063	20210419-09-03	75 2.392	DM	Drylock 75			E*172
DM6063	20210408-13-11	75 2.368	DM	Drylock 75 GOOD			E*172
DM5859	40210329-97-01	75 1.094	DM	Drylock 75			E*172
<del>DM5859</del>	<del>40210329-96-01</del>	<del>75</del> <del>1.094</del>	<del>DM</del>	Regranular			
DM5859	40210329-94-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-95-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-93-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-92-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-91-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-89-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-88-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-87-01	75 1.094	DM	Drylock 75			E*172
DM5859	40210329-86-01	<del>75 1.094</del>	<del>DM</del>	Regranular			
DM5859	40210329-85-01	<del>75 1.094</del>	<del>DM</del>	Regranular			
DM5859	<del>40210329-84-01</del>	<del>75</del> 1.094	<del>DM</del>	Regranular			
DM5859	<del>40210329-83-01</del>	<del>75</del> 1.094	<del>DM</del>	Regranular			E*172
DM5859	40210329-82-01	75 1.094	DM	Drylock 75			E*172 E*172
DM5859 DM5859	40210329-81-01 40210329-80-01	75 1.094 75 1.094	DM DM	Drylock 75			E*172
DM5859	40210329-80-01	75 1.094 75 1.094	DM	Drylock 75			E*172
DM5859	40210329-79-01	75 1.094 75 1.094	DM	Drylock 75 Drylock 75			E*172
DM5859	40210329-77-01	75 1.094 75 1.094	DM	Drylock 75 Drylock 75			E*172
DIVIDODE	40210329-77-01	75 1.034	DIVI	Diylock 75			L 1/2
DM6008	30210411-34-01	240 1.788	DM	Drylock 240			E*180
DM6008	20210411 34 01	240 2.265	DM	Drylock 75			E*172
DM6008	20210410-22-18	240 2.311	DM	Drylock 75			E*172
DM6008	20210410-21-18	240 2.365	DM	Drylock 75			E*172
DM6008	20210410-20-01	240 2.365	DM	Drylock 240			E*180
DM6008	20210410-20-18	240 2.365	DM	Drylock 75			E*172
		2.0 2.000	- ***	_ ,			

E\*172

DM

Drylock 75

240 2.371