

09/04/2021

min

DRYLOCK SRO Cliente:

Nonwoven Elastic Bands ELA-ACE 100 HE (L) L75 D1100 6" Artigo:

Cód. artigo: EEEEFTACPAAR000172

Largura: 75 mm Encomenda: 6 " stock Core: Proforma: stock OD min: 900 mm n. paletes (emendas): Máximo possível sem emendas OD max: 1000 mm

Fita-preta Fita metálica

Emenda: X

Paletes a retrabalhar:

DM5736

DM5833


DM5846

DM5865 DM5866

DM5875

DM5876

DM5944



Data:

Temp. est:

| Palete | Lote | Larg. Real M.lin | Status | Destino |
|-------------------|---------------------------|--------------------------------|--------------|-----------------------|
| DM5736 | 20210317-10-12 | 75 2.403 | DM | Drylock 75 GOOD |
| DM5736 | 20210317-10-07 | 75 2.403 | DM | Drylock 75 GOOD |
| DM5736 | 20210317-10-10 | 75 2.403 | DM | Drylock 75 GOOD |
| DM5736 | 20210317-10-17 | 75 2.403 | DM | Drylock 75 GOOD |
| DM5736 | 20210317-10-16 | 75 2.403 | DM | Drylock 75 GOOD |
| DM5736 | 20210317-10-02 | 75 2.403 | R | Regranular |
| DM5736 | 20210317-18-11 | 75 2.428 | R | Regranular |
| DM5736 | 20210317-10-13 | 75 2.403 | R | Regranular |
| DM5736 | 20210317-10-14 | 75 2.403 | R | Regranular |
| DM5736 | 20210317-10-15 | 75 2.403 | R | Regranular |
| DM5736 | 20210317-10-11 | 75 2.403 | DM | Drylock 75 GOOD |
| DM5736 | 20210317-10-06 | 75 2.403 | R | Regranular |
| DM5736 | 20210317-04-10 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-04-06 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-04-07 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-04-04 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-04-03 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-13 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-14 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-16 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-11 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-03 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-04 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-06 | 75 2.398 | R | Regranular |
| DM5736 | 20210317-03-07 | 75 2.398 | R | Regranular |
| | | | | |
| DM5833 | 20210328-11-11 | 75 2.367 | DM | Drylock |
| DM5833 | 20210328-11-14 | 75 2.367 | DM | Drylock |
| | | | | |



min

Temp. est:

DRYLOCK SRO Cliente: Data: 09/04/2021

Nonwoven Elastic Bands ELA-ACE 100 HE (L) L75 D1100 6" Artigo:

Cód. artigo: EEEEFTACPAAR000172 Largura: 75 mm

| Encomenda: | | stock | | | Core: | 6 " |
|------------|----------------------|-------------------|--------------------------------|---------------|--------------------|---------|
| Proforma: | | stock | | | OD min: | 900 mm |
| n. paietes | (emendas): | Máximo possível s | em emendas | | OD max: | 1000 mm |
| DM5833 | 20210328- | 11-13 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-12 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-07 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-06 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-05 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-04 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-03 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 11-15 | 75 2.367 | DM | Drylock | |
| DM5833 | 20210328- | 05-03 | 75 2.377 | DM | Drylock | |
| DM5833 | 20210324- | 20-07 | 75 2.028 | DM | Drylock | |
| DM5833 | 20210324- | 20-15 | 75 2.028 | DM | Drylock | |
| DM5833 | 20210324- | 20-19 | 75 2.028 | DM | Drylock | |
| DM5833 | 20210324- | 20-21 | 75 2.028 | DM | Drylock | |
| DM5833 | 20210327- | 20-05 | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | 20-04 | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | 19-06 | 75 2.353 | DM | Drylock | |
| DM5833 | 20210327- | 19-14 | 75 2.353 | DM | Drylock | |
| DM5833 | 20210327- | 19-15 | 75 2.353 | DM | Drylock | |
| DM5833 | 20210327- | 14-05 | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | 14-06 | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | 14-12 | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | 13-04 | 75 2.376 | DM | Drylock | |
| DM5833 | 20210327- | 13-07 | 75 2.376 | DM | Drylock | |
| DM5833 | 20210327- | | 75 2.376 | DM | Drylock | |
| DM5833 | 20210327- | 13-13 | 75 2.376 | DM | Drylock | |
| DM5833 | 20210327- | 12-06 | 75 2.352 | DM | Drylock | |
| DM5833 | 20210327- | 10-03 | 75 2.322 | DM | Drylock | |
| DM5833 | 20210327- | 08-05 | 75 2.377 | DM | Drylock | |
| DM5846 | 20210328- | 22-06 | 75 2.398 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.398 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.398 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.367 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.367 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.367 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.367 75 2.367 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.367 75 2.367 | DM | Drylock | |
| DM5846 | 20210328- | | 75 2.367 75 2.367 | DM | Drylock | |
| DM5846 | 20210328- | | | DM | Drylock | |
| DIVISO40 | 20210320- | 13-07 | 75 2.356 | DIVI | Drylock | |
| DM5865 | 20210302- | 02-22 | 75 2.398 | DM | Drylock | |
| DM5865 | 20210302- | 02-21 | 75 2.398 | DM | Drylock | |
| DM5865 | 20210312- | 10-20 | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | 10-15 | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | 10-12 | 75 768 | DM | Drylock | |
| | | | | | | |



min

Temp. est:

Cliente: DRYLOCK SRO Data: 09/04/2021

Artigo: Nonwoven Elastic Bands ELA-ACE 100 HE (L) L75 D1100 6"

Cód. artigo:EEEEFTACPAAR000172Largura:75 mmEncomenda:stockCore:6 "Proforma:stockOD min:900 mm

| Encomend | | stock | | | Core: | 6 " |
|---------------------|------------|-------------------|------------|----|----------------|--------------------------|
| Proforma: | : | stock | | | OD min: | 900 mm |
| n. paletes | (emendas): | Máximo possível s | em emendas | | OD max: | 000 mm |
| DM5865 | 20210312-1 | 10-11 | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | | 75 768 | DM | Drylock | |
| DM5865 | 20210312-: | | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | 10-19 | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | 10-17 | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | 10-13 | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | - | 75 768 | DM | Drylock | |
| DM5865 | 20210312- | | 75 768 | DM | Drylock | |
| DM5865 | 20210312-: | | 75 768 | DM | Drylock | |
| DM5865 | 20210312-: | | 75 768 | DM | Drylock | |
| | | | | | • | |
| DM5866 | 40210329- | 112-01 | 75 1.094 | DM | Drylock | |
| DM ₅ 866 | 40210329- | 99-01 | 75 746 | DM | Drylock | |
| DM5866 | 40210329- | 100-01 | 75 746 | DM | Drylock | |
| DM5866 | 40210329- | 103-01 | 75 746 | DM | Drylock | |
| DM ₅ 866 | 40210329- | 102-01 | 75 746 | DM | Drylock | |
| DM ₅ 866 | 40210329- | 105-01 | 75 746 | DM | Drylock | |
| DM ₅ 866 | 40210329- | 104-01 | 75 746 | DM | Drylock | |
| DM5866 | 40210329- | 106-01 | 75 746 | DM | Drylock | |
| DM5866 | 40210329- | 107-01 | 75 746 | DM | Drylock | |
| DM5866 | 40210329- | 108-01 | 75 746 | DM | Drylock | |
| DM ₅ 866 | 40210329- | 109-01 | 75 746 | DM | Drylock | |
| DM ₅ 866 | 40210330- | 18-01 | 75 508 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 07-10 | 75 2.416 | DM | | até aos 1668m e levar an |
| DM ₅ 866 | 20210307-0 | 09-19 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-18 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 09-11 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-10 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 09-09 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 09-03 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 09-02 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 40210329- | 101-01 | 75 746 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-08 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 09-07 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-06 | 75 597 | DM | Drylock | |
| DM ₅ 866 | 20210307-0 | 09-05 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-04 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-13 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-15 | 75 597 | DM | Drylock | |
| DM5866 | 20210307-0 | 09-16 | 75 597 | DM | Drylock | |
| | | | | | | |
| DM5875 | 20210322- | | 75 2.349 | G | Drylock 75 GOO | |
| DM5875 | 20210322- | 17-06 | 75 2.398 | G | Drylock 75 GOO | D |



min

Temp. est:

DRYLOCK SRO Cliente: Data: 09/04/2021

Nonwoven Elastic Bands ELA-ACE 100 HE (L) L75 D1100 6" Artigo:

Cód. artigo: EEEEFTACPAAR000172 Largura: 75 mm Encomenda: ctock Core. 6 "

| Proforma: stock OD min: 900 mm n. paletes (emendas): Máximo possível sem emendas OD max: 1000 mm DM5875 20210322-17-05 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-03 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
|---|--|
| DM5875 20210322-17-05 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-04 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-03 75 2.398 G Drylock 75 GOOD DM5875 20210322-16-18 75 2.397 R Regranular DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-17-04 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-03 75 2.398 G Drylock 75 GOOD DM5875 20210322-16-18 75 2.397 R Regranular DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-17-04 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-03 75 2.398 G Drylock 75 GOOD DM5875 20210322-16-18 75 2.397 R Regranular DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-17-03 75 2.398 G Drylock 75 GOOD DM5875 20210322-16-18 75 2.397 R Regranular DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-16-18 75 2.397 R Regranular DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-17-09 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-14 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-17-15 75 2.398 G Drylock 75 GOOD DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-17-18 75 2.398 G Drylock 75 GOOD | |
| | |
| | |
| DM5875 20210322-17-19 75 2.398 G Drylock 75 GOOD | |
| DM5875 20210322-16-04 75 2.397 G Drylock 75 GOOD | |
| DM5875 20210325-08-22 75 2.319 DM Drylock | |
| | |
| DM5876 20210325-05-19 75 2.317 G Drylock 75 GOOD | |
| DM5876 20210325-05-20 75 2.317 G Drylock 75 GOOD | |
| DM5876 20210325-05-21 75 2.317 G Drylock 75 GOOD | |
| DM5876 20210318-30-14 75 2.406 G Drylock 75 GOOD | |
| DM5876 20210325-08-20 75 2.319 G Drylock 75 GOOD | |
| DM5876 20210325-08-19 75 2.319 G Drylock 75 GOOD | |
| DM5876 20210325-08-18 75 2.319 G Drylock 75 GOOD | |
| DM5876 20210325-08-17 75 2.319 G Drylock 75 GOOD | |
| DM5876 20210318-04-05 75 2.388 G Drylock 75 GOOD | |
| | |
| DM5944 20210405-18-08 75 1.903 G Drylock 75 GOOD | |
| DM5944 20210405-19-08 75 1.902 G Drylock 75 GOOD | |
| DM5944 20210405-20-08 75 2.003 G Drylock 75 GOOD | |
| DM5944 20210405-12-08 75 2.105 G Drylock 75 GOOD | |
| DM5944 20210405-15-08 75 2.367 G Drylock 75 GOOD | |
| DM5944 20210405-14-08 75 2.367 G Drylock 75 GOOD | |
| DM5944 20210405-11-08 75 2.287 G Drylock 75 GOOD | |
| DM5944 20210405-09-08 75 2.367 G Drylock 75 GOOD | |
| DM5944 20210405-13-08 75 2.367 G Drylock 75 GOOD | |