



Adjusted Cohen's d by domain (controlling for answer length)



Raw Cohen's d by domain (no covariate)



M58: Per-question consistency table

Measure	Domain	N(D/C)	Raw d	Raw p	Adj d	Adj p
seq_typing_entropy	pooled	52/49	+0.52	0.012	+0.69	0.001
	art_history	47/43	+0.39	0.075	+0.57	0.011
	psychology	41/41	+0.22	0.324	+0.32	0.169
seq_typing_max_run	pooled	52/49	-0.41	0.043	-0.52	0.013
	art_history	47/43	-0.52	0.020	-0.69	0.002
	psychology	41/41	-0.15	0.487	-0.19	0.412
first_writing_time_s	pooled	52/49	-0.32	0.115	-0.47	0.025
	art_history	47/43	-0.31	0.150	-0.44	0.047
	psychology	41/41	-0.26	0.235	-0.31	0.181
seq_typing_mean_run_explore	pooled	52/47	-0.32	0.122	-0.44	0.038
	art_history	46/41	-0.47	0.042	-0.64	0.005
	psychology	39/39	-0.01	0.949	-0.05	0.837
seq_topic_mean_run_exploit	pooled	52/49	-0.32	0.110	-0.42	0.043
	art_history	47/43	-0.41	0.062	-0.52	0.020
	psychology	41/41	-0.19	0.394	-0.29	0.205
pasted_chars	pooled	52/49	-0.42	0.043	+0.16	0.429
	art_history	47/43	-0.43	0.048	+0.00	0.985
	psychology	41/41	-0.28	0.207	+0.46	0.046

Adjusted = controls for final_answer_length

Pooled = average per participant (M57 method)

Domain rows = single-question analysis (1 obs per participant)