

M68 - Inter-exploit gap (time between writing events)

Per-participant averaged values (sign: + means Diffuse > Clumpy)

Measure	d_mean	c_mean	raw t	p_welch	MW p	d Sig
inter_exploit_mean_gap_s	141.65	152.26	-0.50	0.617	0.681	-0.10
inter_exploit_median_gap_s	117.95	121.05	-0.14	0.893	0.433	-0.03
inter_exploit_max_gap_s	292.12	311.84	-0.87	0.385	0.394	-0.17
seq_typing_mean_run_explore	3.26	3.92	-1.56	0.122	0.165	-0.32

* p<.05 ** p<.01 *** p<.001


inter_exploit_*_gap_s: stretches of time with no typing burst nor paste,
inside [0, trial_duration]. Includes leading/trailing reading time.

- mean = mean gap length (analog of mean run length, in seconds)
- median = robust analog (less sensitive to long tail)
- max = longest single reading stretch in the trial


seq_typing_mean_run_explore: mean run length in PAGES of "no-typing"
pages between writing pages (M56). Included for side-by-side comparison.

M68 - Per-participant strip plots (Diffuse vs Clumpy)


inter_exploit_mean_gap_s
d=-0.10, p=0.617



inter_exploit_median_gap_s
d=-0.03, p=0.893



inter_exploit_max_gap_s
d=-0.17, p=0.385



seq_typing_mean_run_explore
d=-0.32, p=0.122

