



Participant 1 | Condition: Diffuse | Total collected: 609 (M76: GBM-classified modes)


Trial 1 | Diffuse_5 | N=107




Trial 2 | Diffuse_2 | N=104




Trial 3 | Diffuse_3 | N=150



Trial 4 | Diffuse_4 | N=114




Trial 5 | Diffuse_5 | N=134




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	29.5	107	3445
2	Diffuse_2	60.0	44.4	104	3437
3	Diffuse_3	60.0	64.5	150	3437
4	Diffuse_4	60.0	46.5	114	3440
5	Diffuse_5	59.9	44.2	134	3450

Participant 2 | Condition: Diffuse | Total collected: 605 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	9.6	120	3463
2	Diffuse_4	60.0	3.1	146	3440
3	Diffuse_2	60.0	0.0	113	3443
4	Diffuse_5	60.0	0.0	109	3447
5	Diffuse_2	60.0	41.6	117	3434

Participant 4 | Condition: Clumpy | Total collected: 2323 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	76.7	298	3809
2	Clumpy_5	60.0	58.1	391	3840
3	Clumpy_3	60.0	47.6	471	3938
4	Clumpy_4	60.0	82.3	793	3627
5	Clumpy_1	60.0	37.6	370	3982

Participant 5 | Condition: Diffuse | Total collected: 583 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	2.4	132	3453
2	Diffuse_2	59.8	0.0	105	3440
3	Diffuse_1	59.7	64.6	110	3437
4	Diffuse_1	60.0	68.2	109	3432
5	Diffuse_1	58.9	29.1	127	3384

Participant 8 | Condition: Clumpy | Total collected: 2159 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	59.5	396	4429
2	Clumpy_1	60.0	41.2	374	3938
3	Clumpy_4	60.0	42.7	465	5123
4	Clumpy_3	59.8	20.3	355	7592
5	Clumpy_2	59.2	64.7	569	3675


Participant 10 | Condition: Diffuse | Total collected: 628 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	20.2	128	3439
2	Diffuse_3	60.0	0.0	118	3446
3	Diffuse_1	60.0	53.8	118	3425
4	Diffuse_3	59.7	20.2	131	3424
5	Diffuse_5	59.8	0.0	133	3441

Participant 11 | Condition: Diffuse | Total collected: 550 (M76: GBM-classified modes)


Trial 1 | Diffuse_5 | N=98




Trial 2 | Diffuse_4 | N=115




Trial 3 | Diffuse_5 | N=116



Trial 4 | Diffuse_5 | N=107




Trial 5 | Diffuse_1 | N=114




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	6.7	98	3444
2	Diffuse_4	60.0	28.6	115	3436
3	Diffuse_5	60.0	34.5	116	3440
4	Diffuse_5	59.8	10.9	107	3436
5	Diffuse_1	60.0	0.0	114	3444

Participant 13 | Condition: Diffuse | Total collected: 628 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	44.9	103	3411
2	Diffuse_3	60.0	0.0	132	3447
3	Diffuse_2	60.0	22.0	129	3431
4	Diffuse_4	60.0	22.8	134	3447
5	Diffuse_3	60.0	23.5	130	3424

Participant 14 | Condition: Clumpy | Total collected: 2826 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	65.4	693	4325
2	Clumpy_4	59.7	62.1	673	3785
3	Clumpy_5	60.0	76.6	724	3658
4	Clumpy_1	60.0	34.3	379	4004
5	Clumpy_5	59.8	38.9	357	3939

Participant 15 | Condition: Clumpy | Total collected: 2800 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	61.7	575	3788
2	Clumpy_5	60.0	52.0	557	3826
3	Clumpy_3	60.0	64.3	735	3789
4	Clumpy_4	60.0	87.7	580	3557
5	Clumpy_3	60.0	44.0	353	3962

Participant 16 | Condition: Clumpy | Total collected: 1952 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	44.2	324	5714
2	Clumpy_4	60.0	42.1	399	3903
3	Clumpy_2	60.0	24.5	226	7235
4	Clumpy_1	60.0	86.3	631	3715
5	Clumpy_2	60.0	40.2	372	4463

Participant 18 | Condition: Diffuse | Total collected: 668 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	8.0	135	3450
2	Diffuse_4	60.0	0.0	143	3444
3	Diffuse_3	60.0	43.4	118	3449
4	Diffuse_4	59.9	0.0	128	3445
5	Diffuse_5	60.0	0.0	144	3446

Participant 25 | Condition: Clumpy | Total collected: 1809 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	7.3	317	4630
2	Clumpy_2	60.0	31.6	207	5205
3	Clumpy_2	60.0	55.9	414	3858
4	Clumpy_4	60.0	19.6	322	5650
5	Clumpy_4	60.0	77.5	549	3688

Participant 26 | Condition: Clumpy | Total collected: 2195 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	0.0	156	4237
2	Clumpy_2	60.0	78.7	529	3676
3	Clumpy_4	60.0	83.3	448	3746
4	Clumpy_3	60.0	76.9	671	3773
5	Clumpy_5	59.2	59.6	391	3755

Participant 39 | Condition: Clumpy | Total collected: 2465 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	38.1	372	4494
2	Clumpy_3	60.0	30.1	361	3986
3	Clumpy_1	60.0	54.9	379	4454
4	Clumpy_3	60.0	90.8	787	3608
5	Clumpy_2	60.0	73.2	566	3656

Participant 40 | Condition: Clumpy | Total collected: 1978 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	15.5	417	6392
2	Clumpy_3	60.0	0.0	375	5773
3	Clumpy_3	60.0	55.0	596	3813
4	Clumpy_1	60.0	24.8	301	9214
5	Clumpy_4	60.0	56.2	289	3830

Participant 41 | Condition: Clumpy | Total collected: 2089 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	34.9	265	3949
2	Clumpy_3	60.0	63.5	394	3763
3	Clumpy_2	60.0	97.4	536	3568
4	Clumpy_1	60.0	63.9	453	3752
5	Clumpy_1	59.1	46.4	441	3854

Participant 43 | Condition: Diffuse | Total collected: 623 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	146	3442
2	Diffuse_4	60.0	0.0	120	3450
3	Diffuse_4	60.0	0.0	121	3448
4	Diffuse_4	60.0	0.0	113	3446
5	Diffuse_1	59.8	0.0	123	5208

Participant 44 | Condition: Diffuse | Total collected: 649 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	18.7	136	3436
2	Diffuse_2	60.0	0.0	124	3449
3	Diffuse_2	60.0	0.0	125	3440
4	Diffuse_1	60.0	42.0	119	3436
5	Diffuse_2	60.0	0.0	145	3443

Participant 48 | Condition: Diffuse | Total collected: 653 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	8.2	118	3444
2	Diffuse_1	60.0	25.9	146	3434
3	Diffuse_1	60.0	0.0	132	4024
4	Diffuse_4	59.0	8.4	125	3391
5	Diffuse_1	60.0	9.6	132	4604

Participant 53 | Condition: Diffuse | Total collected: 625 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	0.0	124	5210
2	Diffuse_3	60.0	0.0	117	5801
3	Diffuse_3	60.0	0.0	125	5797
4	Diffuse_1	60.0	0.0	128	7580
5	Diffuse_3	60.0	0.0	131	6392

Participant 54 | Condition: Diffuse | Total collected: 607 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	11.2	117	3434
2	Diffuse_4	60.0	0.0	131	3447
3	Diffuse_3	60.0	0.0	121	3450
4	Diffuse_5	60.0	11.4	109	3448
5	Diffuse_5	60.0	0.0	129	3452

Participant 56 | Condition: Clumpy | Total collected: 1978 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	31.6	341	5164
2	Clumpy_2	60.0	57.4	438	3877
3	Clumpy_3	60.0	30.0	260	4012
4	Clumpy_3	60.0	74.4	637	3733
5	Clumpy_5	60.0	38.5	302	4034

Participant 57 | Condition: Clumpy | Total collected: 2539 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	68.4	503	3791
2	Clumpy_1	60.0	53.7	664	3842
3	Clumpy_5	60.0	38.7	321	3970
4	Clumpy_5	60.0	54.4	514	3836
5	Clumpy_2	59.8	71.2	537	3768

Participant 59 | Condition: Clumpy | Total collected: 2843 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	37.5	290	3987
2	Clumpy_2	60.0	78.7	779	3642
3	Clumpy_2	59.5	34.5	287	3965
4	Clumpy_5	60.0	66.5	755	3728
5	Clumpy_5	60.0	54.6	732	3827

Participant 60 | Condition: Diffuse | Total collected: 661 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	120	4189
2	Diffuse_4	60.0	18.3	109	3439
3	Diffuse_3	60.0	0.0	137	3448
4	Diffuse_2	59.8	0.0	144	3436
5	Diffuse_3	59.7	0.0	151	3436

Participant 61 | Condition: Diffuse | Total collected: 647 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	134	3442
2	Diffuse_5	60.0	0.0	137	3446
3	Diffuse_2	58.4	0.0	130	3362
4	Diffuse_1	60.0	0.0	120	4031
5	Diffuse_5	60.0	0.0	126	3437


Participant 62 | Condition: Diffuse | Total collected: 636 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	136	3448
2	Diffuse_4	60.0	0.0	123	3450
3	Diffuse_2	60.0	0.0	115	4041
4	Diffuse_5	60.0	0.0	129	3452
5	Diffuse_5	60.0	0.0	133	3448

Participant 63 | Condition: Diffuse | Total collected: 561 (M76: GBM-classified modes)


Trial 1 | Diffuse_4 | N=99




Trial 2 | Diffuse_4 | N=134




Trial 3 | Diffuse_5 | N=125



Trial 4 | Diffuse_1 | N=88




Trial 5 | Diffuse_5 | N=115




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_4	60.0	49.8	99	3422
2	Diffuse_4	60.0	0.0	134	3445
3	Diffuse_5	59.8	8.7	125	3442
4	Diffuse_1	60.0	14.8	88	3443
5	Diffuse_5	59.7	0.0	115	3431

Participant 71 | Condition: Clumpy | Total collected: 3054 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	62.7	457	3820
2	Clumpy_5	59.7	65.0	635	3750
3	Clumpy_4	60.0	76.5	543	3720
4	Clumpy_4	60.0	72.8	700	3689
5	Clumpy_1	59.5	75.6	719	3734

Participant 72 | Condition: Clumpy | Total collected: 2900 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	60.5	380	3912
2	Clumpy_5	60.0	67.1	706	3731
3	Clumpy_2	60.0	81.1	768	3619
4	Clumpy_1	59.9	42.1	395	3945
5	Clumpy_5	59.8	68.7	651	3781

Participant 73 | Condition: Clumpy | Total collected: 1419 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	0.0	76	6530
2	Clumpy_1	60.0	51.4	376	4637
3	Clumpy_5	-	-	-	-
4	Clumpy_1	60.0	36.3	359	6314
5	Clumpy_5	60.0	59.1	608	5593

Participant 74 | Condition: Diffuse | Total collected: 633 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	0.0	126	3455
2	Diffuse_2	60.0	0.0	131	3448
3	Diffuse_4	60.0	18.2	122	3422
4	Diffuse_2	60.0	27.8	127	3410
5	Diffuse_1	60.0	0.0	127	3440

Participant 75 | Condition: Clumpy | Total collected: 2329 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	62.1	384	3847
2	Clumpy_1	60.0	48.8	375	3861
3	Clumpy_2	60.0	54.2	536	3807
4	Clumpy_5	53.5	39.3	339	3526
5	Clumpy_1	57.2	80.3	695	3507

Participant 80 | Condition: Diffuse | Total collected: 608 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	11.8	105	3447
2	Diffuse_3	60.0	62.3	121	3439
3	Diffuse_1	60.0	100.0	114	3436
4	Diffuse_4	60.0	0.0	137	4033
5	Diffuse_3	60.0	0.0	131	4620

Participant 82 | Condition: Clumpy | Total collected: 3281 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	65.6	583	3729
2	Clumpy_3	58.0	70.9	757	3625
3	Clumpy_4	59.3	51.4	613	3757
4	Clumpy_2	59.6	70.7	573	3694
5	Clumpy_1	59.9	85.1	755	3653

Participant 85 | Condition: Diffuse | Total collected: 670 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	0.0	123	3446
2	Diffuse_3	60.0	0.0	144	5213
3	Diffuse_1	60.0	0.0	127	3442
4	Diffuse_1	60.0	0.0	133	5216
5	Diffuse_2	60.0	0.0	143	3450

Participant 88 | Condition: Clumpy | Total collected: 1898 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	7.6	321	3898
2	Clumpy_5	60.0	58.7	356	3913
3	Clumpy_1	58.3	92.4	390	3591
4	Clumpy_5	60.0	92.1	369	3688
5	Clumpy_5	60.0	69.3	462	3771

Participant 89 | Condition: Clumpy | Total collected: 2370 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	41.5	360	5165
2	Clumpy_1	60.0	77.7	395	3783
3	Clumpy_5	59.9	79.6	392	4403
4	Clumpy_1	60.0	47.3	509	3857
5	Clumpy_5	60.0	56.3	714	4977

Participant 90 | Condition: Clumpy | Total collected: 1789 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	0.0	207	4084
2	Clumpy_2	58.6	2.0	203	4018
3	Clumpy_4	58.8	77.2	270	3816
4	Clumpy_1	59.0	88.5	749	3567
5	Clumpy_1	56.1	48.4	360	3658

Participant 92 | Condition: Diffuse | Total collected: 595 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	41.8	111	3435
2	Diffuse_4	59.7	36.8	113	3428
3	Diffuse_3	59.7	2.2	131	6369
4	Diffuse_1	60.0	0.0	119	6375
5	Diffuse_1	60.0	18.5	121	5789

Participant 94 | Condition: Diffuse | Total collected: 543 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	7.3	103	3441
2	Diffuse_1	60.0	21.9	105	3443
3	Diffuse_4	60.0	41.6	104	3437
4	Diffuse_2	60.0	16.1	121	3439
5	Diffuse_1	60.0	59.4	110	3435

Participant 95 | Condition: Diffuse | Total collected: 614 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	1.9	109	3441
2	Diffuse_2	60.0	0.0	127	3448
3	Diffuse_2	60.0	0.0	115	3449
4	Diffuse_1	60.0	0.0	123	3450
5	Diffuse_2	60.0	0.0	140	3451

Participant 96 | Condition: Diffuse | Total collected: 622 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	133	4043
2	Diffuse_2	60.0	0.0	125	3450
3	Diffuse_3	60.0	0.0	114	3448
4	Diffuse_3	60.0	0.0	132	3446
5	Diffuse_4	59.1	39.2	118	3399

Participant 97 | Condition: Diffuse | Total collected: 646 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	23.5	112	3431
2	Diffuse_2	60.0	0.0	135	3449
3	Diffuse_3	60.0	8.1	121	3453
4	Diffuse_5	60.0	0.0	140	3447
5	Diffuse_1	60.0	0.0	138	3442

Participant 100 | Condition: Diffuse | Total collected: 625 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	123	3430
2	Diffuse_1	60.0	49.0	122	3424
3	Diffuse_3	59.9	0.0	127	3432
4	Diffuse_4	60.0	0.0	117	3421
5	Diffuse_5	60.0	0.0	136	3426

Participant 102 | Condition: Diffuse | Total collected: 668 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	9.7	118	3449
2	Diffuse_1	60.0	0.0	153	3444
3	Diffuse_3	60.0	0.0	129	3449
4	Diffuse_5	60.0	0.0	133	3444
5	Diffuse_1	59.8	0.0	135	3448

Participant 103 | Condition: Diffuse | Total collected: 570 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	0.0	117	5217
2	Diffuse_5	60.0	0.0	139	3446
3	Diffuse_1	60.0	0.0	109	4034
4	Diffuse_4	60.0	0.0	105	3443
5	Diffuse_1	60.0	28.8	100	3438

Participant 104 | Condition: Diffuse | Total collected: 617 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	135	3444
2	Diffuse_2	60.0	5.3	112	3445
3	Diffuse_4	60.0	9.5	110	4017
4	Diffuse_5	60.0	37.2	132	3426
5	Diffuse_5	60.0	0.0	128	3435

Participant 105 | Condition: Clumpy | Total collected: 2689 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	41.3	370	3897
2	Clumpy_3	60.0	50.7	626	3867
3	Clumpy_4	59.2	84.2	547	3601
4	Clumpy_4	59.4	72.3	557	3673
5	Clumpy_2	59.8	70.7	589	3691

Participant 106 | Condition: Clumpy | Total collected: 1552 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	0.0	258	5305
2	Clumpy_4	60.0	0.0	324	5269
3	Clumpy_1	60.0	0.0	186	8320
4	Clumpy_1	60.0	24.0	467	3930
5	Clumpy_3	60.0	42.0	317	4479

Participant 107 | Condition: Clumpy | Total collected: 1390 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	17.7	246	3952
2	Clumpy_2	59.1	11.0	71	4183
3	Clumpy_3	59.7	86.3	393	3727
4	Clumpy_3	60.0	84.2	386	3760
5	Clumpy_4	59.6	52.0	294	3649

Participant 108 | Condition: Clumpy | Total collected: 1626 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	84.0	387	3779
2	Clumpy_3	60.0	14.2	251	5258
3	Clumpy_1	60.0	93.1	392	3640
4	Clumpy_2	60.0	72.4	298	3827
5	Clumpy_2	60.0	94.0	298	3826

Participant 109 | Condition: Diffuse | Total collected: 620 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	126	3452
2	Diffuse_3	60.0	0.0	111	3450
3	Diffuse_2	60.0	0.0	128	3448
4	Diffuse_1	59.8	0.0	119	3443
5	Diffuse_2	60.0	0.0	136	3449

Participant 110 | Condition: Clumpy | Total collected: 923 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	0.0	2	5973
2	Clumpy_4	60.0	0.0	214	4119
3	Clumpy_3	60.0	6.8	187	5886
4	Clumpy_5	59.5	9.1	128	4124
5	Clumpy_3	59.8	73.3	392	5002

Participant 111 | Condition: Clumpy | Total collected: 2702 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	52.1	605	3881
2	Clumpy_4	60.0	29.2	489	3997
3	Clumpy_3	60.0	37.3	561	3942
4	Clumpy_3	60.0	38.4	378	3927
5	Clumpy_1	60.0	48.7	669	3808

Participant 114 | Condition: Diffuse | Total collected: 645 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	14.0	136	3449
2	Diffuse_3	60.0	14.1	100	3442
3	Diffuse_2	60.0	0.0	143	5206
4	Diffuse_1	60.0	0.0	134	3447
5	Diffuse_3	59.8	0.0	132	3439

Participant 118 | Condition: Clumpy | Total collected: 2359 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	43.2	272	3899
2	Clumpy_2	60.0	77.2	516	3618
3	Clumpy_3	60.0	51.6	395	3880
4	Clumpy_4	59.8	47.5	455	3881
5	Clumpy_1	60.0	71.1	721	6077

Participant 120 | Condition: Clumpy | Total collected: 3482 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	34.9	534	3962
2	Clumpy_2	60.0	65.9	694	3720
3	Clumpy_3	60.0	37.1	621	3934
4	Clumpy_4	60.0	69.6	888	3688
5	Clumpy_3	57.5	68.5	745	3563


Participant 121 | Condition: Clumpy | Total collected: 2155 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	4.2	212	5280
2	Clumpy_1	58.0	38.0	506	3798
3	Clumpy_5	54.9	88.7	728	3266
4	Clumpy_3	54.1	40.1	336	3585
5	Clumpy_5	54.6	43.0	373	3568

Participant 122 | Condition: Diffuse | Total collected: 498 (M76: GBM-classified modes)


Trial 1 | Diffuse_5 | N=96




Trial 2 | Diffuse_4 | N=83




Trial 3 | Diffuse_2 | N=101



Trial 4 | Diffuse_5 | N=100




Trial 5 | Diffuse_4 | N=118




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	82.2	96	3456
2	Diffuse_4	60.0	76.4	83	3459
3	Diffuse_2	60.0	22.3	101	3437
4	Diffuse_5	60.0	0.0	100	3452
5	Diffuse_4	60.0	0.0	118	3453

Participant 123 | Condition: Diffuse | Total collected: 654 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_4	60.0	6.3	145	3447
2	Diffuse_2	59.9	0.0	145	3446
3	Diffuse_5	60.0	9.4	121	3445
4	Diffuse_3	60.0	35.0	123	3450
5	Diffuse_1	59.9	13.8	120	3443


Participant 126 | Condition: Diffuse | Total collected: 611 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_4	60.0	63.3	111	5191
2	Diffuse_2	60.0	70.8	140	3421
3	Diffuse_5	60.0	46.8	133	8124
4	Diffuse_5	60.0	14.4	131	6967
5	Diffuse_1	60.0	79.4	96	5764

Participant 128 | Condition: Diffuse | Total collected: 626 (M76: GBM-classified modes)


Trial 1 | Diffuse_1 | N=134




Trial 2 | Diffuse_4 | N=118




Trial 3 | Diffuse_5 | N=110



Trial 4 | Diffuse_4 | N=132




Trial 5 | Diffuse_2 | N=132




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	12.4	134	3422
2	Diffuse_4	60.0	19.4	118	3419
3	Diffuse_5	60.0	6.4	110	3418
4	Diffuse_4	60.0	34.4	132	3412
5	Diffuse_2	60.0	36.3	132	3412

Participant 129 | Condition: Clumpy | Total collected: 2267 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	36.9	365	5155
2	Clumpy_5	60.0	63.1	380	3769
3	Clumpy_5	60.0	77.5	746	3650
4	Clumpy_3	60.0	28.5	387	4044
5	Clumpy_3	60.0	49.2	389	5050

Participant 130 | Condition: Clumpy | Total collected: 1575 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	78.2	428	3782
2	Clumpy_1	60.0	83.1	387	3810
3	Clumpy_3	60.0	69.5	372	3911
4	Clumpy_3	-	-	-	-
5	Clumpy_5	60.0	84.6	388	3850

Participant 131 | Condition: Diffuse | Total collected: 528 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	128	3444
2	Diffuse_2	59.8	0.0	115	3443
3	Diffuse_1	60.0	0.0	81	3448
4	Diffuse_2	60.0	1.0	99	3486
5	Diffuse_5	60.0	0.0	105	3449

Participant 132 | Condition: Clumpy | Total collected: 2613 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	0.0	292	4672
2	Clumpy_2	59.2	68.6	485	4345
3	Clumpy_1	54.6	75.5	655	3357
4	Clumpy_1	59.1	75.1	597	3661
5	Clumpy_2	59.7	63.2	584	3787

Participant 133 | Condition: Diffuse | Total collected: 605 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	131	3442
2	Diffuse_4	60.0	0.0	123	3443
3	Diffuse_3	60.0	0.0	116	3437
4	Diffuse_4	60.0	0.0	122	3432
5	Diffuse_1	60.0	0.0	113	3437




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	128	3445
2	Diffuse_5	60.0	0.0	128	3446
3	Diffuse_4	60.0	0.0	136	3443
4	Diffuse_1	60.0	0.0	140	3441
5	Diffuse_4	59.9	0.0	131	3449

Participant 136 | Condition: Clumpy | Total collected: 2754 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	39.1	390	3913
2	Clumpy_5	60.0	86.0	753	3635
3	Clumpy_1	60.0	78.9	743	3673
4	Clumpy_2	60.0	39.6	291	3912
5	Clumpy_4	60.0	85.2	577	3597

Participant 137 | Condition: Diffuse | Total collected: 654 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	18.1	131	3448
2	Diffuse_4	60.0	31.8	119	3435
3	Diffuse_2	60.0	57.8	124	3436
4	Diffuse_2	60.0	14.0	142	3446
5	Diffuse_4	60.0	0.0	138	3443

Participant 138 | Condition: Clumpy | Total collected: 2832 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	63.0	510	4367
2	Clumpy_2	59.7	72.6	512	4253
3	Clumpy_2	58.6	70.0	507	4234
4	Clumpy_5	59.5	70.7	574	4924
5	Clumpy_1	59.2	64.5	729	6055

Participant 139 | Condition: Clumpy | Total collected: 1962 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	0.0	289	5255
2	Clumpy_2	60.0	2.3	341	7505
3	Clumpy_1	47.4	0.0	271	4323
4	Clumpy_3	53.4	77.7	712	3250
5	Clumpy_4	58.5	33.4	349	3723

Participant 140 | Condition: Diffuse | Total collected: 654 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	0.0	134	3444
2	Diffuse_1	60.0	0.0	123	3442
3	Diffuse_4	60.0	37.8	131	3438
4	Diffuse_3	60.0	0.0	132	3450
5	Diffuse_2	60.0	3.8	134	3442

Participant 141 | Condition: Clumpy | Total collected: 1799 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	17.4	234	4002
2	Clumpy_5	59.9	37.6	357	3845
3	Clumpy_2	60.0	52.3	450	3922
4	Clumpy_2	60.0	76.8	470	3693
5	Clumpy_4	60.0	18.3	288	3750

Participant 142 | Condition: Clumpy | Total collected: 2988 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	46.7	691	3815
2	Clumpy_1	59.9	25.9	357	4060
3	Clumpy_4	60.0	57.9	880	4913
4	Clumpy_2	60.0	70.1	708	3685
5	Clumpy_3	60.0	42.2	352	3918

Participant 143 | Condition: Clumpy | Total collected: 3242 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	55.8	294	4458
2	Clumpy_2	59.7	95.4	743	3562
3	Clumpy_5	60.0	71.9	724	3722
4	Clumpy_5	59.8	96.2	748	3584
5	Clumpy_5	60.0	63.0	733	3741

Participant 144 | Condition: Diffuse | Total collected: 630 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	134	3450
2	Diffuse_4	60.0	0.0	129	5230
3	Diffuse_1	60.0	21.4	119	5815
4	Diffuse_3	60.0	14.1	128	5215
5	Diffuse_1	59.2	0.0	120	10488

Participant 146 | Condition: Clumpy | Total collected: 3268 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	89.0	526	3592
2	Clumpy_5	60.0	83.0	742	3591
3	Clumpy_5	60.0	48.1	577	3862
4	Clumpy_4	60.0	81.2	777	3595
5	Clumpy_3	60.0	47.1	646	5031

Participant 147 | Condition: Diffuse | Total collected: 602 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	101	3448
2	Diffuse_4	60.0	0.0	133	3446
3	Diffuse_3	60.0	0.0	110	3450
4	Diffuse_1	60.0	64.3	118	3426
5	Diffuse_2	60.0	55.6	140	3421

Participant 149 | Condition: Diffuse | Total collected: 641 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	10.1	120	3448
2	Diffuse_3	60.0	0.0	142	3447
3	Diffuse_3	60.0	0.0	119	3439
4	Diffuse_4	60.0	8.1	139	3449
5	Diffuse_1	60.0	0.0	121	3447


Participant 150 | Condition: Clumpy | Total collected: 1156 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	4.6	131	4172
2	Clumpy_3	60.0	0.0	101	5402
3	Clumpy_2	60.0	26.5	333	6959
4	Clumpy_4	59.7	28.6	286	3994
5	Clumpy_5	56.9	6.1	305	7380

Participant 154 | Condition: Diffuse | Total collected: 522 (M76: GBM-classified modes)


Trial 1 | Diffuse_2 | N=111




Trial 2 | Diffuse_1 | N=114




Trial 3 | Diffuse_1 | N=112



Trial 4 | Diffuse_5 | N=90




Trial 5 | Diffuse_3 | N=95




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	45.4	111	3441
2	Diffuse_1	60.0	100.0	114	3467
3	Diffuse_1	60.0	92.3	112	3434
4	Diffuse_5	60.0	91.2	90	3436
5	Diffuse_3	60.0	100.0	95	3434

Participant 155 | Condition: Clumpy | Total collected: 2255 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	52.9	494	3856
2	Clumpy_3	60.0	20.3	366	5245
3	Clumpy_2	60.0	69.3	498	4351
4	Clumpy_4	60.0	54.5	281	6279
5	Clumpy_1	59.9	55.9	616	3790

Participant 156 | Condition: Diffuse | Total collected: 640 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	16.8	115	3435
2	Diffuse_3	60.0	0.0	119	4025
3	Diffuse_4	60.0	0.0	141	3439
4	Diffuse_5	60.0	57.3	145	3435
5	Diffuse_1	60.0	54.6	120	3430

Participant 157 | Condition: Diffuse | Total collected: 615 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	54.9	114	6968
2	Diffuse_5	58.9	0.0	126	3385
3	Diffuse_3	60.0	29.8	119	4619
4	Diffuse_5	60.0	51.8	139	5189
5	Diffuse_3	59.9	100.0	117	3417

Participant 160 | Condition: Diffuse | Total collected: 581 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	11.9	116	4030
2	Diffuse_1	60.0	0.0	134	3447
3	Diffuse_1	60.0	32.1	98	5804
4	Diffuse_1	60.0	0.0	121	6984
5	Diffuse_5	60.0	53.3	112	6392

Participant 161 | Condition: Clumpy | Total collected: 3512 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	41.0	375	4521
2	Clumpy_5	59.6	57.3	695	3791
3	Clumpy_1	60.0	86.4	951	3619
4	Clumpy_4	59.6	83.9	737	3639
5	Clumpy_5	59.5	86.8	754	3589

Participant 162 | Condition: Diffuse | Total collected: 616 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	14.9	120	3442
2	Diffuse_4	60.0	0.0	131	3442
3	Diffuse_2	60.0	30.9	109	3439
4	Diffuse_4	60.0	16.0	127	3445
5	Diffuse_4	60.0	0.0	129	3438

Participant 164 | Condition: Clumpy | Total collected: 1977 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	0.0	170	6488
2	Clumpy_2	60.0	24.5	575	3873
3	Clumpy_5	60.0	31.9	295	7549
4	Clumpy_1	60.0	68.2	644	4360
5	Clumpy_2	60.0	42.7	293	6848

Participant 165 | Condition: Clumpy | Total collected: 2173 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	75.6	298	3852
2	Clumpy_4	60.0	92.0	557	3550
3	Clumpy_3	57.2	57.2	392	3687
4	Clumpy_2	56.4	100.0	528	3371
5	Clumpy_3	57.0	80.0	398	3572

Participant 166 | Condition: Diffuse | Total collected: 670 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_4	60.0	0.0	160	3444
2	Diffuse_2	60.0	0.0	129	3445
3	Diffuse_4	60.0	0.0	117	3435
4	Diffuse_1	59.7	55.1	138	3418
5	Diffuse_3	59.8	27.2	126	3426

Participant 168 | Condition: Clumpy | Total collected: 3005 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	55.3	517	3881
2	Clumpy_1	60.0	73.4	700	3724
3	Clumpy_3	57.1	56.3	621	3683
4	Clumpy_2	60.0	75.6	650	3720
5	Clumpy_1	60.0	44.4	517	5716

Participant 169 | Condition: Clumpy | Total collected: 2378 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	60.8	396	3859
2	Clumpy_1	60.0	70.6	372	3776
3	Clumpy_5	60.0	72.1	702	3736
4	Clumpy_3	60.0	44.2	343	3938
5	Clumpy_2	60.0	83.6	565	3591

Participant 170 | Condition: Clumpy | Total collected: 3149 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	64.6	641	3736
2	Clumpy_2	59.1	61.7	762	3692
3	Clumpy_5	60.0	58.4	658	3775
4	Clumpy_4	59.4	72.9	718	3705
5	Clumpy_3	58.3	32.6	370	3861

Participant 171 | Condition: Clumpy | Total collected: 1650 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	25.4	198	6910
2	Clumpy_4	53.9	5.0	142	9043
3	Clumpy_2	54.1	59.6	351	4019
4	Clumpy_1	50.5	50.7	356	4397
5	Clumpy_1	59.1	65.1	603	3660

Participant 172 | Condition: Clumpy | Total collected: 2159 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	0.0	384	3875
2	Clumpy_4	60.0	25.1	471	3751
3	Clumpy_3	59.9	36.0	348	3943
4	Clumpy_4	60.0	71.5	533	3679
5	Clumpy_3	59.4	32.6	423	3922

Participant 173 | Condition: Clumpy | Total collected: 3232 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	31.6	351	4050
2	Clumpy_1	59.2	74.6	742	3597
3	Clumpy_5	59.5	45.7	641	3826
4	Clumpy_1	60.6	46.1	639	3865
5	Clumpy_5	60.4	49.0	859	3835

Participant 174 | Condition: Clumpy | Total collected: 2563 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_5	60.0	76.7	385	3782
2	Clumpy_4	60.0	76.0	669	3641
3	Clumpy_1	59.8	46.6	392	3845
4	Clumpy_2	60.0	65.8	525	3749
5	Clumpy_3	60.0	24.9	592	3975

Participant 176 | Condition: Diffuse | Total collected: 677 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	56.6	133	3417
2	Diffuse_5	60.0	0.0	121	3424
3	Diffuse_3	60.0	28.1	140	3424
4	Diffuse_2	60.0	0.0	141	3427
5	Diffuse_4	60.0	0.0	142	3448

Participant 177 | Condition: Clumpy | Total collected: 3694 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	53.2	704	4416
2	Clumpy_5	60.0	53.9	723	4419
3	Clumpy_5	59.8	70.0	733	3721
4	Clumpy_3	60.0	64.0	766	3787
5	Clumpy_1	59.7	53.7	768	3804

Participant 178 | Condition: Clumpy | Total collected: 2639 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	50.6	376	3875
2	Clumpy_4	60.0	75.4	633	3654
3	Clumpy_4	60.0	38.8	512	5665
4	Clumpy_2	59.8	67.8	538	3728
5	Clumpy_1	59.9	47.6	580	5015

Participant 179 | Condition: Clumpy | Total collected: 2947 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	74.3	297	3794
2	Clumpy_1	59.8	64.8	707	3727
3	Clumpy_4	59.5	68.5	647	3680
4	Clumpy_1	59.5	69.9	718	3705
5	Clumpy_4	60.0	67.0	578	3737

Participant 181 | Condition: Clumpy | Total collected: 3567 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	79.9	679	3611
2	Clumpy_4	60.0	87.9	571	3580
3	Clumpy_3	59.7	87.6	987	3571
4	Clumpy_1	59.8	59.6	722	3764
5	Clumpy_2	60.0	52.6	608	3755

Participant 183 | Condition: Diffuse | Total collected: 619 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	118	3442
2	Diffuse_5	60.0	0.0	112	3447
3	Diffuse_4	60.0	0.0	142	4031
4	Diffuse_5	60.0	0.0	125	3446
5	Diffuse_1	60.0	0.0	122	5219

Participant 184 | Condition: Clumpy | Total collected: 2751 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	40.1	333	3972
2	Clumpy_1	60.0	35.5	361	4001
3	Clumpy_3	60.0	58.1	730	3834
4	Clumpy_2	60.0	62.6	652	3784
5	Clumpy_3	60.0	49.1	675	3868

Participant 185 | Condition: Clumpy | Total collected: 3105 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	0.0	236	4134
2	Clumpy_5	60.0	56.2	670	3772
3	Clumpy_4	59.8	78.9	739	3651
4	Clumpy_4	60.0	92.4	779	3537
5	Clumpy_2	59.7	64.8	681	3762

Participant 186 | Condition: Clumpy | Total collected: 1920 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	67.4	483	4245
2	Clumpy_3	59.9	37.7	363	3852
3	Clumpy_3	60.0	86.1	398	4294
4	Clumpy_4	58.4	57.0	299	3687
5	Clumpy_3	60.0	94.8	377	3586

Participant 189 | Condition: Clumpy | Total collected: 512 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	0.0	166	4172
2	Clumpy_3	60.0	0.0	40	4220
3	Clumpy_5	59.9	0.0	149	4193
4	Clumpy_2	59.8	0.0	71	5332
5	Clumpy_4	60.0	0.0	86	4136

Participant 190 | Condition: Clumpy | Total collected: 1853 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	12.3	291	3972
2	Clumpy_3	60.0	60.9	384	3846
3	Clumpy_2	60.0	62.9	435	3798
4	Clumpy_1	58.5	73.8	361	4882
5	Clumpy_3	59.6	88.4	382	3701

Participant 191 | Condition: Clumpy | Total collected: 915 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	0.0	100	8287
2	Clumpy_1	60.0	11.2	53	5841
3	Clumpy_4	60.0	32.1	319	6299
4	Clumpy_3	58.0	24.5	192	10351
5	Clumpy_4	58.0	59.9	251	4869

Participant 192 | Condition: Clumpy | Total collected: 1441 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	71.0	324	4517
2	Clumpy_2	60.0	0.0	172	4684
3	Clumpy_5	60.0	27.6	301	6374
4	Clumpy_1	60.0	31.6	290	4062
5	Clumpy_3	60.0	49.3	354	3898

Participant 193 | Condition: Clumpy | Total collected: 2337 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	55.6	376	5058
2	Clumpy_2	60.0	69.8	509	3729
3	Clumpy_1	59.9	73.9	729	4262
4	Clumpy_3	60.0	38.9	441	5133
5	Clumpy_4	60.0	37.2	282	5739


Participant 194 | Condition: Clumpy | Total collected: 3045 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	73.7	387	3824
2	Clumpy_2	60.0	66.2	506	3723
3	Clumpy_5	59.9	39.9	557	3923
4	Clumpy_1	60.0	50.5	634	3842
5	Clumpy_1	60.0	65.2	961	3721

Participant 195 | Condition: Diffuse | Total collected: 459 (M76: GBM-classified modes)


Trial 1 | Diffuse_5 | N=106




Trial 2 | Diffuse_3 | N=91




Trial 3 | Diffuse_1 | N=81



Trial 4 | Diffuse_4 | N=104




Trial 5 | Diffuse_2 | N=77




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_5	60.0	70.5	106	3457
2	Diffuse_3	60.0	90.9	91	3484
3	Diffuse_1	60.0	78.3	81	3489
4	Diffuse_4	60.0	18.7	104	3450
5	Diffuse_2	60.0	12.2	77	3468

Participant 196 | Condition: Clumpy | Total collected: 3875 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_4	60.0	65.0	815	3709
2	Clumpy_4	60.0	74.5	557	3689
3	Clumpy_1	57.4	82.1	1084	3428
4	Clumpy_5	59.8	33.7	359	3945
5	Clumpy_3	60.0	83.3	1060	3575

Participant 197 | Condition: Diffuse | Total collected: 659 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	1.7	139	3442
2	Diffuse_2	60.0	0.0	129	3434
3	Diffuse_4	60.0	0.0	138	3438
4	Diffuse_1	60.0	0.0	128	3423
5	Diffuse_5	59.2	6.9	125	3400

Participant 198 | Condition: Clumpy | Total collected: 2306 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	15.1	41	4208
2	Clumpy_5	59.9	82.3	414	3777
3	Clumpy_4	43.5	86.7	566	2672
4	Clumpy_5	55.7	85.9	725	3396
5	Clumpy_2	55.5	80.1	560	3391

Participant 199 | Condition: Clumpy | Total collected: 2692 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_2	60.0	74.3	549	3700
2	Clumpy_3	60.0	45.1	562	3946
3	Clumpy_3	60.0	33.1	362	4005
4	Clumpy_5	59.3	60.7	622	3755
5	Clumpy_3	59.5	66.3	597	3759

Participant 200 | Condition: Diffuse | Total collected: 589 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	20.0	118	3432
2	Diffuse_4	60.0	20.6	122	5793
3	Diffuse_3	60.0	88.0	104	3436
4	Diffuse_4	60.0	76.7	106	5795
5	Diffuse_2	60.0	0.0	139	3444

Participant 201 | Condition: Diffuse | Total collected: 642 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	7.9	119	3435
2	Diffuse_2	60.0	21.1	120	3428
3	Diffuse_4	60.0	0.0	148	3447
4	Diffuse_4	60.0	6.6	154	3446
5	Diffuse_2	60.0	6.2	101	3443

Participant 202 | Condition: Clumpy | Total collected: 1241 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_1	60.0	62.8	351	3826
2	Clumpy_5	60.0	24.0	260	4559
3	Clumpy_4	60.0	78.6	296	3776
4	Clumpy_2	60.0	36.5	239	6347
5	Clumpy_2	60.0	7.9	95	9494

Participant 203 | Condition: Diffuse | Total collected: 651 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	0.0	113	3444
2	Diffuse_2	60.0	0.0	150	3453
3	Diffuse_1	60.0	0.0	120	3452
4	Diffuse_4	60.0	6.2	132	3445
5	Diffuse_5	60.0	0.0	136	3451

Participant 205 | Condition: Diffuse | Total collected: 684 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	140	3443
2	Diffuse_1	60.0	6.4	125	4038
3	Diffuse_4	60.0	6.4	136	3448
4	Diffuse_3	60.0	0.0	143	6991
5	Diffuse_3	60.0	0.0	140	7590

Participant 206 | Condition: Diffuse | Total collected: 674 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	0.0	129	3448
2	Diffuse_4	60.0	0.0	136	3442
3	Diffuse_1	60.0	0.8	133	3439
4	Diffuse_3	60.0	0.0	148	3438
5	Diffuse_1	60.0	0.0	128	3442

Participant 207 | Condition: Clumpy | Total collected: 2561 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	42.5	378	3942
2	Clumpy_2	60.0	76.3	714	3646
3	Clumpy_2	60.0	41.7	427	3904
4	Clumpy_2	60.0	75.0	270	3848
5	Clumpy_4	59.1	91.1	772	3510

Participant 208 | Condition: Diffuse | Total collected: 582 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_2	60.0	0.0	119	3445
2	Diffuse_4	60.0	0.0	118	3440
3	Diffuse_2	60.0	0.0	111	3450
4	Diffuse_5	60.0	37.1	118	3436
5	Diffuse_1	60.0	29.3	116	3437




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_3	60.0	0.0	143	3438
2	Diffuse_4	60.0	0.0	144	3450
3	Diffuse_3	60.0	0.0	145	3449
4	Diffuse_5	60.0	0.0	160	3445
5	Diffuse_3	60.0	0.0	136	3447

Participant 211 | Condition: Clumpy | Total collected: 2808 (M76: GBM-classified modes)




Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	73.2	355	4498
2	Clumpy_1	60.0	77.0	390	3862
3	Clumpy_4	60.0	71.9	685	3733
4	Clumpy_4	59.6	80.4	678	3656
5	Clumpy_5	60.0	82.3	700	3697

Participant 212 | Condition: Diffuse | Total collected: 638 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Diffuse_1	60.0	0.0	129	5219
2	Diffuse_3	60.0	0.0	149	6390
3	Diffuse_5	60.0	0.0	122	4045
4	Diffuse_2	60.0	0.0	107	3447
5	Diffuse_3	60.0	0.0	131	4034

Participant 213 | Condition: Clumpy | Total collected: 2464 (M76: GBM-classified modes)



Trial	MapID	Duration (s)	% Exploit	N collected	Path length
1	Clumpy_3	60.0	55.2	393	4449
2	Clumpy_2	60.0	77.1	567	3594
3	Clumpy_3	60.0	28.4	372	4046
4	Clumpy_3	60.0	37.4	383	3959
5	Clumpy_5	60.0	94.8	749	3524